

**La Preciosa Drilling**

**2009-**

**(Pan American drilled holes)**

## La Preciosa Project

### Gold and Silver Results – 2009 Drilling – Pan American

$$\text{Ag-Eq (g/t)} = \text{Ag} + \text{Au} * 60$$

No provisions have been made for relative recovery rates. Silver-equivalent does not include a contribution from base metals.

The “Martha (total)” is the broader Martha structure, which is sometimes divided into an upper “Marthita” and a lower “Martha”, or sub-intervals. Depending on grade, metal prices and mining method, Marthita and Martha may be mined as a single structure, or treated as two discrete structures. Pan American Silver has also used the terms “Martha Superior” for an Upper zone, “Martha” for a Main or Middle zone, and “Martha Inferior” for a Lower zone in the Martha Structure.

#### BP09-355

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	193.00	196.00	3.00	2.12	0.089	78.5	83.9
Includes	194.00	195.00	1.00	0.71	0.168	<b>111.0</b>	<b>121.1</b>
Unnamed	218.00	226.50	8.50	8.00	0.105	<b>188.7</b>	<b>195.1</b>
Includes	221.10	225.25	3.15	2.96	0.186	<b>267.7</b>	<b>278.9</b>
Includes	223.60	225.25	1.65	1.55	0.146	<b>291.0</b>	<b>299.8</b>
Martha (total)	280.06	314.05	33.99	33.99	0.216	<b>147.5</b>	<b>160.4</b>
<b>Marthita</b>	280.06	287.00	6.94	6.94	0.249	<b>234.3</b>	<b>249.3</b>
Includes	280.06	284.00	3.94	3.94	0.277	<b>337.5</b>	<b>354.1</b>
Includes	280.06	281.20	1.14	1.14	0.510	<b>638.3</b>	<b>668.9</b>
<b>Martha</b>	294.00	314.05	20.05	20.05	0.243	<b>150.4</b>	<b>165.0</b>
Includes	294.00	308.00	14.00	14.00	0.273	<b>174.4</b>	<b>190.8</b>
Includes	294.00	300.84	6.84	6.84	0.170	<b>225.9</b>	<b>236.1</b>

BP09-356

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	23.45	26.15	2.70	2.21	0.137	<b>243.1</b>	<b>251.3</b>
Includes	23.45	25.50	2.05	1.68	0.162	<b>296.4</b>	<b>306.1</b>
Includes	24.50	25.50	1.00	0.82	0.232	<b>404.0</b>	<b>417.9</b>
<b>Martha</b>	298.10	313.10	15.00	14.94	0.551	<b>302.3</b>	<b>335.3</b>
Includes	298.10	304.00	5.90	5.88	0.940	<b>646.3</b>	<b>702.8</b>
Includes	299.20	301.00	1.80	1.79	<b>1,938</b>	<b>1,392.2</b>	<b>1,508.5</b>

BP09-357

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	186.30	187.25	0.95	0.89	0.428	<b>343.0</b>	<b>368.7</b>
Unnamed	218.55	231.60	13.05	11.30	0.260	92.5	<b>108.1</b>
Includes	218.55	223.70	5.15	4.46	0.426	<b>135.5</b>	<b>161.1</b>
Includes	218.55	222.20	3.65	3.16	0.555	<b>166.7</b>	<b>200.0</b>
<b>Martha</b>	283.25	320.00	36.75	36.19	0.272	<b>170.3</b>	<b>186.7</b>
Includes	298.70	313.00	14.30	14.08	0.313	<b>252.2</b>	<b>271.0</b>
Includes	298.70	307.00	8.30	8.17	0.336	<b>301.7</b>	<b>321.9</b>

BP09-358

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	27.50	30.50	3.00	2.12	0.069	<b>152.7</b>	<b>156.8</b>
Unnamed	114.50	115.50	1.00	0.94	0.099	<b>117.0</b>	<b>122.9</b>
<b>Martha</b>	289.25	312.90	23.65	23.56	0.346	<b>126.5</b>	<b>147.3</b>
Includes	289.25	307.95	18.70	18.63	0.362	<b>148.3</b>	<b>170.0</b>
Includes	290.60	296.00	5.40	5.38	0.507	<b>242.0</b>	<b>272.4</b>

BP09-359

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	52.05	55.10	3.05	3.00	0.090	90.2	95.6
Includes	52.05	52.65	0.60	0.59	0.110	<b>254.0</b>	<b>260.6</b>
Unnamed	107.24	107.83	0.59	0.55	0.025	<b>115.0</b>	<b>116.5</b>
Unnamed	306.00	327.35	21.35	20.06	0.090	<b>157.5</b>	<b>162.9</b>
Includes	319.00	327.35	8.35	7.85	0.065	<b>196.6</b>	<b>200.5</b>
Includes	306.00	312.00	6.00	5.64	0.198	<b>233.0</b>	<b>244.9</b>
<b>Martha</b>	356.00	393.00	37.00	34.77	0.278	<b>202.4</b>	<b>219.1</b>
Includes	376.70	393.00	16.30	15.32	0.413	<b>278.1</b>	<b>302.9</b>
Includes	379.00	387.00	8.00	7.52	0.556	<b>379.5</b>	<b>412.9</b>

BP09-360

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Marthita</b>	273.46	276.45	2.99	2.94	0.222	81.8	95.1
Includes	274.70	275.58	0.88	0.87	0.299	<b>115.0</b>	<b>132.9</b>
<b>Martha</b>	281.00	288.60	7.60	7.48	0.091	52.4	57.9
Includes	287.00	288.60	1.60	1.58	0.134	97.3	<b>105.3</b>
Includes	287.00	288.00	1.00	0.98	0.150	<b>118.0</b>	<b>127.0</b>

BP09-361

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Martha (total)	271.85	286.70	14.85	14.85	0.137	<b>145.6</b>	<b>153.8</b>
<b>Marthita</b>	271.85	276.20	4.35	4.35	0.215	<b>183.4</b>	<b>196.3</b>
Includes	271.85	274.35	2.50	2.50	0.316	<b>228.5</b>	<b>247.5</b>
Includes	272.60	274.35	1.75	1.75	0.377	<b>279.3</b>	<b>301.9</b>
<b>Martha</b>	279.05	286.70	7.65	7.65	0.132	<b>174.2</b>	<b>182.2</b>
Includes	280.00	285.60	5.60	5.60	0.151	<b>214.0</b>	<b>223.0</b>
Includes	280.00	282.30	2.30	2.30	0.163	<b>361.1</b>	<b>370.9</b>

BP09-362

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Abundancia</b>	49.50	53.70	4.20	4.20	0.061	<b>333.8</b>	<b>337.5</b>
Includes	52.00	53.70	1.70	1.70	0.052	<b>534.8</b>	<b>538.0</b>
(old stope)	53.70	57.01	n/c				
Martha (total)	338.02	377.25	39.23	38.63	0.226	<b>107.7</b>	<b>121.2</b>
<b>Marthita</b>	338.02	351.15	13.13	12.68	0.249	<b>165.6</b>	<b>180.5</b>
Includes	338.02	343.00	4.98	4.81	0.413	<b>272.6</b>	<b>297.3</b>
Includes	338.02	340.60	2.58	2.49	0.325	<b>322.5</b>	<b>342.0</b>
<b>Martha</b>	356.31	377.25	20.94	20.86	0.267	97.9	<b>113.8</b>
Includes	365.00	375.00	10.00	9.96	0.428	<b>153.4</b>	<b>179.0</b>
Includes	371.00	375.00	4.00	3.98	0.586	<b>181.5</b>	<b>216.6</b>



BP09-365

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	93.75	101.40	7.65	6.63	0.068	<b>138.9</b>	<b>143.0</b>
Includes	99.70	101.40	1.70	1.47	0.085	<b>416.5</b>	<b>421.6</b>
Includes	99.70	100.55	0.85	0.74	0.077	<b>646.0</b>	<b>650.6</b>
Unnamed	106.75	107.90	1.15	1.00	0.042	<b>152.0</b>	<b>154.5</b>
<b>Marthita</b>	316.05	318.40	2.35	2.21	0.104	<b>263.8</b>	<b>270.0</b>
Includes	316.05	316.70	0.65	0.61	0.165	<b>645.0</b>	<b>654.9</b>
<b>Martha</b>	337.85	363.00	25.15	23.63	0.505	98.3	<b>128.6</b>
Includes	337.85	348.00	10.15	9.54	0.971	<b>148.4</b>	<b>206.6</b>
Includes	337.85	342.00	4.15	3.90	<b>1,431</b>	<b>253.8</b>	<b>339.6</b>
Unnamed	380.00	381.00	1.00	0.94	0.203	<b>103.0</b>	<b>115.2</b>
Unnamed	382.85	384.00	1.15	1.08	0.634	<b>254.0</b>	<b>292.0</b>

BP09-366

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Martha (total)	265.20	310.15	44.95	44.78	0.314	<b>128.5</b>	<b>147.4</b>
<b>Marthita</b>	265.20	276.50	11.30	11.30	0.371	<b>133.1</b>	<b>155.4</b>
Includes	273.00	276.50	3.50	3.50	0.303	<b>246.6</b>	<b>264.8</b>
Includes	274.00	276.00	2.00	2.00	0.399	<b>376.5</b>	<b>400.4</b>
<b>Martha</b>	283.50	310.15	26.65	26.25	0.370	<b>158.7</b>	<b>180.9</b>
Includes	283.50	303.00	19.50	19.20	0.396	<b>199.1</b>	<b>222.9</b>
Includes	294.00	301.00	7.00	6.89	0.640	<b>334.1</b>	<b>372.5</b>



BP09-370

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	239.90	240.70	0.80	0.77	0.426	<b>362.0</b>	<b>387.6</b>
<b>Marthita</b>	246.50	262.50	16.00	15.45	0.143	79.7	88.3
Includes	246.50	250.05	3.55	3.43	0.278	<b>166.3</b>	<b>183.0</b>
Includes	246.50	247.90	1.40	1.35	0.302	<b>311.4</b>	<b>329.5</b>
Unnamed	281.60	282.50	0.90	0.85	0.098	<b>199.0</b>	<b>204.9</b>
Unnamed	289.80	294.00	4.20	3.95	0.169	81.8	91.3
Includes	291.15	294.00	2.85	2.68	0.191	<b>107.2</b>	<b>118.7</b>
Includes	291.15	292.90	1.75	1.64	0.265	<b>150.9</b>	<b>166.7</b>
<b>Martha</b>	308.85	314.75	5.90	5.54	0.262	87.6	<b>103.3</b>
Includes	312.40	314.74	2.35	2.21	0.233	<b>145.6</b>	<b>159.6</b>
Includes	313.00	313.95	0.95	0.89	0.203	<b>207.0</b>	<b>219.2</b>

BP09-371

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	228.55	243.95	15.40	15.34	0.364	<b>118.8</b>	<b>140.6</b>
Includes	234.25	243.95	9.70	9.66	0.553	<b>165.8</b>	<b>199.0</b>
Includes	236.04	243.54	7.50	7.47	0.641	<b>199.7</b>	<b>238.2</b>
Unnamed	259.40	262.35	2.95	2.95	0.119	98.3	<b>105.4</b>
Includes	259.40	260.00	0.60	0.60	0.084	<b>147.0</b>	<b>152.0</b>
Unnamed	264.85	266.10	1.25	1.25	0.152	<b>378.6</b>	<b>387.7</b>
Includes	265.45	266.10	0.65	0.65	0.204	<b>452.0</b>	<b>464.2</b>





### BP09-376

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	218.55	245.00	26.45	26.05	0.464	<b>142.4</b>	<b>170.3</b>
Includes	218.55	229.00	10.45	10.29	0.945	<b>232.9</b>	<b>289.6</b>
Includes	222.95	229.00	6.05	5.96	<b>1.491</b>	<b>328.2</b>	<b>417.6</b>

Martha – Central Area

### BP09-377

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Vaquero							

No significant intercepts. – Vaquero Sector

### BP09-378

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	52.00	53.50	1.50	1.41	0.283	<b>131.0</b>	<b>148.0</b>
Unnamed	85.15	89.40	4.25	4.00	0.093	<b>102.1</b>	<b>107.7</b>
Includes	85.15	86.20	1.50	1.41	0.062	<b>128.0</b>	<b>131.7</b>
<b>Martha</b>	293.65	303.00	9.35	9.35	0.557	<b>185.0</b>	<b>218.5</b>
Includes	294.75	301.50	6.75	6.75	0.649	<b>223.9</b>	<b>262.8</b>
Includes	294.75	297.75	3.00	3.00	0.753	<b>283.5</b>	<b>327.6</b>

Martha – Central Area

### BP09-379

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Vaquero	24.10	24.50	0.40	0.39	0.142	51.1	59.6

Vaquero Sector

## BP09-380

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	95.35	96.80	1.45	1.36	0.194	<b>112.8</b>	<b>124.5</b>
Unnamed	149.80	157.50	7.70	7.23	0.086	<b>124.4</b>	<b>129.5</b>
Includes	149.80	152.10	2.30	2.16	0.120	<b>219.2</b>	<b>226.4</b>
<b>Martha</b>	289.95	309.20	19.25	19.25	0.319	<b>175.1</b>	<b>194.3</b>
Includes	289.95	301.30	11.35	11.35	0.411	<b>269.7</b>	<b>294.4</b>
Includes	295.95	297.00	1.05	1.05	<b>1.730</b>	<b>1,640.0</b>	<b>1,743.8</b>

Martha – Central Area

## BP09-381

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	72.55	77.05	4.50	4.23	0.177	<b>168.6</b>	<b>179.2</b>
Includes	74.60	77.05	2.45	2.30	0.304	<b>218.9</b>	<b>237.2</b>
Includes	74.60	75.50	0.90	0.85	0.691	<b>257.0</b>	<b>298.5</b>
Unnamed	107.70	108.30	0.60	0.56	0.098	<b>120.0</b>	<b>125.9</b>
Unnamed	239.30	239.80	0.50	0.47	0.037	<b>219.0</b>	<b>221.2</b>
Unnamed	260.20	261.20	1.00	0.94	0.026	<b>130.0</b>	<b>131.6</b>
Martha	296.70	303.55	6.85	6.75	0.417	<b>120.1</b>	<b>145.1</b>
Includes	296.70	300.10	3.40	3.35	0.684	<b>179.1</b>	<b>220.1</b>
Includes	298.00	299.30	1.30	1.28	<b>1.510</b>	<b>244.0</b>	<b>334.6</b>

Martha – Central Area

## BP09-382

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	142.70	150.15	7.45	7.45	0.199	22.3	34.3

Martha – South Area

## BP09-383

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	169.05	170.20	1.15	1.08	0.241	70.6	85.1
Unnamed	256.65	257.25	0.60	0.59	0.100	<b>161.0</b>	<b>167.0</b>
<b>Martha</b>	274.05	284.10	10.05	9.90	0.198	94.9	<b>106.8</b>
Includes	274.95	278.85	4.00	3.94	0.206	<b>134.2</b>	<b>146.6</b>
Includes	274.95	275.75	0.80	0.79	0.569	<b>326.0</b>	<b>360.1</b>
Unnamed	293.45	294.10	0.65	0.64	0.093	<b>146.0</b>	<b>151.6</b>

Martha – Central Area

## BP09-384

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	119.55	123.00	3.45	3.45	0.429	<b>185.0</b>	<b>210.7</b>
Includes	120.80	123.00	2.20	2.20	0.567	<b>259.5</b>	<b>293.6</b>
Includes	120.80	122.00	1.20	1.20	0.680	<b>270.0</b>	<b>310.8</b>

Martha – South Area

BP09-385

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha (Sup)</b>	174.40	178.00	3.60	3.38	0.018	<b>110.6</b>	<b>111.7</b>
Includes	174.40	175.85	1.45	1.36	0.003	<b>135.0</b>	<b>135.2</b>
<b>Martha</b>	187.35	193.40	6.05	5.96	0.111	<b>198.2</b>	<b>204.9</b>
Includes	191.90	193.40	1.50	1.48	0.137	<b>531.0</b>	<b>539.2</b>

Martha – South Area

BP09-386

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	274.30	288.40	14.10	12.88	0.223	77.7	91.1
Includes	285.95	288.40	2.45	2.24	<b>1.002</b>	<b>163.3</b>	<b>223.5</b>
Includes	286.75	287.60	0.85	0.78	<b>2.320</b>	<b>234.0</b>	<b>373.2</b>

Martha – Central Area

BP09-387

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	233.70	237.35	3.65	3.59	0.090	34.2	39.5

Martha – South Area

BP09-388

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	227.25	243.20	15.95	15.00	0.504	<b>137.1</b>	<b>167.4</b>
Includes	227.25	233.50	6.25	5.87	1.050	<b>253.6</b>	<b>316.6</b>
Includes	228.60	230.50	1.90	1.79	0.655	<b>336.9</b>	<b>376.2</b>
Unnamed	247.15	248.75	1.60	1.50	0.115	84.6	91.5

Martha – Central Area

BP09-389

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	283.45	285.40	1.95	1.92	0.070	<b>174.0</b>	<b>178.2</b>
Includes	284.40	285.40	1.00	0.98	0.061	<b>297.0</b>	<b>300.7</b>

Martha – South Area

BP09-390

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	107.35	107.80	0.45	0.42	0.517	<b>293.0</b>	<b>324.0</b>
Unnamed	118.85	123.50	4.65	4.37	0.073	<b>100.0</b>	<b>104.4</b>
Includes	118.85	119.85	1.00	0.94	0.163	<b>250.0</b>	<b>259.8</b>
Unnamed	212.65	213.55	0.90	0.90	0.310	<b>377.0</b>	<b>395.6</b>
Unnamed	215.45	216.10	0.40	0.40	0.038	65.4	67.7
<b>Martha</b>	293.35	300.20	6.85	6.85	0.735	<b>224.1</b>	<b>268.2</b>
Includes	295.30	299.30	4.00	4.00	1.122	<b>320.0</b>	<b>387.3</b>
Includes	295.30	296.10	0.80	0.80	0.563	<b>465.0</b>	<b>498.8</b>
Unnamed	314.35	314.85	0.50	0.50	0.104	<b>118.0</b>	<b>124.2</b>
Unnamed	338.85	339.30	0.45	0.45	0.163	59.3	69.1
Unnamed	346.53	349.10	2.57	2.56	0.499	90.2	<b>120.1</b>
Includes	347.60	348.20	0.60	0.60	0.778	<b>156.0</b>	<b>202.7</b>
<b>Martha (Inf)</b>	358.55	364.40	5.85	5.76	0.377	<b>199.5</b>	<b>222.1</b>
Includes	361.20	364.40	3.20	3.15	0.539	<b>330.0</b>	<b>362.3</b>
Includes	362.05	362.90	0.85	0.84	0.951	<b>1,030.0</b>	<b>1,087.1</b>
Unnamed	375.80	376.15	0.35	0.34	0.875	13.5	66.0
Unnamed	378.05	378.70	0.65	0.64	0.714	<b>1,730.0</b>	<b>1,772.8</b>

Martha – Central Area

## BP09-391

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	195.30	196.90	1.60	1.58	0.147	96.3	<b>105.1</b>
<b>Martha</b>	245.30	247.75	2.45	2.41	0.282	49.6	66.5
Includes	245.30	246.05	0.75	0.74	0.608	<b>110.0</b>	<b>146.5</b>

Martha – South Area

## BP09-392

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	199.60	200.20	0.60	0.56	0.139	<b>131.0</b>	<b>139.3</b>
<b>Martha (Sup)</b>	239.30	256.45	17.15	16.89	0.441	<b>225.3</b>	<b>251.8</b>
Includes	247.10	256.45	9.35	9.21	0.755	<b>382.4</b>	<b>427.7</b>
Includes	254.80	255.70	0.90	0.89	<b>1.470</b>	<b>1,740.0</b>	<b>1,828.2</b>
<b>Martha</b>	268.80	276.00	7.20	7.09	0.376	<b>342.9</b>	<b>365.5</b>
Includes	268.80	272.00	3.20	3.15	0.599	<b>652.6</b>	<b>688.5</b>
Includes	270.00	271.00	1.00	0.98	0.958	<b>1,770.0</b>	<b>1,827.5</b>
Unnamed	279.85	281.60	1.75	1.72	0.205	<b>143.7</b>	<b>156.1</b>
Includes	280.60	281.60	1.00	0.98	0.223	<b>188.0</b>	<b>201.4</b>
<b>Martha (Inf)</b>	322.85	327.40	4.55	4.48	0.275	<b>151.6</b>	<b>168.1</b>
Includes	322.85	323.40	0.55	0.54	0.444	<b>372.0</b>	<b>398.6</b>
Unnamed	330.35	331.60	1.25	1.23	0.289	<b>143.0</b>	<b>160.3</b>
Unnamed	337.50	338.50	1.00	0.98	0.049	52.5	55.4
Unnamed	347.50	349.00	1.50	1.48	0.043	90.6	93.2

Martha – Central Area

### BP09-393

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	89.30	95.26	5.96	5.94	0.513	<b>242.5</b>	<b>273.3</b>
Includes	90.50	94.18	3.68	3.67	0.697	<b>272.6</b>	<b>314.4</b>
Includes	90.50	91.55	1.05	1.05	<b>1.540</b>	<b>432.0</b>	<b>524.4</b>

Martha – South Area

### BP09-394

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	122.00	126.00	4.00	3.98	0.143	57.5	66.1
Includes	122.00	123.00	1.00	1.00	0.242	<b>133.0</b>	<b>147.5</b>

Martha – South Area

### BP09-395

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Baritina							

Baritina – No significant intercepts.

## BP09-396

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	167.90	169.40	1.50	1.30	0.104	70.7	76.9
Unnamed	177.00	178.50	1.50	1.41	0.029	<b>171.0</b>	<b>172.7</b>
Unnamed	193.50	194.77	1.27	1.19	0.067	70.0	74.0
Unnamed	229.50	230.50	1.00	0.97	0.134	59.4	67.4
Unnamed	247.60	248.85	1.25	1.21	0.212	<b>152.0</b>	<b>164.7</b>
Unnamed	266.00	267.50	1.50	1.48	0.147	63.9	72.7
<b>Martha</b>	273.20	294.85	21.65	21.32	0.216	37.0	49.9
Includes	273.20	281.75	8.55	8.42	0.251	59.6	74.6
Includes	275.70	276.60	0.90	0.89	0.560	<b>100.0</b>	<b>133.6</b>

Martha – Central Area

## BP09-400

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Baritina							

Baritina – No significant intercepts

## BP09-401

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	152.45	154.65	2.20	2.20	0.381	<b>386.2</b>	<b>409.1</b>
Includes	153.20	154.65	1.45	1.45	0.493	<b>562.0</b>	<b>591.6</b>

Martha – South Area

## BP09-402

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Baritina							

Baritina – No significant intercepts.

Hole/Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>BP09-404</b>							
<b>Luz Elena</b>	138.00	142.00	4.00	3.99	0.319	<b>193.9</b>	<b>213.1</b>
Includes	138.00	139.90	1.90	1.90	0.622	<b>329.8</b>	<b>367.1</b>
Includes	138.00	139.00	1.00	1.10	<b>1.140</b>	<b>564.0</b>	<b>632.4</b>
Unnamed	275.10	278.50	3.40	3.40	0.245	<b>180.9</b>	<b>195.6</b>
Includes	275.10	277.60	2.50	2.50	0.212	<b>222.5</b>	<b>235.2</b>
Includes	275.10	276.35	1.25	1.25	0.168	<b>305.0</b>	<b>315.1</b>
Unnamed	325.20	326.25	1.05	1.05	0.217	<b>246.0</b>	<b>259.0</b>
<b>Martha</b>	337.05	341.75	4.70	4.69	0.257	69.6	85.0
Includes	339.00	341.75	2.75	2.75	0.305	88.3	<b>106.6</b>
Includes	339.75	340.95	1.20	1.20	0.169	<b>112.0</b>	<b>122.1</b>

<b>BP09-405</b>	NSI						
-----------------	-----	--	--	--	--	--	--

### BP09-406

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Luz Elena</b>	140.00	143.50	3.50	3.47	0.244	<b>115.1</b>	<b>129.8</b>
Includes	140.00	141.85	1.85	1.83	0.400	<b>157.8</b>	<b>181.8</b>
Includes	140.00	141.00	1.00	0.99	0.630	<b>224.0</b>	<b>261.8</b>
<b>Martha</b>	333.75	339.45	5.70	5.65	0.265	<b>131.0</b>	<b>146.9</b>
Includes	333.75	336.95	3.20	3.17	0.331	<b>152.6</b>	<b>172.4</b>
Includes	336.20	336.95	0.75	0.74	0.633	<b>404.0</b>	<b>442.0</b>

<b>BP09-406</b>	NSI						
-----------------	-----	--	--	--	--	--	--

### BP09-408

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	88.30	89.20	0.90	0.87	0.274	<b>187.0</b>	<b>203.4</b>
Includes	88.75	89.20	0.45	0.44	0.536	<b>266.0</b>	<b>298.2</b>

**BP09-409**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	216.05	217.30	1.25	1.19	0.249	<b>281.0</b>	<b>295.9</b>
<b>Martha (Sup)</b>	314.60	317.50	2.90	2.89	0.491	<b>152.2</b>	<b>181.7</b>
Includes	315.60	317.50	1.90	1.90	0.494	<b>189.2</b>	<b>218.8</b>
Includes	316.50	317.50	1.00	1.00	0.595	<b>292.0</b>	<b>327.7</b>

**BP09-410**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Abundancia</b>	179.30	184.75	5.45	4.54	0.217	<b>147.7</b>	<b>160.7</b>
Includes	181.85	184.75	2.90	2.42	0.227	<b>176.8</b>	<b>190.5</b>
Includes	183.55	184.75	1.20	1.00	0.132	<b>187.0</b>	<b>194.9</b>
<b>Martha (Sup)</b>	378.50	380.50	2.00	1.98	0.162	<b>232.6</b>	<b>242.3</b>
Includes	378.50	379.85	1.35	1.34	0.198	<b>305.7</b>	<b>317.6</b>
Includes	378.50	379.10	0.60	0.59	0.210	<b>324.0</b>	<b>336.6</b>
<b>Martha (Inf)</b>	395.70	405.00	9.30	9.14	0.385	<b>152.2</b>	<b>175.3</b>
Includes	397.85	405.00	7.15	7.03	0.477	<b>184.6</b>	<b>213.2</b>
Includes	397.85	398.65	0.80	0.79	<b>2.000</b>	<b>841.0</b>	<b>961.0</b>

**BP09-411**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha (Sup)</b>	279.25	283.40	4.15	3.31	0.377	<b>135.2</b>	<b>157.9</b>
Includes	279.25	281.25	2.00	1.60	0.513	<b>228.6</b>	<b>259.4</b>
Includes	279.25	280.00	0.75	0.60	0.868	<b>298.0</b>	<b>350.1</b>
<b>Martha</b>	293.70	313.00	19.30	19.22	0.656	<b>112.1</b>	<b>151.6</b>
Includes	293.70	307.80	14.10	14.05	0.759	<b>138.3</b>	<b>183.8</b>
Includes	294.75	297.50	2.75	2.74	<b>1.692</b>	<b>380.0</b>	<b>481.5</b>

**BP09-412**

	NSI						
--	-----	--	--	--	--	--	--

**BP09-413**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	197.20	198.40	1.20	1.20	0.122	<b>117.0</b>	<b>124.3</b>
<b>Martha(Total)</b>	230.30	281.95	51.65	51.15	0.468	<b>242.7</b>	<b>270.8</b>
<b>Martha (Sup)</b>	230.30	240.10	9.80	9.70	<b>1.032</b>	<b>597.0</b>	<b>658.9</b>
Includes	232.55	235.80	3.25	3.22	<b>1.604</b>	<b>1,300.1</b>	<b>1,396.3</b>
Includes	234.70	235.80	1.10	1.09	<b>2.600</b>	<b>1,610.0</b>	<b>1,766.0</b>
Unnamed	242.95	246.60	3.65	3.64	0.100	<b>129.8</b>	<b>135.7</b>
<b>Martha (Med)</b>	254.65	264.30	9.65	9.58	0.291	<b>292.0</b>	<b>309.4</b>
Includes	256.50	260.40	3.90	3.87	0.433	<b>326.9</b>	<b>352.9</b>
Includes	259.80	260.40	0.60	0.60	0.716	<b>993.0</b>	<b>1,036.0</b>
<b>Martha (Inf)</b>	269.85	281.95	12.10	11.74	0.779	<b>243.7</b>	<b>290.4</b>
Includes	272.30	279.50	7.20	6.99	<b>1.033</b>	<b>269.8</b>	<b>331.8</b>
Includes	278.95	279.50	0.55	0.53	0.660	<b>679.0</b>	<b>718.6</b>

<b>BP09-414</b>	NSI						
-----------------	-----	--	--	--	--	--	--

<b>BP09-415</b>	NSI						
-----------------	-----	--	--	--	--	--	--

<b>BP09-416</b>	NSI						
-----------------	-----	--	--	--	--	--	--

**BP09-417**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	274.50	277.15	2.65	2.60	0.269	<b>107.0</b>	<b>123.1</b>
Includes	274.50	276.20	1.70	1.67	0.344	<b>118.4</b>	<b>139.0</b>

**BP09-418**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Gloria</b>	104.90	114.05	9.15	5.76	0.235	<b>162.7</b>	<b>177.9</b>
Includes	107.45	114.05	6.60	4.15	0.318	<b>209.0</b>	<b>228.1</b>
Includes	108.00	109.00	1.00	0.63	0.277	<b>289.0</b>	<b>305.6</b>
<b>Abundancia</b>	120.05	128.45	8.40	7.55	0.260	<b>157.6</b>	<b>173.3</b>
Includes	123.80	127.50	3.70	3.33	0.345	<b>271.6</b>	<b>292.8</b>
Includes	123.80	124.80	1.00	0.90	0.654	<b>673.0</b>	<b>712.2</b>

**BP09-419**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	319.20	341.90	22.70	20.97	0.152	<b>124.8</b>	<b>133.9</b>
Includes	323.50	335.95	12.45	11.50	0.189	<b>176.9</b>	<b>188.2</b>
Includes	323.50	331.75	8.25	7.62	0.233	<b>229.4</b>	<b>243.4</b>

**BP09-420**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	291.40	299.10	7.70	5.54	0.557	<b>170.7</b>	<b>204.1</b>
Includes	291.40	297.70	6.30	4.53	0.654	<b>195.4</b>	<b>234.6</b>
Includes	293.70	294.45	0.75	0.54	0.564	<b>475.0</b>	<b>508.8</b>

**BP09-421**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	299.40	308.90	9.50	8.81	0.972	<b>453.3</b>	<b>511.6</b>
Includes	299.40	306.00	6.60	6.12	1.365	<b>621.7</b>	<b>703.6</b>
Includes	300.30	302.60	2.30	2.13	3.066	<b>1,199.1</b>	<b>1,383.1</b>

**BP09-422**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	331.70	343.90	12.20	10.87	0.212	<b>118.6</b>	<b>131.3</b>
Includes	331.70	336.30	4.60	4.10	0.171	<b>170.7</b>	<b>180.9</b>
Includes	331.70	333.10	1.40	1.25	0.164	<b>307.5</b>	<b>317.3</b>

**BP09-423**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	281.85	290.60	8.75	8.37	0.346	<b>110.1</b>	<b>130.9</b>
Includes	283.45	287.70	4.25	4.06	0.443	<b>176.8</b>	<b>203.4</b>
Includes	283.45	285.20	1.75	1.67	0.405	<b>208.0</b>	<b>232.3</b>

**BP09-424**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	312.35	327.10	14.75	14.37	0.362	<b>115.3</b>	<b>137.0</b>
Includes	314.80	320.40	5.60	5.46	0.534	<b>215.3</b>	<b>247.3</b>
Includes	317.20	318.15	0.95	0.93	<b>1.250</b>	<b>687.0</b>	<b>762.0</b>

**BP09-425**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	272.85	280.40	7.75	7.45	0.396	<b>147.1</b>	<b>170.8</b>
Includes	272.85	278.00	5.15	5.08	0.529	<b>179.3</b>	<b>211.1</b>
Includes	275.55	277.50	1.95	1.92	0.513	<b>238.3</b>	<b>269.1</b>

**BP09-426**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	298.30	319.60	21.30	19.75	0.393	<b>175.6</b>	<b>199.2</b>
Includes	298.75	304.95	6.20	5.75	0.615	<b>378.2</b>	<b>415.1</b>
Includes	299.30	301.15	1.85	1.72	<b>1.124</b>	<b>810.6</b>	<b>878.1</b>

**BP09-427**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	361.70	384.20	22.50	16.72	0.259	89.5	<b>105.0</b>
Includes	365.35	371.35	6.00	4.46	0.428	<b>179.2</b>	<b>204.9</b>
Includes	366.40	368.40	2.00	1.49	0.482	<b>271.5</b>	<b>300.4</b>

**BP09-428**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	347.45	368.15	20.70	20.39	0.356	<b>171.6</b>	<b>193.0</b>
Includes	356.40	363.55	7.15	7.04	0.547	<b>366.4</b>	<b>400.8</b>
Includes	358.50	359.55	1.05	1.03	<b>1.940</b>	<b>869.1</b>	<b>985.5</b>
Unnamed	406.20	407.35	1.15	1.13	0.207	<b>337.0</b>	<b>349.4</b>

**BP09-429**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	303.45	319.35	15.90	15.66	0.191	<b>232.6</b>	<b>244.0</b>
Includes	310.70	315.30	4.60	4.53	0.420	<b>520.5</b>	<b>545.7</b>
Includes	312.55	313.40	0.85	0.84	0.766	<b>1,300.0</b>	<b>1,346.0</b>

**BP09-430**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	330.75	339.00	8.25	7.65	0.436	<b>216.8</b>	<b>242.9</b>
Includes	330.75	337.20	6.45	5.98	0.460	<b>258.4</b>	<b>286.0</b>
Includes	333.95	336.35	2.40	2.23	0.641	<b>401.2</b>	<b>439.7</b>

**BP09-431**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	275.00	277.20	2.20	2.14	0.125	<b>157.6</b>	<b>165.1</b>
<b>Martha</b>	279.50	286.40	6.90	6.72	0.139	70.3	78.6
Includes	283.20	284.35	1.15	1.12	0.230	<b>160.0</b>	<b>173.8</b>
Includes	283.20	283.85	0.65	0.63	0.225	<b>190.0</b>	<b>203.5</b>

**BP09-432**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Luz Elena</b>	163.60	165.55	1.95	1.95	0.204	<b>205.9</b>	<b>218.2</b>
<b>Martha</b>	280.95	286.50	5.55	5.53	0.410	<b>145.2</b>	<b>169.8</b>
Includes	280.95	283.05	2.10	2.09	0.571	<b>222.7</b>	<b>257.0</b>
Includes	282.05	283.05	1.00	1.00	0.733	<b>263.0</b>	<b>307.0</b>

**BP09-433**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Gloria</b>	169.30	175.95	6.65	5.34	0.499	<b>335.4</b>	<b>365.3</b>
Includes	169.30	173.70	5.30	4.26	0.519	<b>404.5</b>	<b>435.7</b>
Includes	172.70	173.70	1.00	0.80	0.669	<b>760.0</b>	<b>800.1</b>
<b>Abundancia</b>	213.50	224.50	11.00	10.05	0.218	<b>120.7</b>	<b>133.8</b>
Includes	217.80	221.40	3.60	3.29	0.418	<b>221.8</b>	<b>246.9</b>
Includes	220.00	220.75	0.75	0.69	0.620	<b>524.0</b>	<b>561.2</b>
<b>Luz Elena</b>	306.40	312.45	6.05	5.82	0.164	92.0	<b>101.9</b>
Includes	309.20	312.45	3.25	3.12	0.204	<b>114.7</b>	<b>126.9</b>
Includes	312.00	312.45	0.45	0.43	0.209	<b>307.0</b>	<b>319.5</b>

**BP09-434**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	32.55	36.00	3.45	3.22	0.123	95.0	<b>102.4</b>
Includes	34.45	36.00	1.55	1.45	0.152	<b>118.0</b>	<b>127.1</b>
Unnamed	105.75	108.10	2.35	2.19	0.576	61.8	96.3
Includes	105.75	106.40	0.65	0.60	0.598	81.4	<b>117.3</b>

**BP09-435**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Abundancia</b>	2.45	20.80	18.35	18.35	0.141	<b>113.3</b>	<b>121.7</b>
Includes	15.90	18.85	2.95	2.95	0.052	<b>239.1</b>	<b>242.2</b>
Includes	16.75	17.70	0.95	0.95	0.066	<b>466.0</b>	<b>470.0</b>
<b>Martha</b>	434.75	458.45	22.60	16.53	0.780	<b>363.7</b>	<b>410.6</b>
Includes	437.65	451.10	13.45	9.84	<b>1.024</b>	<b>526.2</b>	<b>587.6</b>
Includes	441.30	441.95	0.65	0.48	0.451	<b>2,460.0</b>	<b>2,487.1</b>

**BP09-436**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	172.20	175.10	2.90	2.81	0.106	<b>127.7</b>	<b>134.0</b>
Includes	172.20	173.45	1.25	1.21	0.037	<b>184.0</b>	<b>186.2</b>
<b>Abundancia</b>	209.60	219.55	9.95	9.35	0.379	<b>101.6</b>	<b>124.4</b>
Includes	217.35	219.55	2.20	2.07	0.689	<b>250.3</b>	<b>291.6</b>
Includes	218.65	219.55	0.90	0.85	0.839	<b>320.0</b>	<b>370.3</b>

<b>BP09-437</b>	NSI						
-----------------	-----	--	--	--	--	--	--

**BP09-438**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	45.10	51.45	6.35	4.86	0.234	<b>169.1</b>	<b>183.1</b>
Includes	48.30	51.45	3.15	2.41	0.367	<b>273.8</b>	<b>295.9</b>
Includes	48.30	50.30	2.00	1.53	0.514	<b>370.3</b>	<b>401.1</b>
<b>Gloria</b>	118.90	120.35	1.45	1.08	0.271	<b>179.5</b>	<b>195.7</b>
Includes	119.60	120.35	0.75	0.56	0.434	<b>298.0</b>	<b>324.0</b>
<b>Abundancia</b>	140.70	152.30	11.60	8.62	0.255	<b>130.0</b>	<b>145.3</b>
Includes	143.70	148.50	4.80	3.57	0.359	<b>201.5</b>	<b>223.0</b>
Includes	146.30	147.30	1.00	0.74	0.265	<b>287.0</b>	<b>302.0</b>
<b>Martha (Sup)</b>	381.95	385.00	3.05	3.02	0.260	<b>122.0</b>	<b>137.6</b>
Includes	382.80	384.00	1.20	1.19	0.091	<b>153.0</b>	<b>158.5</b>
<b>Martha (Inf)</b>	424.45	429.95	5.50	5.47	0.671	77.6	<b>117.8</b>
Includes	425.10	428.60	3.50	3.48	0.869	88.6	<b>140.7</b>

**BP09-439**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Abundancia</b>	313.60	317.50	3.90	3.81	0.583	<b>152.5</b>	<b>187.5</b>
Includes	314.70	316.05	1.35	1.32	<b>1.057</b>	<b>341.5</b>	<b>404.9</b>
Includes	314.70	315.40	0.70	0.68	0.729	<b>497.0</b>	<b>540.7</b>

**BP09-440**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	241.70	242.60	0.90	0.89	0.083	<b>363.0</b>	<b>368.0</b>
<b>Martha</b>	295.05	302.15	7.10	7.10	0.378	<b>116.7</b>	<b>139.4</b>
Includes	299.10	302.15	3.05	3.05	0.572	<b>184.8</b>	<b>219.1</b>
Includes	299.10	300.20	1.10	1.10	0.886	<b>247.0</b>	<b>300.2</b>
Unnamed	314.05	315.05	1.00	1.00	0.360	<b>1,150.0</b>	<b>1,171.6</b>

**BP09-441**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Gloria</b>	218.15	227.55	8.65	6.32	0.482	<b>207.2</b>	<b>236.1</b>
Includes	218.15	224.85	5.95	4.35	0.663	<b>285.8</b>	<b>325.6</b>
Includes	220.20	221.20	1.00	0.73	<b>1.770</b>	<b>912.0</b>	<b>1,018.2</b>
<b>Abundancia</b>	288.10	289.55	1.45	1.45	0.832	<b>116.2</b>	<b>166.1</b>
Includes	288.70	289.55	0.85	0.85	<b>1.170</b>	<b>155.0</b>	<b>225.2</b>
<b>Chabelita</b>	306.45	308.25	1.80	1.76	0.921	<b>138.8</b>	<b>194.1</b>
Includes	306.45	307.10	0.65	0.64	0.693	<b>294.0</b>	<b>335.6</b>







**BP10-457**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Gloria</b>	44.35	49.65	5.30	2.57	0.061	<b>186.7</b>	<b>190.4</b>
Includes	46.80	49.65	2.85	1.38	0.086	<b>276.7</b>	<b>281.8</b>
Includes	46.80	47.90	1.10	0.53	0.072	<b>293.0</b>	<b>297.3</b>
Unnamed	59.40	61.10	1.70	1.39	0.086	<b>298.0</b>	<b>303.2</b>
Includes	59.95	60.40	0.45	0.37	0.250	<b>704.0</b>	<b>719.0</b>
Unnamed	134.75	136.45	1.70	1.70	0.268	<b>117.2</b>	<b>133.2</b>
Includes	134.75	135.40	0.65	0.65	0.462	<b>175.0</b>	<b>202.7</b>
<b>Abundancia</b>	188.85	194.95	6.10	6.01	0.421	<b>363.5</b>	<b>388.8</b>
Includes	189.50	194.05	4.55	4.48	0.502	<b>453.8</b>	<b>484.0</b>
Includes	192.50	193.10	0.60	0.59	0.716	<b>603.0</b>	<b>646.0</b>
<b>Chabelita</b>	248.25	249.10	0.85	0.85	0.362	<b>266.0</b>	<b>287.7</b>

**BP10-458**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Gloria</b>	69.10	86.35	17.25	6.60	0.163	<b>135.9</b>	<b>145.7</b>
Includes	69.10	71.40	2.30	0.88	0.419	<b>341.8</b>	<b>366.9</b>
Includes	79.80	84.20	4.40	1.68	0.122	<b>206.5</b>	<b>213.8</b>
Unnamed	98.45	99.15	0.70	0.50	0.218	<b>360.0</b>	<b>373.1</b>
Unnamed	170.10	171.50	1.40	1.38	0.520	<b>125.0</b>	<b>156.2</b>
Unnamed	198.40	199.50	1.10	1.03	0.210	<b>130.0</b>	<b>142.6</b>

**BP10-459**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Gloria</b>	202.90	205.80	2.90	1.54	0.367	<b>352.0</b>	<b>374.1</b>
Includes	202.90	204.20	1.30	0.69	0.582	<b>651.5</b>	<b>686.4</b>
Includes	203.55	204.20	0.65	0.34	0.618	<b>1,050.0</b>	<b>1,087.1</b>
Unnamed	210.10	211.10	1.00	0.53	0.340	<b>281.0</b>	<b>301.4</b>
<b>Abundancia</b>	274.40	275.20	0.80	0.79	0.323	<b>254.0</b>	<b>273.4</b>

**BP10-460**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Esperancita</b>	62.20	62.80	0.60	0.41	0.535	<b>430.0</b>	<b>462.1</b>
<b>Carmen</b>	68.50	69.80	1.30	1.00	0.280	<b>212.0</b>	<b>228.8</b>
<b>Abundancia</b>	135.60	138.60	3.00	2.54	0.342	<b>216.9</b>	<b>237.4</b>
Includes	137.00	138.00	1.00	0.85	0.813	<b>538.2</b>	<b>587.0</b>
Includes	137.00	137.45	0.45	0.38	1.380	<b>860.0</b>	<b>942.8</b>

<b>BP10-461</b>	NSI						
-----------------	-----	--	--	--	--	--	--

**BP10-462**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Luz Elena</b>	276.45	278.45	2.00	1.85	0.268	<b>378.6</b>	<b>394.6</b>
Includes	276.45	277.30	0.85	0.79	0.471	<b>750.0</b>	<b>778.3</b>
<b>Martha</b>	474.90	487.85	12.95	11.53	0.356	<b>158.3</b>	<b>179.6</b>
Includes	477.25	482.30	5.05	4.50	0.471	<b>215.1</b>	<b>243.3</b>
Includes	477.25	478.35	1.10	0.98	0.528	<b>370.0</b>	<b>401.7</b>

**BP10-463**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	226.00	271.90	45.90	45.87	0.321	<b>241.1</b>	<b>260.3</b>
Includes	227.10	262.30	35.20	35.18	0.356	<b>290.7</b>	<b>312.1</b>
Includes	252.90	257.20	4.30	4.30	0.822	<b>1,178.4</b>	<b>1,227.7</b>

**BP10-464**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Baritina</b>	444.80	445.30	0.50	0.35	0.411	<b>320.0</b>	<b>344.7</b>

**BP10-465**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	232.95	234.40	1.45	1.44	0.511	<b>199.0</b>	<b>229.7</b>
Unnamed	237.45	240.00	2.55	2.54	0.178	<b>187.0</b>	<b>197.7</b>
<b>Martha</b>	247.70	274.20	26.50	26.40	0.442	<b>278.5</b>	<b>305.1</b>
Includes	247.70	269.60	21.90	21.82	0.496	<b>316.4</b>	<b>346.1</b>
Includes	258.60	263.60	5.00	4.98	0.944	<b>760.8</b>	<b>817.5</b>

<b>BP10-466</b>	NSI						
-----------------	-----	--	--	--	--	--	--



**BP10-471**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Gloria</b>	156.45	157.19	1.45	1.26	0.202	<b>109.0</b>	<b>121.1</b>
Includes	156.45	156.90	0.45	0.39	0.430	<b>253.0</b>	<b>278.8</b>
<b>Abundancia</b>	176.75	186.10	9.35	8.47	0.444	<b>270.6</b>	<b>297.2</b>
Includes	177.40	185.00	7.60	6.89	0.517	<b>318.4</b>	<b>349.4</b>
Includes	179.45	182.50	3.05	2.76	0.603	<b>413.0</b>	<b>449.2</b>

**BP10-472**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha(Total)</b>	227.05	269.00	41.95	39.42	0.506	<b>251.5</b>	<b>281.9</b>
<b>Martha (Sup)</b>	227.05	233.45	6.40	6.01	<b>1.972</b>	<b>1,101.4</b>	<b>1,219.7</b>
Includes	227.05	230.10	3.05	2.87	<b>2.982</b>	<b>1,779.9</b>	<b>1,958.8</b>
Includes	227.05	227.70	0.65	0.61	<b>1.839</b>	<b>2,414.0</b>	<b>2,524.3</b>
<b>Martha (Inf)</b>	243.60	269.00	25.40	23.87	0.295	<b>124.0</b>	<b>141.7</b>
Includes	251.30	256.75	5.45	5.12	0.469	<b>234.9</b>	<b>262.8</b>
Includes	252.85	254.75	1.90	1.79	0.679	<b>339.5</b>	<b>380.3</b>
Unnamed	272.90	275.75	2.85	2.68	0.440	<b>113.7</b>	<b>140.1</b>
Includes	272.90	273.75	0.85	0.80	0.387	<b>189.0</b>	<b>212.2</b>

**BP10-473**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Gloria</b>	80.90	88.40	7.50	5.48	0.495	<b>306.1</b>	<b>335.8</b>
Includes	82.30	83.30	1.00	0.73	<b>1.357</b>	<b>817.0</b>	<b>898.4</b>
<b>Abundancia</b>	143.00	147.60	4.60	4.50	0.386	<b>335.4</b>	<b>358.6</b>
Includes	144.35	145.40	1.05	1.03	0.790	<b>516.0</b>	<b>563.4</b>

**BP10-474**

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Gloria</b>	194.10	195.70	1.60	0.89	0.569	<b>152.2</b>	<b>186.4</b>
Includes	195.00	195.70	0.70	0.39	<b>1.070</b>	<b>229.0</b>	<b>293.2</b>
<b>Abundancia</b>	208.25	213.40	5.15	4.27	0.449	<b>300.0</b>	<b>327.0</b>
Includes	210.80	211.50	0.70	0.58	<b>1.280</b>	<b>919.0</b>	<b>995.8</b>

<b>BP10-475</b>	NSI						
-----------------	-----	--	--	--	--	--	--

<b>BP10-476</b>	TBA						
-----------------	-----	--	--	--	--	--	--

<b>BP10-477</b>	TBA						
-----------------	-----	--	--	--	--	--	--





## BP10-482

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	47.55	48.85	1.30	1.22	0.303	<b>235.1</b>	<b>253.2</b>
Includes	47.55	48.45	0.90	0.85	0.330	<b>268.0</b>	<b>287.8</b>
Unnamed	139.20	140.20	1.00	0.94	0.093	<b>112.0</b>	<b>117.5</b>
Includes	139.20	139.55	0.35	0.33	0.215	<b>170.0</b>	<b>182.9</b>
Unnamed	174.40	175.90	1.50	1.45	0.135	<b>204.5</b>	<b>212.6</b>
Includes	174.40	175.35	0.95	0.92	0.152	<b>258.0</b>	<b>267.1</b>
Unnamed	183.30	185.65	2.35	2.27	0.207	<b>143.4</b>	<b>155.8</b>
Includes	184.35	184.90	0.55	0.53	0.403	<b>274.0</b>	<b>298.2</b>
<b>Abundancia</b>	250.45	264.10	13.65	6.82	0.150	<b>100.6</b>	<b>109.6</b>
Includes	250.45	255.90	5.45	2.73	0.257	<b>192.9</b>	<b>208.4</b>
Includes	253.20	254.90	1.70	0.85	0.674	<b>486.3</b>	<b>526.7</b>

## BP10-483

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Gloria</b>	87.70	93.70	6.00		0.301	<b>224.7</b>	<b>242.8</b>
Includes	87.70	92.50	4.55		0.320	<b>248.4</b>	<b>267.6</b>
Includes	89.75	90.50	0.75		0.449	<b>462.0</b>	<b>488.9</b>
<b>Abundancia</b>	110.65	115.65	5.00		0.331	<b>163.9</b>	<b>183.7</b>
Includes	110.65	114.90	4.25		0.361	<b>182.7</b>	<b>204.4</b>
Includes	110.65	111.20	0.55		0.310	<b>259.0</b>	<b>277.6</b>
Unnamed	125.00	126.00	1.00		0.023	53.3	54.7
<b>Chabelita</b>	132.45	147.70	15.25		0.155	80.6	89.9
Includes	137.60	141.10	3.50		0.259	<b>167.6</b>	<b>183.1</b>
Includes	137.60	139.00	1.40		0.435	<b>235.0</b>	<b>261.1</b>

## BP10-484

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	221.35	223.85	2.50	2.22	0.277	<b>110.8</b>	<b>127.4</b>
Includes	221.35	223.20	1.85	1.64	0.264	<b>132.3</b>	<b>148.1</b>
Includes	222.25	223.20	0.95	0.84	0.413	<b>143.0</b>	<b>167.8</b>
Unnamed	229.70	235.00	5.30	4.98	0.230	<b>100.4</b>	<b>114.2</b>
Includes	232.30	235.00	2.70	2.54	0.359	<b>145.5</b>	<b>167.0</b>
Includes	233.95	235.00	1.05	0.99	0.481	<b>212.0</b>	<b>240.9</b>
Unnamed	239.00	239.85	0.85	0.80	0.116	82.6	89.6
<b>Martha (Tot)</b>	247.00	272.55	25.55	25.30	0.282	<b>136.3</b>	<b>153.2</b>
<b>Martha (Sup)</b>	247.00	260.70	13.70	13.57	0.373	<b>200.9</b>	<b>223.3</b>
Includes	255.40	260.70	5.30	5.25	0.560	<b>358.7</b>	<b>392.3</b>
Includes	257.20	257.95	0.75	0.74	<b>1.793</b>	<b>1,186.0</b>	<b>1,293.6</b>
<b>Martha (Inf)</b>	265.65	270.70	5.05	5.00	0.259	96.6	<b>112.2</b>
Includes	265.65	267.45	1.80	1.78	0.388	<b>150.6</b>	<b>173.9</b>
Includes	265.65	266.70	1.05	1.04	0.495	<b>209.0</b>	<b>288.7</b>

## BP10-485

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Gloria</b>	61.45	73.60	12.15	8.59	0.195	<b>194.5</b>	<b>206.2</b>
Includes	62.70	69.30	6.60	4.67	0.282	<b>292.3</b>	<b>309.2</b>
Includes	65.85	66.45	0.60	0.60	0.264	<b>659.0</b>	<b>674.8</b>

## BP10-486

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Abundancia</b>	81.25	85.75	4.50		0.229	95.1	<b>108.8</b>
Includes	82.15	85.10	2.95		0.280	<b>111.1</b>	<b>127.9</b>
Includes	83.35	84.15	0.80		0.337	<b>157.0</b>	<b>177.2</b>
Unnamed	88.50	89.80	1.30		0.043	88.9	91.5
<b>Chabelita</b>	94.50	99.85	5.35		0.330	<b>149.0</b>	<b>168.8</b>
Includes	97.00	99.85	2.85		0.488	<b>220.8</b>	<b>250.0</b>
Includes	98.95	99.85	0.90		0.355	<b>286.0</b>	<b>307.3</b>
Unnamed	158.20	158.60	0.40		0.119	85.9	93.0
<b>Luz Elena</b>	229.70	232.05	2.35		0.316	<b>355.4</b>	<b>374.3</b>
Includes	229.70	231.05	1.35		0.448	<b>509.0</b>	<b>535.9</b>
Unnamed	314.00	314.50	0.50		0.085	<b>169.0</b>	<b>174.1</b>
Unnamed	334.65	335.35	0.70		0.050	54.7	57.7

## BP10-487

No assays for BP10-487.



## BP10-489

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	40.80	41.25	0.45	0.37	0.102	<b>164.0</b>	<b>170.1</b>
<b>Gloria</b>	49.55	52.25	2.70	2.21	0.286	<b>155.5</b>	<b>172.6</b>
Includes	50.05	50.90	0.85	0.70	0.186	<b>226.0</b>	<b>237.2</b>
Unnamed	61.30	61.85	0.55	0.54	0.180	<b>225.0</b>	<b>235.8</b>
Unnamed	77.15	77.70	0.55	0.55	0.194	55.9	67.5
<b>Abundancia</b>	91.20	97.30	6.10	6.10	0.225	<b>111.3</b>	<b>124.8</b>
Includes	93.55	97.30	3.75	3.75	0.317	<b>145.8</b>	<b>164.8</b>
Includes	95.10	96.65	1.55	1.55	0.415	<b>270.1</b>	<b>295.0</b>
Unnamed	108.00	108.80	0.80	0.80	0.265	55.8	71.7
<b>Luz Elena</b>	226.35	229.05	2.70	2.69	0.134	<b>174.2</b>	<b>182.2</b>
Includes	227.60	228.30	0.70	0.70	0.293	<b>510.0</b>	<b>527.6</b>
Unnamed	260.70	261.35	0.65	0.62	0.061	<b>136.0</b>	<b>139.7</b>

## BP10-490

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	98.15	99.75	1.60	1.35	0.111	<b>156.2</b>	<b>162.9</b>
Includes	99.10	99.75	0.65	0.55	0.206	<b>275.0</b>	<b>287.4</b>

## BP10-491

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	93.95	98.45	4.50	4.43	0.049	57.6	60.5
Includes	97.20	98.45	1.25	1.23	0.069	77.8	81.9



## BP10-495

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Gloria</b>	1.45	4.25	2.80	2.29	0.067	38.4	42.4
Includes	3.75	4.25	0.50	0.41	0.127	61.1	68.7
Unnamed	26.15	26.70	0.55	0.52	0.042	90.7	93.2
Unnamed	38.70	39.65	0.95	0.92	0.294	<b>135.9</b>	<b>153.5</b>
Includes	39.15	39.65	0.50	0.48	0.415	<b>215.0</b>	<b>239.9</b>
Unnamed	44.80	46.30	1.50	1.48	0.411	<b>217.8</b>	<b>242.5</b>
Includes	45.35	46.30	0.95	0.94	0.561	<b>308.0</b>	<b>341.7</b>
<b>Abundancia</b>	77.80	79.45	1.65	1.65	0.484	<b>184.2</b>	<b>213.3</b>
Includes	77.80	78.65	0.85	0.85	0.552	<b>240.0</b>	<b>273.1</b>
<b>Chabelita</b>	85.20	86.65	1.45	1.44	0.196	72.5	84.3
Includes	86.00	86.65	0.65	0.65	0.237	<b>110.0</b>	<b>124.2</b>
Unnamed	90.75	91.65	0.90	0.89	0.218	<b>171.0</b>	<b>184.1</b>
<b>Luz Elena</b>	214.50	221.60	7.10	6.99	0.159	<b>170.5</b>	<b>180.1</b>
Includes	218.25	221.60	3.35	3.30	0.190	<b>299.4</b>	<b>310.8</b>
Includes	218.25	219.20	0.95	0.94	0.346	<b>695.0</b>	<b>715.8</b>

## BP10-496

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha (Sup)</b>	80.75	81.95	1.20	1.20	0.319	<b>229.4</b>	<b>248.6</b>
Includes	80.75	81.40	0.65	0.65	0.427	<b>369.0</b>	<b>394.6</b>
<b>Martha (Inf)</b>	93.95	102.55	8.60	8.60	0.077	<b>119.1</b>	<b>123.7</b>
Includes	97.55	102.55	5.00	5.00	0.093	<b>173.8</b>	<b>179.4</b>
Includes	98.40	99.45	1.05	1.05	0.081	<b>194.0</b>	<b>198.9</b>

## BP10-497

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha (Tot)</b>	240.55	293.60	46.00	45.82	0.203	<b>110.5</b>	<b>122.7</b>
<b>Martha (Sup)</b>	240.55	249.65	9.10	9.10	0.232	<b>144.6</b>	<b>158.6</b>
Includes	244.05	249.65	5.60	5.60	0.264	<b>190.7</b>	<b>206.5</b>
Includes	245.75	248.00	2.25	2.25	0.367	<b>313.7</b>	<b>335.7</b>
<b>Martha (Mid)</b>	258.60	265.60	7.00	6.97	0.108	96.2	<b>102.7</b>
Includes	258.60	261.15	2.55	2.54	0.148	<b>149.2</b>	<b>158.1</b>
Includes	258.60	259.40	0.80	0.80	0.109	<b>239.0</b>	<b>245.5</b>
<b>Martha (Inf)</b>	274.70	293.60	17.55	17.28	0.338	<b>158.8</b>	<b>179.1</b>
Includes	281.55	290.25	8.70	8.57	0.457	<b>236.9</b>	<b>264.3</b>
Includes	284.15	286.05	1.90	1.87	0.511	<b>551.0</b>	<b>581.7</b>

## BP10-498

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	193.30	208.80	15.50	14.57	0.321	<b>129.0</b>	<b>148.2</b>
Includes	200.70	208.80	8.10	7.61	0.526	<b>160.9</b>	<b>192.5</b>
Includes	202.35	296.50	4.15	3.90	0.776	<b>211.0</b>	<b>257.6</b>

## BP10-499

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Gloria 1</b>	25.30	35.70	10.40	8.52	0.157	<b>187.0</b>	<b>196.5</b>
Includes	25.30	28.70	3.40	2.79	0.164	<b>366.7</b>	<b>376.5</b>
Includes	25.30	26.00	0.70	0.57	0.119	<b>665.0</b>	<b>672.1</b>
<b>Gloria 2</b>	42.55	45.80	3.25	2.95	0.212	72.8	85.5
Includes	45.00	45.80	0.80	0.73	0.151	99.3	<b>108.7</b>
<b>Gloria 3</b>	53.70	64.50	10.80	10.15	0.147	<b>108.4</b>	<b>117.2</b>
Includes	53.70	58.60	4.90	4.60	0.208	<b>143.9</b>	<b>156.3</b>
Includes	58.00	58.60	0.60	0.56	0.145	<b>204.0</b>	<b>212.7</b>
Unnamed	79.05	79.75	0.70	0.68	0.059	<b>126.0</b>	<b>129.5</b>
<b>Abundancia</b>	89.00	95.70	6.70	6.60	0.485	96.5	<b>125.6</b>
Includes	93.80	95.70	1.90	1.87	0.917	<b>127.7</b>	<b>182.7</b>
Includes	95.00	95.70	0.70	0.69	<b>2.126</b>	<b>170.0</b>	<b>297.6</b>
Unnamed	107.55	108.05	0.50	0.49	0.138	68.5	76.8

## BP10-500

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	24.00	24.40	0.40	0.31	0.082	50.9	55.8
<b>Gloria</b>	35.00	51.90	16.90	12.95	0.186	<b>209.4</b>	<b>220.6</b>
Includes	36.65	46.00	9.35	7.16	0.250	<b>302.1</b>	<b>317.1</b>
Includes	41.05	41.65	0.60	0.46	0.291	<b>778.0</b>	<b>795.5</b>
<b>Abundancia</b>	81.65	100.30	18.65	18.37	0.119	<b>137.8</b>	<b>145.0</b>
Includes	95.60	100.30	4.70	4.63	0.284	<b>228.0</b>	<b>245.0</b>
Includes	81.65	83.10	1.45	1.43	0.148	<b>492.8</b>	<b>501.6</b>

## BP10-501

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha (Sup)</b>	195.80	213.35	17.55	15.91	0.597	<b>174.5</b>	<b>210.4</b>
Includes	202.50	212.55	10.05	9.11	0.557	<b>235.3</b>	<b>268.7</b>
Includes	204.30	205.40	1.10	1.00	1.094	<b>459.0</b>	<b>524.6</b>
<b>Martha (Mid)</b>	217.95	221.60	3.65	3.31	0.106	80.4	86.7
Includes	220.60	221.60	1.00	0.91	0.166	<b>148.0</b>	<b>158.0</b>
<b>Martha (Inf)</b>	242.35	244.30	1.95	1.69	0.098	<b>127.8</b>	<b>133.6</b>
Includes	243.40	244.30	0.90	0.78	0.131	<b>176.0</b>	<b>183.6</b>

## BP10-502

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	227.60	228.40	0.80	0.78	0.026	51.2	52.8
Unnamed	231.20	232.25	1.05	1.03	0.070	62.3	66.5
<b>Martha (Tot)</b>	249.50	307.55	58.05	56.07	0.140	81.9	90.3
<b>Martha (Sup)</b>	249.50	257.25	7.75	7.75	0.115	92.6	99.5
Includes	249.50	252.20	2.70	2.70	0.199	<b>131.0</b>	<b>142.9</b>
Includes	251.70	252.20	0.50	0.50	0.634	<b>389.0</b>	<b>427.0</b>
<b>Martha (Mid)</b>	262.00	282.00	20.00	18.78	0.101	70.9	77.0
Includes	262.00	263.80	1.80	1.69	0.151	<b>350.1</b>	<b>359.2</b>
Includes	262.00	262.95	0.95	0.89	0.234	<b>488.0</b>	<b>502.0</b>
<b>Martha (Inf)</b>	293.45	307.55	14.10	13.25	0.278	<b>167.4</b>	<b>184.0</b>
Includes	293.45	305.15	11.70	10.99	0.321	<b>193.9</b>	<b>213.2</b>
Includes	300.30	301.40	1.10	1.03	0.582	<b>414.0</b>	<b>448.9</b>

## BP10-503

No Significant Intercepts.

## BP10-504

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	51.15	54.75	3.60	3.26	0.224	<b>134.4</b>	<b>147.9</b>
Includes	51.75	54.75	3.00	2.72	0.240	<b>152.2</b>	<b>166.6</b>
Includes	52.65	53.50	0.85	0.77	0.272	<b>170.0</b>	<b>186.3</b>

## BP10-505

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	57.60	64.00	6.40	5.80	0.469	<b>263.8</b>	<b>291.9</b>
Includes	57.60	63.00	5.40	4.89	0.533	<b>294.4</b>	<b>326.5</b>
Includes	62.20	63.00	0.80	0.73	0.374	<b>514.0</b>	<b>536.4</b>

## BP10-506

No assays available – Geotech Hole

## BP10-507

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Abundancia</b>	123.90	127.45	3.55	3.50	0.337	<b>257.5</b>	<b>277.7</b>
Includes	124.90	127.45	2.55	2.51	0.418	<b>330.5</b>	<b>355.6</b>
Includes	126.90	127.45	0.55	0.54	0.285	<b>901.0</b>	<b>918.1</b>

## BP10-508

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	69.50	74.55	5.05	4.58	0.320	<b>275.1</b>	<b>294.4</b>
Includes	70.30	73.90	3.60	3.26	0.389	<b>357.2</b>	<b>380.5</b>
Includes	70.30	71.00	0.70	0.63	0.488	<b>475.0</b>	<b>504.3</b>

## BP10-509

No assays available – Geotech hole.

## BP10-510

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	238.20	238.80	0.60	0.60	0.110	54.6	61.2
<b>Martha</b>	245.40	267.75	22.35	22.35	0.363	<b>134.5</b>	<b>156.3</b>
Includes	253.70	259.95	6.25	6.25	0.657	<b>164.1</b>	<b>203.5</b>
Includes	246.55	247.80	1.25	1.25	0.125	<b>656.0</b>	<b>663.5</b>
Unnamed	272.75	273.55	0.80	0.79	0.074	<b>210.0</b>	<b>214.4</b>
Unnamed	278.80	279.30	0.50	0.49	0.147	<b>343.0</b>	<b>351.8</b>
Unnamed	285.40	285.90	0.40	0.39	0.130	<b>225.0</b>	<b>232.8</b>
Unnamed	287.30	288.20	0.90	0.87	0.299	93.1	<b>111.0</b>
Unnamed	289.30	290.05	0.75	0.72	0.098	<b>137.0</b>	<b>142.9</b>

## BP10-511

No significant intercepts.

## BP10-512

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	104.05	111.00	6.95	6.84	0.199	96.7	<b>108.6</b>
Includes	105.40	106.50	1.10	1.08	0.374	<b>234.0</b>	<b>256.4</b>

## BP10-513

No significant intercepts.





## BP10-519

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	236.75	237.20	0.45	0.45	0.106	<b>142.0</b>	<b>148.7</b>
Unnamed	241.85	242.40	0.55	0.55	0.064	90.5	94.3
<b>Martha (Sup)</b>	268.60	270.00	1.40	1.39	0.408	<b>252.3</b>	<b>276.8</b>
Includes	268.60	269.05	0.45	0.45	0.472	<b>395.0</b>	<b>423.3</b>
Unnamed	280.70	281.55	0.85	0.85	0.578	<b>239.0</b>	<b>273.7</b>
Unnamed	290.30	291.10	0.80	0.80	0.083	<b>279.0</b>	<b>284.0</b>
<b>Martha (Mid)</b>	294.40	297.80	3.40	3.40	0.135	68.6	76.7
Includes	295.05	295.50	0.45	0.45	0.085	<b>157.0</b>	<b>162.1</b>
Unnamed	300.45	301.25	0.80	0.80	0.054	50.3	53.5
Unnamed	316.75	318.10	1.35	1.35	0.281	97.5	<b>114.4</b>
Unnamed	328.30	330.60	2.30	2.29	0.177	84.9	95.6
Includes	329.35	330.60	1.25	1.25	0.192	93.1	<b>104.6</b>
<b>Martha (Inf)</b>	333.40	340.30	6.90	6.87	0.338	<b>205.5</b>	<b>225.8</b>
Includes	334.40	339.30	4.90	4.88	0.396	<b>259.8</b>	<b>283.5</b>
Includes	335.65	336.20	0.55	0.55	0.539	<b>389.0</b>	<b>421.3</b>

## BP10-520

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	113.85	115.20	1.35	1.35	0.079	65.6	70.3
Includes	114.95	115.20	0.25	0.25	0.336	<b>178.0</b>	<b>198.2</b>



BP10-524

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	230.40	231.15	0.75	0.72	0.036	<b>111.0</b>	<b>113.2</b>
Unnamed	256.65	257.25	0.60	0.59	0.155	63.8	73.1
Unnamed	258.35	259.10	0.75	0.74	0.165	73.5	83.4
<b>Martha (Tot)</b>	262.00	303.15	41.70	41.54	0.117	96.6	<b>103.7</b>
<b>Martha (Sup)</b>	262.00	274.50	12.50	12.31	0.146	<b>158.4</b>	<b>167.2</b>
Includes	263.30	269.70	6.40	6.30	0.219	<b>233.9</b>	<b>247.0</b>
Includes	267.35	268.40	1.05	1.03	0.514	<b>692.0</b>	<b>722.8</b>
<b>Martha (Mid)</b>	291.65	294.80	3.15	3.15	0.104	72.0	78.2
Includes	293.10	293.90	0.80	0.80	0.122	<b>122.0</b>	<b>129.3</b>
<b>Martha (Inf)</b>	298.70	303.70	5.50	5.48	0.289	<b>199.7</b>	<b>217.0</b>
Includes	300.10	303.15	3.05	3.04	0.302	<b>238.8</b>	<b>256.9</b>
Includes	302.45	303.15	0.70	0.70	0.297	<b>293.0</b>	<b>310.8</b>

BP10-525

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	43.40	43.95	0.55	0.52	0.134	<b>619.0</b>	<b>627.0</b>
<b>Abundancia</b>	65.05	75.60	10.55	10.32	0.316	<b>109.3</b>	<b>128.3</b>
Includes	72.90	75.60	2.70	2.64	0.786	<b>180.5</b>	<b>227.6</b>
Includes	74.75	75.60	0.85	0.83	<b>1.573</b>	<b>301.0</b>	<b>395.4</b>

## BP10-526

No significant intercepts.

## BP10-527

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Abundancia</b>	59.60	65.85	6.25	5.87	0.113	<b>170.3</b>	<b>177.2</b>
Includes	60.90	65.85	4.95	4.65	0.137	<b>201.3</b>	<b>209.5</b>
Includes	64.25	65.10	0.85	0.80	0.119	<b>573.0</b>	<b>580.1</b>

## BP10-528

No significant intercepts.

## BP10-529

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	37.20	38.10	0.90	0.90	0.347	97.7	<b>118.5</b>
<b>Abundancia</b>	47.95	57.90	9.95	9.95	0.106	<b>109.2</b>	<b>115.6</b>
Includes	54.05	56.85	2.80	2.80	0.171	<b>232.8</b>	<b>243.0</b>
Includes	54.05	54.85	0.80	0.80	0.098	<b>341.0</b>	<b>346.9</b>

## BP10-530

No significant intercepts.



## BP10-533

No significant intercepts.

## BP10-534

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	121.45	128.40	6.95	6.53	0.300	<b>213.6</b>	<b>231.5</b>
Includes	121.45	127.42	5.97	5.61	0.330	<b>238.4</b>	<b>258.2</b>
Includes	122.50	124.65	2.15	2.02	0.546	<b>288.3</b>	<b>321.0</b>

## BP10-535

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	123.55	127.90	4.35	4.18	0.183	<b>119.9</b>	<b>130.9</b>
Includes	124.35	126.08	1.73	1.66	0.202	<b>180.0</b>	<b>192.2</b>
Includes	125.15	126.08	0.93	0.89	0.175	<b>192.0</b>	<b>202.5</b>



BP10-537

Vein	From	To	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	28.35	29.30	0.95	0.92	0.987	<b>159.0</b>	<b>218.2</b>
Unnamed	211.10	211.40	0.30	0.29	0.119	<b>426.0</b>	<b>433.1</b>
Unnamed	270.70	271.20	0.50	0.49	0.163	<b>210.0</b>	<b>219.8</b>
Unnamed	272.40	272.80	0.40	0.39	0.443	<b>1,105.0</b>	<b>1,131.0</b>
Unnamed	297.35	298.55	0.55	0.55	0.139	<b>424.0</b>	<b>432.3</b>
Unnamed	318.70	320.25	1.55	1.54	0.145	<b>223.1</b>	<b>231.8</b>
Includes	318.70	319.40	0.70	0.70	0.165	<b>301.0</b>	<b>310.9</b>
<b>Martha (Sup)</b>	338.05	343.55	5.50	5.48	0.187	<b>160.2</b>	<b>171.4</b>
Includes	338.05	342.30	4.25	4.23	0.186	<b>185.8</b>	<b>196.9</b>
Includes	338.05	339.05	1.00	1.00	0.157	<b>300.0</b>	<b>309.4</b>
Unnamed	347.65	348.75	1.10	1.10	0.035	53.2	55.3
<b>Martha (Mid)</b>	360.50	363.80	3.30	3.25	0.397	<b>137.2</b>	<b>161.0</b>
Includes	360.50	361.55	1.05	1.03	<b>1.060</b>	<b>334.0</b>	<b>397.6</b>
Unnamed	375.35	376.89	1.54	1.52	0.137	55.1	63.3
Unnamed	385.80	386.30	0.50	0.49	0.303	66.3	84.5
<b>Martha (Inf)</b>	424.55	426.65	2.10	2.07	0.633	59.1	97.1
Includes	424.55	425.80	1.25	1.23	0.851	63.6	<b>114.7</b>
Unnamed	431.40	432.75	1.35	1.33	0.491	60.3	89.8

# **La Preciosa Drilling**

**2005-2008**

**(Orko Silver drilled holes)**



BP05-03

Vein	From	To	Width (m)	True Width (m)	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
La Gloria	110.50	113.50	3.00	2.30	0.259	<b>258.9</b>	<b>274.4</b>
<i>Includes</i>	<i>110.50</i>	<i>112.38</i>	<i>1.88</i>	<i>1.44</i>	0.327	<b>324.3</b>	<b>343.9</b>
Abundancia	181.75	191.10	9.35	8.42	0.317	<b>145.4</b>	<b>164.4</b>
<i>Includes</i>	<i>181.75</i>	<i>190.30</i>	<i>8.55</i>	<i>7.70</i>	0.332	<b>156.5</b>	<b>176.4</b>
<i>Includes</i>	<i>181.75</i>	<i>185.50</i>	<i>3.75</i>	<i>3.69</i>	<b>0.522</b>	<b>311.6</b>	<b>344.7</b>
Luz Elena	301.57	303.60	2.03	1.91	<b>0.818</b>	<b>890.7</b>	<b>939.8</b>
<i>Includes</i>	<i>301.77</i>	<i>303.60</i>	<i>1.83</i>	<i>1.72</i>	<b>0.903</b>	<b>985.0</b>	<b>1,039.2</b>
<i>Includes</i>	<i>301.77</i>	<i>303.04</i>	<i>1.27</i>	<i>1.19</i>	<b>1.199</b>	<b>1,361.6</b>	<b>1,433.5</b>

BP05-04

Vein	From	To	Width (m)	True Width (m)	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
La Gloria	230.34	233.98	3.64	3.15	<b>0.931</b>	<b>442.3</b>	<b>498.2</b>
<i>Includes</i>	<i>230.94</i>	<i>233.98</i>	<i>3.04</i>	<i>2.63</i>	<b>1.045</b>	<b>516.8</b>	<b>579.5</b>
Abundancia	243.60	249.97	6.37	6.27	0.239	55.8	70.1
<i>Includes</i>	<i>247.33</i>	<i>249.97</i>	<i>2.64</i>	<i>2.60</i>	0.257	76.1	91.5
Luz Elena	343.08	349.75	6.67	5.11	0.345	69.3	90.0
<i>Includes</i>	<i>343.08</i>	<i>345.50</i>	<i>2.42</i>	<i>1.85</i>	0.522	<b>111.9</b>	<b>143.2</b>

BP05-05

Vein	From	To	Width (m)	True Width (m)	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Incognita	48.14	50.32	2.18	2.18	0.210	71.7	84.3
<i>Includes</i>	<i>48.14</i>	<i>48.87</i>	<i>0.73</i>	<i>0.73</i>	<i>0.372</i>	<b>153.8</b>	<b>176.1</b>
Abundancia	301.37	311.12	9.75	9.75	0.197	41.9	53.1
<i>Includes</i>	<i>309.62</i>	<i>311.12</i>	<i>1.50</i>	<i>1.50</i>	<i>0.566</i>	<b>148.8</b>	<b>182.8</b>
<i>Includes</i>	<i>310.12</i>	<i>311.12</i>	<i>1.00</i>	<i>1.00</i>	<i>0.753</i>	<b>218.8</b>	<b>264.0</b>
Luz Elena	406.47	412.24	5.77	5.68	0.052	16.9	20.0
<i>Includes</i>	<i>406.47</i>	<i>406.85</i>	<i>0.38</i>	<i>0.37</i>	<i>0.362</i>	<b>184.6</b>	<b>206.3</b>

BP05-06

Vein	From	To	Width (m)	True Width (m)	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Incognita	48.44	50.50	2.06	2.03	0.113	27.8	34.6
Abundancia	311.84	326.73	14.89	14.66	0.137	45.7	53.9
<i>Includes</i>	<i>324.63</i>	<i>326.15</i>	<i>1.52</i>	<i>1.50</i>	<i>0.358</i>	<b>113.7</b>	<b>135.2</b>
<i>Includes</i>	<i>324.63</i>	<i>325.86</i>	<i>1.23</i>	<i>1.21</i>	<i>0.442</i>	<b>125.8</b>	<b>152.3</b>
Luz Elena	398.02	399.64	1.62	1.62	0.111	48.7	55.4
<i>Includes</i>	<i>398.05</i>	<i>399.64</i>	<i>1.14</i>	<i>1.14</i>	<i>0.115</i>	62.4	69.3

BP05-07

Vein	From	To	Width (m)	True Width (m)	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	225.67	240.66	14.99	14.76	0.488	<b>167.9</b>	<b>197.2</b>
<i>Includes</i>	<i>225.67</i>	<i>228.56</i>	<i>2.89</i>	<i>2.85</i>	<b>1.908</b>	<b>744.1</b>	<b>858.6</b>
<i>Includes</i>	<i>227.67</i>	<i>228.56</i>	<i>0.89</i>	<i>0.88</i>	<b>5.351</b>	<b>1,910.0</b>	<b>2,231.1</b>
Luz Elena	329.05	337.00	7.95	7.83	0.196	28.0	39.8
<i>Includes</i>	<i>329.05</i>	<i>332.43</i>	<i>3.38</i>	<i>3.33</i>	<i>0.262</i>	51.1	66.8
<i>Includes</i>	<i>329.05</i>	<i>331.14</i>	<i>2.09</i>	<i>2.06</i>	<i>0.315</i>	75.2	94.1

BP05-08

Vein	From	To	Width (m)	True Width (m)	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
La Gloria	251.54	254.86	3.32	2.88	0.456	<b>222.2</b>	<b>249.6</b>
<i>Includes</i>	<i>251.54</i>	<i>253.43</i>	<i>1.89</i>	<i>1.64</i>	<b>0.596</b>	<b>331.0</b>	<b>366.8</b>
Abundancia	274.58	291.68	17.10	16.52	<b>0.569</b>	43.0	77.1
<i>Includes</i>	<i>276.58</i>	<i>290.78</i>	<i>14.20</i>	<i>13.72</i>	<b>0.638</b>	50.0	88.3
<i>Includes</i>	<i>278.40</i>	<i>281.64</i>	<i>3.24</i>	<i>3.13</i>	<b>1.051</b>	37.1	<b>100.2</b>
<i>Includes</i>	<i>280.42</i>	<i>281.64</i>	<i>1.22</i>	<i>1.18</i>	<b>1.850</b>	33.0	<b>144.0</b>
Luz Elena	393.48	397.46	3.98	3.83	0.248	40.5	55.4
<i>Includes</i>	<i>395.35</i>	<i>397.46</i>	<i>2.11</i>	<i>2.08</i>	0.361	38.8	60.5

BP05-09

Vein	From	To	Width (m)	True Width (m)	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	291.90	297.75	5.85	5.50	0.164	20.0	29.8
<i>Includes</i>	<i>291.90</i>	<i>294.90</i>	<i>3.00</i>	<i>2.82</i>	0.231	28.1	42.0
Luz Elena	368.30	372.86	4.58	4.58	0.197	<b>112.7</b>	<b>124.5</b>
<i>Includes</i>	<i>370.30</i>	<i>372.88</i>	<i>2.58</i>	<i>2.58</i>	0.320	<b>188.2</b>	<b>207.4</b>

BP05-10

Vein	From	To	Width (m)	True Width (m)	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
La Gloria	248.11	253.20	5.09	4.92	0.059	26.2	29.7
Abundancia	322.40	335.00	12.60	11.84	0.227	77.8	91.4
<i>Includes</i>	<i>325.62</i>	<i>327.56</i>	<i>2.66</i>	<i>2.50</i>	<b>0.503</b>	<b>236.6</b>	<b>266.8</b>

BP05-11

Vein	From	To	Width (m)	True Width (m)	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
La Gloria	225.40	237.65	7.25	7.22	<b>0.516</b>	<b>178.4</b>	<b>209.4</b>
<i>Includes</i>	<i>227.21</i>	<i>232.65</i>	<i>5.44</i>	<i>5.36</i>	<b>0.643</b>	<b>222.0</b>	<b>260.6</b>
<i>Includes</i>	<i>227.91</i>	<i>232.65</i>	<i>4.74</i>	<i>4.72</i>	<b>0.605</b>	<b>235.9</b>	<b>272.2</b>
<i>Includes</i>	<i>227.91</i>	<i>230.65</i>	<i>2.74</i>	<i>2.73</i>	<b>0.694</b>	<b>322.5</b>	<b>364.2</b>
<i>Includes</i>	<i>227.91</i>	<i>228.78</i>	<i>0.87</i>	<i>0.87</i>	<b>0.997</b>	<b>582.0</b>	<b>641.8</b>
Abundancia	282.17	298.30	16.13	15.88	0.135	52.8	60.9
<i>Includes</i>	<i>292.93</i>	<i>298.30</i>	<i>5.37</i>	<i>5.29</i>	0.249	<b>137.3</b>	<b>152.3</b>
<i>Includes</i>	<i>292.93</i>	<i>296.32</i>	<i>3.39</i>	<i>3.34</i>	0.273	<b>153.5</b>	<b>169.9</b>
<i>Includes</i>	<i>292.93</i>	<i>294.00</i>	<i>1.07</i>	<i>1.05</i>	0.422	<b>310.0</b>	<b>335.3</b>

BP05-12

Vein	From	To	Width (m)	True Width (m)	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
La Gloria	134.33	137.82	3.49	3.28	0.251	<b>326.8</b>	<b>341.9</b>
<i>Includes</i>	<i>136.76</i>	<i>137.82</i>	<i>1.06</i>	<i>1.00</i>	<b>0.709</b>	<b>1,014.9</b>	<b>1,057.4</b>
<i>Includes</i>	<i>136.76</i>	<i>137.36</i>	<i>0.60</i>	<i>0.56</i>	<b>1.219</b>	<b>1,633.0</b>	<b>1,706.1</b>
Abundancia	162.31	167.59	5.28	4.57	0.434	<b>279.7</b>	<b>305.7</b>
<i>Includes</i>	<i>163.01</i>	<i>166.73</i>	<i>3.72</i>	<i>3.22</i>	<b>0.568</b>	<b>373.1</b>	<b>407.2</b>
<i>Includes</i>	<i>163.70</i>	<i>166.73</i>	<i>3.03</i>	<i>2.62</i>	<b>0.528</b>	<b>392.4</b>	<b>424.0</b>
<i>Includes</i>	<i>163.70</i>	<i>165.51</i>	<i>1.81</i>	<i>1.57</i>	<b>0.611</b>	<b>415.8</b>	<b>452.5</b>
Esperancita	199.58	202.73	3.15	1.58	0.110	<b>143.7</b>	<b>150.3</b>
<i>Includes</i>	<i>199.58</i>	<i>200.73</i>	<i>1.15</i>	<i>0.58</i>	0.100	<b>346.4</b>	<b>352.4</b>
Carmen	358.25	359.93	1.68	0.84	0.269	<b>231.1</b>	<b>247.2</b>

## BP05-13

Vein	From	To	Width (m)	True Width (m)	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	147.92	151.26	3.34	3.23	0.162	68.8	78.5
<i>Includes</i>	<i>147.92</i>	<i>149.47</i>	<i>1.55</i>	<i>1.50</i>	0.128	76.8	84.5
<i>Includes</i>	<i>147.92</i>	<i>148.96</i>	<i>1.04</i>	<i>1.00</i>	0.131	88.6	96.5
Esperancita	259.98	266.21	6.23	4.00	0.254	<b>128.8</b>	<b>144.0</b>
<i>Includes</i>	<i>259.98</i>	<i>262.32</i>	<i>2.34</i>	<i>1.50</i>	0.482	<b>304.9</b>	<b>333.8</b>
<i>Includes</i>	<i>259.98</i>	<i>262.21</i>	<i>2.23</i>	<i>1.43</i>	0.495	<b>319.2</b>	<b>348.9</b>
<i>Includes</i>	<i>260.80</i>	<i>262.21</i>	<i>1.41</i>	<i>0.91</i>	<b>0.658</b>	<b>480.0</b>	<b>519.5</b>

Note: Holes BP05-12 and BP05-13 are on mine section 15,500 N. La Gloria vein in #12 in an ore shoot merges with Abundancia vein before reaching #13. In hole #12, the Abundancia is in an ore shoot, whereas in #13, the Abundancia is between ore shoots. The Esperancita and Carmen veins are oblique to the section, thus the reduction in width to true width. There are also several minor high-grade veinlets in #13.

## BP05-14

Vein	From	To	Width (m)	True Width (m)	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	423.45	431.53	8.08	7.59	0.360	<b>108.9</b>	<b>130.5</b>
<i>Includes</i>	<i>423.45</i>	<i>428.35</i>	<i>4.90</i>	<i>4.60</i>	0.499	<b>156.9</b>	<b>186.9</b>
<i>Includes</i>	<i>424.35</i>	<i>428.35</i>	<i>4.00</i>	<i>3.76</i>	<b>0.553</b>	<b>165.0</b>	<b>198.2</b>
<i>Includes</i>	<i>424.35</i>	<i>425.98</i>	<i>1.63</i>	<i>1.53</i>	<b>0.843</b>	<b>228.8</b>	<b>279.4</b>
<i>Includes</i>	<i>425.30</i>	<i>425.98</i>	<i>0.68</i>	<i>0.64</i>	<b>0.999</b>	<b>389.1</b>	<b>449.1</b>

## BP05-15

Vein	From	To	Width (m)	True Width (m)	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	410.21	412.76	2.55	2.40	0.023	4.4	5.8

## BP05-16

Vein	From	To	Width (m)	True Width (m)	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	525.31	529.81	4.50	4.23	0.032	21.2	23.1

## BP05-17

Vein	From	To	Width (m)	True Width (m)	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	423.17	426.64	3.47	3.42	0.027	37.0	38.6

The Abundancia vein structure was intersected in both BP05-14 and BP05-15 on mine grid 15,700 N and in BP05-16 and BP05-17 on mine grid 15,800 N. An ore-shoot was intersected in BP05-14. In BP05-15 to 17 base metal values are elevated, but significant precious metal values were not intersected. A 20 cm veinlet was also intersected in BP05-14, yielding 1,084.6 Ag-Eq g/t (1.410 Au g/t, 1,000.0 Ag g/t).

The greater depth of these intersections and the andesite/conglomerate contact orientation change from east-dipping to west-dipping suggest an offset fault exists between 15,600 N and 15,700 N. The northward continuation of La Gloria vein may be further west.

BP05-18

Vein	From	To	Width (m)	True Width (m)	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
La Gloria	101.91	108.48	6.57	6.47	0.121	71.2	78.5
<i>Including</i>	<i>102.06</i>	<i>103.58</i>	<i>1.52</i>	<i>1.50</i>	0.150	<b>169.9</b>	<b>178.9</b>
<i>Including</i>	<i>102.33</i>	<i>103.58</i>	<i>1.25</i>	<i>1.23</i>	0.170	<b>191.4</b>	<b>201.6</b>
<i>Including</i>	<i>102.33</i>	<i>103.23</i>	<i>0.90</i>	<i>0.89</i>	0.184	<b>209.8</b>	<b>220.8</b>
Abundancia	114.43	121.64	7.21	7.10	0.140	75.2	83.6
<i>Including</i>	<i>114.43</i>	<i>118.20</i>	<i>3.77</i>	<i>3.71</i>	0.193	<b>112.9</b>	<b>124.5</b>
<i>Including</i>	<i>116.37</i>	<i>118.20</i>	<i>1.83</i>	<i>1.80</i>	0.243	<b>178.6</b>	<b>193.2</b>
<i>Including</i>	<i>117.47</i>	<i>118.20</i>	<i>0.73</i>	<i>0.72</i>	0.311	<b>267.0</b>	<b>285.7</b>
Unnamed	179.88	180.48	0.60	0.59	0.399	<b>350.0</b>	<b>373.9</b>
Unnamed	226.28	227.36	1.08	1.06	0.161	<b>441.8</b>	<b>451.5</b>
<i>Including</i>	<i>226.65</i>	<i>227.36</i>	<i>0.71</i>	<i>0.70</i>	0.161	<b>560.0</b>	<b>569.7</b>
Luz Elena	251.81	253.25	1.44	1.35	0.147	<b>102.9</b>	<b>111.7</b>
<i>Including</i>	<i>251.81</i>	<i>252.74</i>	<i>0.93</i>	<i>0.87</i>	0.203	<b>148.0</b>	<b>160.2</b>
Unnamed	270.00	272.35	2.35	1.18	0.032	53.0	54.9
<i>Including</i>	<i>270.00</i>	<i>270.26</i>	<i>0.26</i>	<i>0.13</i>	0.187	<b>340.0</b>	<b>351.2</b>
Unnamed	280.04	280.79	0.75	0.67	0.053	96.3	99.5
<i>Including</i>	<i>280.04</i>	<i>280.29</i>	<i>0.25</i>	<i>0.23</i>	0.077	<b>174.0</b>	<b>178.6</b>
Unnamed	335.50	336.44	0.94	0.72	0.105	<b>147.3</b>	<b>153.6</b>
<i>Including</i>	<i>336.22</i>	<i>336.44</i>	<i>0.22</i>	<i>0.17</i>	0.442	<b>194.0</b>	<b>220.5</b>

BP05-19 – Abandoned short of target depth.

BP05-19A – Collared 7 metres west of BP05-19.

Vein	From	To	Width (m)	True Width (m)	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	188.15	193.04	4.89	4.23	0.035	13.1	15.2
<i>Including</i>	<i>191.38</i>	<i>193.04</i>	<i>1.66</i>	<i>1.44</i>	0.041	18.2	20.7
Unnamed	223.32	224.02	0.70	0.61	0.125	49.9	57.4
Chabelita ?	230.29	231.86	1.57	0.79	0.228	<b>115.0</b>	<b>128.7</b>
Luz Elena	304.52	307.09	2.57	2.42	0.166	23.6	33.6
<i>Including</i>	<i>305.47</i>	<i>306.35</i>	<i>0.88</i>	<i>0.83</i>	0.195	41.5	53.2
Unnamed	314.23	315.68	1.45	1.11	0.113	12.4	19.2
Unnamed	345.14	345.39	0.25	0.23	0.040	<b>110.0</b>	<b>112.4</b>

Note: BP05-19A intersects below the merger of La Gloria and Abundancia. The number of veins in BP05-19A is similar to BP05-18, base metals are also elevated, however, gold and silver values are lower.

## BP05-20

Vein	From	To	Width (m)	True Width (m)	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	135.33	146.15	11.02	9.54	0.071	62.2	66.4
<i>Including</i>	<i>135.33</i>	<i>139.48</i>	<i>4.15</i>	<i>3.59</i>	0.131	<b>105.1</b>	<b>112.9</b>
<i>Including</i>	<i>137.75</i>	<i>139.48</i>	<i>1.73</i>	<i>1.50</i>	0.115	<b>151.2</b>	<b>158.2</b>
<i>Including</i>	<i>138.70</i>	<i>139.48</i>	<i>0.78</i>	<i>0.68</i>	0.224	<b>295.7</b>	<b>309.2</b>
<i>Including</i>	<i>139.13</i>	<i>139.48</i>	<i>0.35</i>	<i>0.30</i>	0.484	<b>620.0</b>	<b>649.0</b>
<i>Including</i>	<i>145.25</i>	<i>146.15</i>	<i>1.10</i>	<i>0.95</i>	0.035	<b>115.6</b>	<b>117.7</b>
Unnamed	165.21	165.46	0.25	0.22	0.148	<b>143.0</b>	<b>151.9</b>
Unnamed	173.22	173.46	0.24	0.21	0.539	<b>200.0</b>	<b>232.3</b>
Unnamed	221.61	225.16	3.55	2.72	0.092	85.6	91.2
<i>Including</i>	<i>221.61</i>	<i>222.88</i>	<i>1.27</i>	<i>0.97</i>	0.220	<b>130.0</b>	<b>143.2</b>
<i>Including</i>	<i>224.96</i>	<i>226.16</i>	<i>0.20</i>	<i>0.15</i>	0.066	<b>161.0</b>	<b>165.0</b>
Chabelita ?	226.67	228.20	1.53	1.17	0.124	<b>179.0</b>	<b>186.4</b>
<i>Including</i>	<i>226.67</i>	<i>227.40</i>	<i>0.73</i>	<i>0.56</i>	0.193	<b>281.9</b>	<b>293.5</b>
Luz Elena	254.00	255.78	1.78	1.54	0.328	<b>579.7</b>	<b>599.3</b>
<i>Including</i>	<i>254.28</i>	<i>255.78</i>	<i>1.50</i>	<i>1.30</i>	0.367	<b>670.0</b>	<b>692.0</b>

Note: As well as precious metals, BP05-20 on mine grid 14,800 N, contains appreciable base metals, more than most other holes, including one sample assaying 13.1 % Pb.

## BP05-21

Vein	From	To	Width (m)	True Width (m)	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	223.39	225.12	1.73	1.50	0.023	3.7	5.1
Chabelita ?	282.08	283.60	1.52	1.32	0.063	13.5	17.3
Luz Elena	305.04	307.08	2.04	1.92	0.107	16.7	23.1

Note: Hole BP05-21 on mine grid 14,800 N, has several minor veinlets zones, but the structures are not well developed. There is minor enrichment in the base metals and precious metals values were low.

## BP05-22

Vein	From	To	Width (m)	True Width (m)	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	149.30	153.32	4.02	3.96	0.136	32.3	40.5
<i>Including</i>	<i>152.13</i>	<i>153.32</i>	<i>1.19</i>	<i>1.17</i>	<i>0.269</i>	<i>39.6</i>	<i>55.7</i>
Abundancia	192.09	196.04	3.95	3.42	0.097	96.8	<b>102.6</b>
<i>Including</i>	<i>194.31</i>	<i>196.04</i>	<i>1.73</i>	<i>1.50</i>	<i>0.036</i>	<b>134.0</b>	<b>136.2</b>
<i>Including</i>	<i>195.00</i>	<i>196.04</i>	<i>1.04</i>	<i>0.90</i>	<i>0.014</i>	<b>164.0</b>	<b>164.8</b>
Chabelita ?	240.57	243.18	2.61	2.45	0.067	27.0	30.9
Luz Elena	333.65	334.37	0.72	0.68	0.126	26.6	34.1

Note: Hole BP05-22 on mine grid 14,700 N, has several multiple veinlets zones. In the Abundancia, a portion of it is in sandstone, which causes a more diffuse fluid flow. Barite content is relatively high and there is minor enrichment in the base metals.

## BP05-23

Vein	From	To	Width (m)	True Width (m)	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	89.83	93.84	4.01	2.58	0.072	<b>211.0</b>	<b>215.3</b>
<i>Including</i>	<i>91.78</i>	<i>93.84</i>	<i>2.06</i>	<i>1.32</i>	<i>0.128</i>	<b>311.3</b>	<b>319.0</b>
<i>Including</i>	<i>91.78</i>	<i>93.14</i>	<i>1.36</i>	<i>0.87</i>	<i>0.164</i>	<b>330.0</b>	<b>339.8</b>

Note: The Unnamed vein is shallower and further to the west and oblique to the drill hole at about 50 degrees to core perpendicular. It may represent a transversal structure. More sampling is planned to test the footwall of the unnamed vein and the diffuse alteration in sandstone where the Abundancia vein projects.

## BP05-24

Vein	From	To	Width (m)	True Width (m)	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	126.66	129.69	3.03	2.62	0.180	99.2	<b>110.0</b>
<i>Including</i>	<i>126.66</i>	<i>129.26</i>	<i>2.60</i>	<i>2.25</i>	<i>0.205</i>	<b>113.3</b>	<b>125.6</b>
<i>Including</i>	<i>127.31</i>	<i>129.26</i>	<i>1.95</i>	<i>1.69</i>	<i>0.264</i>	<b>135.0</b>	<b>150.8</b>

## BP05-25

Vein	From	To	Width (m)	True Width (m)	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	121.88	130.79	8.19	7.70	0.155	<b>137.3</b>	<b>146.6</b>
<i>Includes</i>	<i>121.88</i>	<i>129.04</i>	<i>7.16</i>	<i>6.73</i>	<i>0.172</i>	<b>145.4</b>	<b>155.8</b>
<i>Includes</i>	<i>124.60</i>	<i>129.04</i>	<i>4.44</i>	<i>4.17</i>	<i>0.186</i>	<b>179.6</b>	<b>190.7</b>
<i>Includes</i>	<i>125.67</i>	<i>129.04</i>	<i>3.37</i>	<i>3.17</i>	<i>0.194</i>	<b>209.7</b>	<b>221.4</b>
<i>Includes</i>	<i>126.67</i>	<i>129.04</i>	<i>2.37</i>	<i>2.23</i>	<i>0.169</i>	<b>230.2</b>	<b>240.4</b>
<i>Includes</i>	<i>127.05</i>	<i>129.04</i>	<i>1.99</i>	<i>1.87</i>	<i>0.170</i>	<b>248.4</b>	<b>258.6</b>
Transversal	202.10	205.31	3.21	1.61	0.116	26.5	33.5
<i>Includes</i>	<i>204.10</i>	<i>205.31</i>	<i>1.21</i>	<i>0.61</i>	<i>0.148</i>	35.0	43.9
Unnamed	267.00	269.37	2.37	2.23	0.131	<b>177.9</b>	<b>185.8</b>
Unnamed	280.35	283.74	3.39	3.19	0.057	<b>162.3</b>	<b>165.7</b>
<i>Includes</i>	<i>280.35</i>	<i>281.95</i>	<i>1.60</i>	<i>1.50</i>	<i>0.081</i>	<b>249.9</b>	<b>254.7</b>
<i>Includes</i>	<i>280.35</i>	<i>281.74</i>	<i>1.39</i>	<i>1.31</i>	<i>0.088</i>	<b>274.9</b>	<b>280.2</b>

Hole BP05-25 is the first of the holes collared south of the Transversal fault. While most veins were intersected at roughly 20 degrees to the core perpendicular, the Transversal Vein was intersected at 60 degrees to the core perpendicular, with 60 degree fracturing along its margin.

## BP05-26

Vein	From	To	Width (m)	True Width (m)	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Transversal	72.98	76.65	3.67	3.54	0.162	93.2	<b>102.9</b>
<i>Includes</i>	73.85	76.16	2.31	2.23	0.200	<b>119.2</b>	<b>131.2</b>
<i>Includes</i>	74.59	76.16	1.57	1.52	0.210	<b>138.6</b>	<b>151.2</b>
<i>Includes</i>	75.09	76.16	1.07	1.03	0.219	<b>158.9</b>	<b>172.0</b>
<i>Includes</i>	75.35	76.16	0.81	0.78	0.252	<b>180.0</b>	<b>195.1</b>

Hole BP05-26 is the first hole to directly target the Transversal Vein.

## BP05-27

Vein	From	To	Width (m)	True Width (m)	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	136.22	138.66	2.44	2.11	0.153	<b>169.0</b>	<b>178.2</b>
Unnamed	148.63	148.99	0.36	0.28	0.113	<b>166.0</b>	<b>172.8</b>
Unnamed	211.42	212.92	1.50	1.41	0.469	<b>101.1</b>	<b>129.3</b>
<i>Includes</i>	211.42	212.00	0.58	0.55	1.120	<b>208.0</b>	<b>275.2</b>

Hole BP05-27 is collared 100 metres south of holes 25 and 26 in Zona Sur.

## BP05-28

Vein	From	To	Width (m)	True Width (m)	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	71.92	80.47	8.55	5.50	0.179	<b>521.6</b>	<b>532.4</b>
<i>Includes</i>	71.92	77.34	5.42	3.48	0.255	<b>690.6</b>	<b>705.8</b>
<i>Includes</i>	71.92	76.72	4.80	3.09	0.285	<b>756.1</b>	<b>773.3</b>
<i>Includes</i>	71.92	74.37	2.45	1.57	0.389	<b>1,255.8</b>	<b>1,279.2</b>
<i>Includes</i>	73.17	74.37	1.20	0.77	0.491	<b>2,290.0</b>	<b>2,319.5</b>
Unnamed	105.00	107.90	2.90	1.86	0.143	75.6	84.2
<i>Including</i>	106.68	107.36	0.68	0.44	0.186	<b>157.0</b>	<b>168.2</b>
Transversal	158.29	167.16	8.87	7.68	0.093	84.8	90.4
<i>Includes</i>	163.71	167.16	3.45	2.99	0.091	<b>145.9</b>	<b>151.4</b>
<i>Includes</i>	163.71	165.46	1.75	1.52	0.136	<b>177.0</b>	<b>185.1</b>
<i>Includes</i>	163.71	165.16	1.45	1.26	0.155	<b>190.0</b>	<b>199.3</b>
Chabelita ?	201.77	204.84	3.07	1.54	0.621	<b>688.5</b>	<b>725.8</b>
<i>Includes</i>	201.77	204.59	2.82	1.41	0.666	<b>723.0</b>	<b>762.9</b>
<i>Includes</i>	203.78	204.84	1.06	0.53	0.745	<b>1,201.7</b>	<b>1,246.4</b>

Hole BP05-28 was drilled from Zona Sur, northward 000 -45 deg, passing obliquely through the Abundancia Vein at a 50 degree angle, a smaller vein parallel to Abundancia, before reaching the Transversal Vein, then on to another oblique vein Chabelita.

## BP05-29

Vein	From	To	Width (m)	True Width (m)	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	38.50	49.31	10.81	10.16	0.047	<b>113.8</b>	<b>116.6</b>
<i>Includes</i>	<i>38.50</i>	<i>41.62</i>	<i>3.12</i>	<i>2.93</i>	<i>0.116</i>	<b>223.0</b>	<b>229.9</b>
<i>Includes</i>	<i>38.50</i>	<i>40.71</i>	<i>2.21</i>	<i>2.08</i>	<i>0.152</i>	<b>291.1</b>	<b>300.3</b>
<i>Includes</i>	<i>39.70</i>	<i>40.71</i>	<i>1.01</i>	<i>0.95</i>	<i>0.186</i>	<b>310.1</b>	<b>321.2</b>
Luz Elena	200.56	201.80	1.24	1.17	0.029	69.5	71.3
<i>Includes</i>	<i>201.28</i>	<i>201.80</i>	<i>0.52</i>	<i>0.49</i>	<i>0.037</i>	<b>111.0</b>	<b>113.2</b>
Unnamed	306.34	308.82	2.48	2.33	0.033	96.5	98.5
<i>Includes</i>	<i>308.60</i>	<i>308.82</i>	<i>0.22</i>	<i>0.21</i>	<i>0.081</i>	<b>510.0</b>	<b>514.9</b>

Hole BP05-29 was drilled from the same pad as BP05-28, but oriented in an eastward direction 090°/-45°, thus the Abundancia intercept in BP05-29 is 54 metres to the south of the Abundancia intercept in BP05-28.

## BP05-30

Vein	From	To	Width (m)	True Width (m)	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	143.06	146.49	3.43	2.97	0.104	<b>119.3</b>	<b>125.5</b>
<i>Includes</i>	<i>143.06</i>	<i>145.51</i>	<i>2.45</i>	<i>2.12</i>	<i>0.114</i>	<b>140.2</b>	<b>147.1</b>
<i>Includes</i>	<i>143.32</i>	<i>145.51</i>	<i>2.19</i>	<i>1.90</i>	<i>0.115</i>	<b>147.0</b>	<b>153.9</b>
<i>Includes</i>	<i>143.32</i>	<i>144.78</i>	<i>1.46</i>	<i>1.26</i>	<i>0.138</i>	<b>166.0</b>	<b>174.3</b>

Hole BP05-30 is located on Mine Section 14,400 N in “Zona Sur”, 100 metres south of hole BP05-27. Several smaller veinlets/alteration zones were also intercepted, which may correspond to sub-parallel mineralized structures.

## BP05-31

Vein	From	To	Width (m)	True Width (m)	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	356.63	358.34	1.71	1.61	0.145	66.9	75.6
<i>Includes</i>	<i>356.90</i>	<i>358.34</i>	<i>1.44</i>	<i>1.35</i>	<i>0.157</i>	<i>77.3</i>	<i>86.7</i>
<i>Includes</i>	<i>357.46</i>	<i>357.82</i>	<i>0.36</i>	<i>0.34</i>	<i>0.475</i>	<b>298.0</b>	<b>326.5</b>
Luz Elena	466.42	473.55	7.13	6.70	0.105	25.1	31.4
<i>Includes</i>	<i>466.42</i>	<i>468.17</i>	<i>1.75</i>	<i>1.64</i>	<i>0.099</i>	<i>34.1</i>	<i>40.0</i>

Hole BP05-31 is one of the deeper holes on section 15,300 N, collared 150 metres west of hole BP05-06. Also on this section is a deeper hole BP06-34.

## BP05-32

Vein	From	To	Width (m)	True Width (m)	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Transversal	158.70	163.82	5.12	4.81	0.205	55.1	67.4
<i>Includes</i>	<i>158.70</i>	<i>163.30</i>	<i>4.60</i>	<i>4.32</i>	<i>0.218</i>	<i>57.9</i>	<i>71.0</i>
<i>Includes</i>	<i>158.70</i>	<i>159.50</i>	<i>0.80</i>	<i>0.75</i>	<i>0.074</i>	<b>100.0</b>	<b>104.4</b>
Unnamed	174.54	175.54	1.00	0.86	0.117	<b>1,180.0</b>	<b>1,187.0</b>

Hole BP05-32 is a northward striking hole, dipping -45 degrees, designed to target the Transversal Vein roughly 100 metres below BP05-26.

## BP06-33

Vein	From	To	Width (m)	True Width (m)	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	85.98	89.34	3.36	2.91	0.179	<b>289.4</b>	<b>300.1</b>
<i>Includes</i>	85.98	87.84	1.84	1.61	0.295	<b>498.1</b>	<b>515.8</b>
<i>Includes</i>	85.98	87.34	1.36	1.18	0.390	<b>670.0</b>	<b>693.4</b>
Luz Elena	160.18	162.03	1.85	1.60	0.031	<b>287.0</b>	<b>288.9</b>
<i>Includes</i>	161.18	162.03	0.85	0.74	0.047	<b>593.5</b>	<b>596.4</b>
<i>Includes</i>	161.53	162.03	0.50	0.43	0.072	<b>950.0</b>	<b>954.3</b>

Hole BP06-33 is located in Zona Sur, oriented 090°/-55°, and is on the same section as BP05-30 (mine grid 14,400 N). It is located approximately 100 metres south of BP05-29.

## BP06-34

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	408.97	411.54	2.57	2.53	1.067	40.8	<b>104.8</b>
<i>Includes</i>	409.91	411.54	1.63	1.61	1.653	61.9	<b>161.1</b>
<i>Includes</i>	410.31	411.54	1.23	1.21	2.186	81.6	<b>212.7</b>
<i>Includes</i>	410.31	410.78	0.47	0.46	<b>4.860</b>	85.7	<b>377.3</b>
Luz Elena	471.19	473.12	1.93	1.81	0.219	<b>138.4</b>	<b>151.6</b>
<i>Includes</i>	471.19	472.69	1.50	1.41	0.188	<b>168.5</b>	<b>179.8</b>
<i>Includes</i>	471.19	472.39	1.20	1.13	0.146	<b>200.5</b>	<b>209.3</b>
<i>Includes</i>	471.19	472.09	0.90	0.85	0.122	<b>253.2</b>	<b>260.5</b>
<i>Includes</i>	471.47	472.09	0.62	0.58	0.152	<b>342.4</b>	<b>351.6</b>

Hole BP06-34 is part of the deeper drilling in the Mina La Preciosa sector, below the area of resource estimation (19 Jan 2006). Note: There is also a distinct increase in base metal values.

## BP06-35

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	109.64	111.31	1.67	1.57	0.188	88.1	99.4
<i>Includes</i>	<i>109.64</i>	<i>110.57</i>	<i>0.93</i>	<i>0.87</i>	0.321	140.0	<b>159.3</b>
Abundancia	129.47	132.02	2.55	2.54	0.103	75.4	81.5
<i>Includes</i>	<i>129.47</i>	<i>131.22</i>	<i>1.75</i>	<i>1.74</i>	0.103	98.5	<b>104.7</b>
<i>Includes</i>	<i>129.47</i>	<i>130.22</i>	<i>0.75</i>	<i>0.75</i>	0.104	<b>197.0</b>	<b>203.2</b>

Hole BP06-35 is in Zona Sur, west of and deeper than BP06-37 and BP06-38.

## BP06-36

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	353.20	355.99	2.79	2.79	0.112	54.6	61.3
<i>Includes</i>	<i>353.20</i>	<i>355.60</i>	<i>2.40</i>	<i>2.40</i>	0.098	61.3	67.2
<i>Includes</i>	<i>353.91</i>	<i>355.60</i>	<i>1.69</i>	<i>1.69</i>	0.094	82.2	87.9
<i>Includes</i>	<i>353.91</i>	<i>354.11</i>	<i>0.20</i>	<i>0.20</i>	0.288	<b>610.0</b>	<b>627.3</b>
Unnamed	538.54	541.02	2.48	2.48	0.075	48.2	52.7
<i>Includes</i>	<i>538.54</i>	<i>539.16</i>	<i>0.62</i>	<i>0.62</i>	0.166	<b>107.3</b>	<b>117.3</b>
<i>Includes</i>	<i>538.76</i>	<i>538.96</i>	<i>0.20</i>	<i>0.20</i>	0.281	<b>288.0</b>	<b>304.9</b>

Hole BP06-36 is part of the deeper drilling in the Mina La Preciosa sector, below the area of resource estimation (19 Jan 2006), west of holes BP05-01 and BP05-02.

BP06-37

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	66.00	70.32	4.32	4.17	0.301	<b>104.2</b>	<b>122.3</b>
<i>Includes</i>	<i>66.00</i>	<i>67.70</i>	<i>1.70</i>	<i>1.64</i>	0.719	<b>174.0</b>	<b>217.1</b>
Luz Elena	135.88	139.71	3.83	3.70	0.025	<b>126.4</b>	<b>127.9</b>
<i>Includes</i>	<i>135.88</i>	<i>139.43</i>	<i>3.55</i>	<i>3.43</i>	0.022	<b>134.0</b>	<b>135.3</b>
<i>Includes</i>	<i>135.88</i>	<i>138.25</i>	<i>2.37</i>	<i>2.29</i>	0.018	<b>178.8</b>	<b>179.9</b>
<i>Includes</i>	<i>135.88</i>	<i>137.53</i>	<i>1.65</i>	<i>1.59</i>	0.016	<b>236.8</b>	<b>237.8</b>
<i>Includes</i>	<i>135.88</i>	<i>136.40</i>	<i>0.52</i>	<i>0.50</i>	0.045	<b>670.0</b>	<b>672.7</b>
Sur	258.43	260.48	2.05	2.05	0.023	21.1	22.5
Nueva (?)	389.01	391.44	2.43	2.35	0.240	31.0	45.4

Hole BP06-37 is in Zona Sur, between BP06-35 and BP06-38.

## BP06-38

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	2.00	4.61	2.61	2.52	0.034	56.2	58.3
<i>Includes</i>	<i>2.00</i>	<i>2.61</i>	<i>0.61</i>	<i>0.59</i>	0.071	<b>118.0</b>	<b>122.3</b>
Luz Elena	77.85	79.66	1.81	1.78	0.007	63.6	64.0
<i>Includes</i>	<i>77.85</i>	<i>79.45</i>	<i>1.60</i>	<i>1.58</i>	0.008	69.7	70.2
<i>Includes</i>	<i>77.85</i>	<i>78.66</i>	<i>0.81</i>	<i>0.80</i>	0.013	<b>119.0</b>	<b>119.8</b>
Sur	155.64	157.19	1.55	1.50	0.016	84.6	85.6
<i>Includes</i>	<i>156.09</i>	<i>156.59</i>	<i>0.50</i>	<i>0.48</i>	0.035	<b>212.0</b>	<b>214.1</b>
Unnamed	165.31	167.68	2.37	2.37	0.033	85.9	87.9
<i>Includes</i>	<i>166.17</i>	<i>167.68</i>	<i>1.51</i>	<i>1.51</i>	0.048	<b>124.2</b>	<b>127.1</b>
<i>Includes</i>	<i>166.80</i>	<i>167.68</i>	<i>0.88</i>	<i>0.88</i>	0.061	<b>203.0</b>	<b>206.7</b>
Unnamed	182.36	183.96	1.60	1.60	0.051	<b>110.8</b>	<b>113.9</b>
<i>Includes</i>	<i>183.09</i>	<i>183.96</i>	<i>0.87</i>	<i>0.87</i>	0.085	<b>193.0</b>	<b>198.1</b>
Unnamed	191.23	193.37	2.14	2.14	0.086	50.7	55.8
Nueva (?)	277.09	278.47	1.38	1.36	0.183	<b>122.3</b>	<b>133.3</b>
<i>Includes</i>	<i>277.68</i>	<i>278.47</i>	<i>0.61</i>	<i>0.60</i>	0.406	<b>258.0</b>	<b>282.4</b>

Hole BP06-38 is in Zona Sur, east of holes BP06-35 and BP06-37. There are multiple quartz-barite veins and veinlet zones.

## BP06-39

Hole BP06-39 is located in “The Gap” south of “Zona Sur”. No significant intercepts.

## BP06-40

Hole BP06-40 is located in “The Gap” south of “Zona Sur”. No significant intercepts.

## BP06-41

Hole BP06-41 is located in “The Gap” south of “Zona Sur”. No significant intercepts.

## BP06-42

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	2.25	2.75	0.50	0.48	0.019	<b>191.5</b>	<b>192.6</b>
Abundancia	108.43	110.61	2.18	2.15	0.356	<b>135.9</b>	<b>157.3</b>
<i>Includes</i>	<i>108.43</i>	<i>109.62</i>	<i>1.19</i>	<i>1.17</i>	0.605	<b>220.0</b>	<b>256.3</b>
Unnamed	137.88	139.33	1.45	1.26	0.127	73.2	80.8
<i>Includes</i>	<i>137.88</i>	<i>138.33</i>	<i>0.45</i>	<i>0.39</i>	0.275	<b>202.0</b>	<b>218.5</b>
Luz Elena	267.54	268.10	0.56	0.24	0.110	<b>120.0</b>	<b>126.6</b>
Veta Sur ?	367.81	368.95	1.14	1.03	0.182	<b>142.0</b>	<b>152.9</b>
<i>Includes</i>	<i>368.42</i>	<i>368.70</i>	<i>0.28</i>	<i>0.25</i>	0.580	<b>500.0</b>	<b>534.8</b>

Hole BP06-42 is located in “Cerro El Venado Sector”, south of “The Gap”. There are a series of minor silver-gold veinlets intersected and one brecciated vein meeting the requirements for both cut-off grade and thickness.

## BP06-43

Hole BP06-43 is located in “The Gap” south of “Zona Sur”. No significant intercepts.

## BP06-44

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Ab-Deeps	425.20	430.31	5.11	4.80	0.266	96.1	<b>112.1</b>
<i>Includes</i>	<i>426.64</i>	<i>430.31</i>	<i>3.67</i>	<i>3.45</i>	0.339	<b>123.4</b>	<b>143.7</b>
<i>Includes</i>	<i>426.64</i>	<i>429.56</i>	<i>2.92</i>	<i>2.74</i>	0.362	<b>143.9</b>	<b>165.7</b>
<i>Includes</i>	<i>427.09</i>	<i>429.56</i>	<i>2.47</i>	<i>2.32</i>	0.325	<b>159.0</b>	<b>178.5</b>
<i>Includes</i>	<i>427.29</i>	<i>429.56</i>	<i>2.27</i>	<i>2.13</i>	0.252	<b>167.3</b>	<b>182.5</b>

Hole BP06-44, 090/-45°, is located in “Zona Sur” west of and deeper than BP05-30 and BP06-33 on mine grid section 14,400 N.

## BP06-45

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	155.12	161.93	6.81	6.40	0.109	57.6	64.1
<i>Includes</i>	<i>155.12</i>	<i>156.14</i>	<i>1.02</i>	<i>0.96</i>	0.221	<b>136.9</b>	<b>150.1</b>
<i>Includes</i>	<i>159.97</i>	<i>160.57</i>	<i>0.60</i>	<i>0.56</i>	0.221	<b>117.0</b>	<b>130.2</b>
Unnamed	397.55	399.96	2.41	2.26	0.352	18.4	39.5
<i>Includes</i>	<i>398.20</i>	<i>399.00</i>	<i>0.80</i>	<i>0.75</i>	0.685	13.6	54.7

Hole BP06-45, 090/-45°, is located in “Zona Sur” west of and deeper than BP05-32 and BP06-29 on mine grid section 14,500 N. Abundancia appears as a quartz stringer zone.

## BP06-46

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Transversal	90.81	92.46	1.65	1.55	0.057	52.8	56.2
<i>Includes</i>	<i>91.49</i>	<i>91.82</i>	<i>0.33</i>	<i>0.31</i>	0.141	<b>117.0</b>	<b>125.5</b>

Hole BP06-46, 000/-45o, is located in “Zona Sur” from the same pad as BP06-45. A quartz stringer zone anomalous in silver and gold appears where the Transversal Vein is projected.

## BP06-47

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	35.95	51.07	15.12	14.21	0.056	<b>101.5</b>	<b>104.8</b>
<i>Includes</i>	35.95	38.00	2.05	1.93	0.162	<b>502.4</b>	<b>512.1</b>
<i>Includes</i>	37.54	37.79	0.25	0.24	<b>1.140</b>	<b>3,830.0</b>	<b>3,898.4</b>
<i>Includes</i>	48.46	51.07	2.61	2.45	0.102	<b>106.8</b>	<b>112.9</b>
Unnamed	65.43	68.72	3.29	3.09	0.019	76.2	77.4
<i>Includes</i>	68.12	68.52	0.40	0.38	0.047	<b>274.0</b>	<b>276.8</b>
Unnamed	118.96	120.67	1.71	1.50	0.022	77.1	78.5
<i>Includes</i>	120.43	120.67	0.24	0.22	0.040	<b>286.0</b>	<b>288.4</b>
Unnamed	148.68	150.66	1.98	1.86	0.136	51.2	59.4
<i>Includes</i>	150.20	150.44	0.24	0.23	0.835	<b>209.0</b>	<b>259.1</b>
Unnamed	157.84	159.82	1.98	1.86	0.126	50.3	57.9
<i>Includes</i>	158.68	158.92	0.24	0.23	0.688	<b>237.0</b>	<b>278.3</b>
Luz Elena	186.59	188.36	1.77	1.66	0.098	<b>130.0</b>	<b>135.9</b>
<i>Includes</i>	187.30	187.88	0.58	0.55	0.257	<b>360.0</b>	<b>375.4</b>

Hole BP06-47 is in Zona Sur, north of hole BP06-29 and was drilled to the east. There are multiple quartz-barite veins and veinlet zones.

## BP06-48

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Ab-Deeps	450.67	452.35	1.68	1.65	0.245	<b>129.7</b>	<b>144.3</b>
<i>Includes</i>	450.67	451.71	1.04	1.02	0.387	<b>199.0</b>	<b>222.2</b>
<i>Includes</i>	450.67	451.47	0.80	0.79	0.468	<b>246.0</b>	<b>274.1</b>

Hole BP06-48 is in the “Zona Sur – Deeps”, 100 metres south of hole BP06-44, and west of hole BP06-35, on mine section 14,300 N. More sampling is required

## BP06-49

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	58.17	70.75	12.58	7.22	0.073	<b>142.3</b>	<b>146.7</b>
<i>Includes</i>	62.00	70.75	8.75	5.02	0.090	<b>178.1</b>	<b>183.4</b>
<i>Includes</i>	62.90	64.44	1.54	0.88	0.202	<b>248.2</b>	<b>260.3</b>
<i>Includes</i>	67.91	70.75	2.84	1.63	0.084	<b>270.1</b>	<b>275.2</b>
<i>Includes</i>	67.91	70.22	2.31	1.32	0.093	<b>300.1</b>	<b>305.7</b>
Transversal	107.54	119.33	11.79	11.08	0.102	<b>104.9</b>	<b>111.0</b>
<i>Includes</i>	111.95	119.33	7.38	6.93	0.124	<b>150.4</b>	<b>157.8</b>
<i>Includes</i>	115.82	119.33	3.51	3.30	0.128	<b>233.3</b>	<b>241.0</b>
<i>Includes</i>	116.79	119.33	2.54	2.39	0.123	<b>288.4</b>	<b>295.8</b>
<i>Includes</i>	116.79	117.57	0.78	0.73	0.221	<b>660.8</b>	<b>674.0</b>

Hole BP06-49 is a northward hole targeting the Transversal Vein and passing obliquely through the Abundancia Vein in Zona Sur.

## BP06-50

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	111.44	113.16	1.72	1.62	0.028	19.8	21.5
<i>Includes</i>	111.64	112.16	0.52	0.49	0.052	44.0	47.1

BP06-50 is located in the “Cerro El Venado Sector”, 100 metres south of BP06-42, on mine section 14,000 N. While being anomalous in silver, this intersection also yielded 0.50% Pb and 0.50% Zn for the main interval, and 1.17% Pb and 1.37% Zn for the sub-interval.

## BP06-51

Hole BP06-51 is located in “The Gap” between Zona Sur Sector and Cerro El Venado Sector. No significant intercepts.

## BP06-52

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	94.80	96.41	1.61	1.51	0.086	<b>101.3</b>	<b>106.4</b>
<i>Includes</i>	<i>94.80</i>	<i>95.59</i>	<i>0.79</i>	<i>0.74</i>	0.125	<b>177.3</b>	<b>184.8</b>
<i>Includes</i>	<i>95.21</i>	<i>95.59</i>	<i>0.38</i>	<i>0.36</i>	0.201	<b>296.0</b>	<b>308.1</b>
Luz Elena	235.79	237.57	1.78	1.67	0.038	<b>122.0</b>	<b>124.2</b>
<i>Includes</i>	<i>235.79</i>	<i>236.46</i>	<i>0.67</i>	<i>0.63</i>	0.085	<b>295.8</b>	<b>301.0</b>
<i>Includes</i>	<i>236.10</i>	<i>236.46</i>	<i>0.36</i>	<i>0.34</i>	0.146	<b>543.3</b>	<b>552.1</b>

BP06-52 is located in the “Cerro El Venado Sector”, 100 metres south of BP06-50, on mine section 13,900 N. Most notable in the Luz Elena (second intersection) is the high Pb content. This interval yielded 7.67% Pb, with the sub-intervals yielding 20.15% Pb and 37.41% Pb respectively.

## BP06-53

Hole BP06-53 is located in “The Gap” between Zona Sur Sector and Cerro El Venado Sector. No significant intercepts.

## BP06-54

Hole BP06-54 is located in “Cerro El Venado Sector”, oriented southeasterly at azimuth 145° dip -45°, to test Ramal Sur vein. No significant intercepts.

## BP06-55

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	39.04	40.84	1.80	1.69	0.015	53.3	54.2
<i>Includes</i>	<i>40.32</i>	<i>40.84</i>	<i>0.52</i>	<i>0.49</i>	0.030	81.7	83.5

Hole BP06-55 is located near the boundary between “The Gap” and “Cerro El Venado Sector”. It is an easterly oriented hole which intersected an anomalous vein in the upper portions of the hole.

## BP06-56

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	34.08	36.84	2.76	2.59	0.031	57.0	58.9
<i>Includes</i>	34.08	35.05	0.97	0.91	0.056	89.4	92.8
Luz Elena	170.24	172.77	2.53	2.34	0.029	31.2	33.0
<i>Includes</i>	172.21	172.37	0.16	0.15	0.154	<b>191.0</b>	<b>200.2</b>

Hole BP06-56 is located in “Cerro El Venado Sector”, oriented easterly at azimuth 090° dip -45° on mine section 13,900 N, east of BP06-52.

## BP06-57

Hole BP06-57 is located in “Cerro El Venado Sector”, oriented easterly at azimuth 090° dip -45° on mine section 13,900 N, west of BP06-52. No significant intercepts.

## BP06-58

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Ramal-Sur	28.36	31.36	3.00	2.95	0.218	<b>114.5</b>	<b>127.6</b>
<i>Includes</i>	28.36	30.16	1.80	1.77	0.339	<b>165.4</b>	<b>185.8</b>
<i>Includes</i>	28.36	29.56	1.20	1.18	0.486	<b>235.8</b>	<b>265.0</b>

Hole BP06-58 is located in “Cerro El Venado Sector” and is oriented southeasterly azimuth 145° dip -45° to intersect the Ramal Sur Vein.

## BP06-59

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	38.15	39.62	1.47	1.45	0.064	35.7	39.5
Ramal Sur	340.73	342.36	1.63	1.61	0.162	7.3	17.0
<i>Includes</i>	<i>340.73</i>	<i>341.95</i>	<i>1.22</i>	<i>1.20</i>	<i>0.173</i>	<i>8.1</i>	<i>18.5</i>

Hole BP06-59 is located in the western part of “Cerro El Venado Sector” and is oriented southeasterly azimuth 145° dip -45° to intersect the Ramal Sur Vein at depth. Only anomalous values intersected, plus minor zinc.

BP06-60

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	14.65	19.55	4.90	4.44	0.225	<b>158.1</b>	<b>171.6</b>
<i>Includes</i>	<i>16.81</i>	<i>19.55</i>	<i>2.74</i>	<i>2.48</i>	<i>0.356</i>	<b>207.2</b>	<b>228.5</b>
<i>Includes</i>	<i>17.41</i>	<i>19.55</i>	<i>2.14</i>	<i>1.94</i>	<i>0.425</i>	<b>225.4</b>	<b>250.9</b>
<i>Includes</i>	<i>18.35</i>	<i>19.55</i>	<i>1.20</i>	<i>1.09</i>	<i>0.670</i>	<b>302.5</b>	<b>342.7</b>
Unnamed	30.69	32.96	2.27	2.06	0.070	41.6	45.8
Luz Elena	221.95	224.80	2.85	2.68	0.188	<b>168.2</b>	<b>179.5</b>
<i>Includes</i>	<i>223.05</i>	<i>224.80</i>	<i>1.75</i>	<i>1.64</i>	<i>0.213</i>	<b>222.8</b>	<b>235.6</b>
<i>Includes</i>	<i>223.05</i>	<i>223.58</i>	<i>0.53</i>	<i>0.50</i>	<i>0.268</i>	<b>367.5</b>	<b>383.5</b>
Unnamed	229.15	230.15	1.00	0.94	0.543	<b>144.6</b>	<b>177.1</b>
<i>Includes</i>	<i>229.15</i>	<i>229.75</i>	<i>0.70</i>	<i>0.66</i>	<i>0.750</i>	<b>195.6</b>	<b>240.6</b>
<i>Includes</i>	<i>229.15</i>	<i>229.65</i>	<i>0.50</i>	<i>0.47</i>	<i>1.010</i>	<b>238.0</b>	<b>298.6</b>
Unnamed	285.54	285.89	0.35	0.33	0.638	<b>251.0</b>	<b>289.3</b>
Unnamed	326.42	327.05	0.63	0.59	0.185	<b>114.7</b>	<b>125.8</b>
Esperancita	334.90	336.60	1.70	0.85	0.398	<b>497.4</b>	<b>521.3</b>
<i>Includes</i>	<i>335.40</i>	<i>336.60</i>	<i>1.20</i>	<i>0.60</i>	<i>0.540</i>	<b>699.5</b>	<b>731.9</b>
<i>Includes</i>	<i>335.70</i>	<i>336.28</i>	<i>0.58</i>	<i>0.29</i>	<i>0.851</i>	<b>1,237.2</b>	<b>1,288.3</b>
Unnamed	340.46	341.25	0.79	0.74	0.236	66.3	80.5
Carmen	347.51	348.37	0.86	0.43	0.137	<b>137.8</b>	<b>146.0</b>

Hole BP06-60 is located in the “Mina La Preciosa Sector”, high on La Preciosa Ridge, on section mine-grid 15,200 N, east of hole BP05-03, 04 and 07, plus west of hole BP06-62 and 64. Orientation was azimuth 090° and dip -80°. It was designed to pass through Abundancia Vein, targeting the Luz Elena Vein. Esperancita and Carmen are oblique intercepts.

BP06-60ext

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Abundancia</b>	11.20	32.96	21.76	19.72	0.084	68.7	73.7
<i>Includes</i>	<i>14.65</i>	<i>19.55</i>	<i>4.90</i>	<i>4.44</i>	0.225	<b>158.1</b>	<b>171.6</b>
<i>Includes</i>	<i>16.81</i>	<i>19.55</i>	<i>2.74</i>	<i>2.48</i>	0.356	<b>207.2</b>	<b>228.5</b>
<b>Luz Elena</b>	221.95	224.80	2.85	2.68	0.188	<b>168.2</b>	<b>179.5</b>
<i>Includes</i>	<i>223.05</i>	<i>224.80</i>	<i>1.75</i>	<i>1.64</i>	0.213	<b>222.8</b>	<b>235.6</b>
<i>Includes</i>	<i>223.05</i>	<i>223.58</i>	<i>0.53</i>	<i>0.50</i>	0.268	<b>367.5</b>	<b>383.5</b>
Unnamed	229.15	230.15	1.00	0.94	0.543	<b>144.6</b>	<b>177.1</b>
<i>Includes</i>	<i>229.15</i>	<i>229.75</i>	<i>0.70</i>	<i>0.66</i>	0.750	<b>195.6</b>	<b>240.6</b>
<i>Includes</i>	<i>229.15</i>	<i>229.65</i>	<i>0.50</i>	<i>0.47</i>	1.010	<b>238.0</b>	<b>298.6</b>
<b>Esperancita</b>	334.90	337.99	3.09	1.55	0.231	<b>275.2</b>	<b>289.1</b>
<i>Includes</i>	<i>334.90</i>	<i>336.60</i>	<i>1.70</i>	<i>0.85</i>	0.398	<b>497.4</b>	<b>521.3</b>
<i>Includes</i>	<i>335.40</i>	<i>336.60</i>	<i>1.20</i>	<i>0.60</i>	0.540	<b>699.5</b>	<b>731.9</b>
<i>Includes</i>	<i>335.70</i>	<i>336.28</i>	<i>0.58</i>	<i>0.29</i>	0.851	<b>1,237.2</b>	<b>1,288.3</b>
<b>Carmen</b>	347.51	348.37	0.86	0.43	0.137	<b>137.8</b>	<b>146.0</b>
<b>Martha</b>	364.12	368.91	4.79	4.50	0.134	16.7	24.7
<i>Includes</i>	<i>367.38</i>	<i>367.82</i>	<i>0.44</i>	<i>0.41</i>	0.185	63.5	74.6

Hole BP06-60ext is located in the “Mina La Preciosa Sector”, high on La Preciosa Ridge, on section mine-grid 15,200 N, east of hole BP05-03, 04 and 07, plus west of hole BP06-62 and 64. Orientation was azimuth 090° and dip -80°. It was designed to pass through Abundancia vein, targeting the Luz Elena vein. Esperancita and Carmen are oblique intercepts.

The hole was initially drilled in 2006 and extended deeper in late 2007 to intercept Martha vein, with the end of hole to 517.25 metres. Martha structure is present, with elevated base metal and gold values, but is low in silver. The letters “ext” were added to the hole name to represent the extension drilling.

BP06-61

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Esperancita	31.34	36.73	5.39	2.70	0.555	95.3	<b>128.6</b>
<i>Includes</i>	<i>31.54</i>	<i>34.69</i>	<i>3.15</i>	<i>1.58</i>	0.909	<b>144.5</b>	<b>199.1</b>
<i>Includes</i>	<i>31.54</i>	<i>32.49</i>	<i>0.95</i>	<i>0.48</i>	2.820	<b>380.0</b>	<b>549.2</b>
Unnamed	71.46	71.68	0.22	0.21	0.270	<b>570.0</b>	<b>586.2</b>
Abundancia	80.05	90.45	10.40	10.24	0.233	<b>209.7</b>	<b>223.7</b>
<i>Includes</i>	<i>80.54</i>	<i>90.20</i>	<i>9.66</i>	<i>9.51</i>	0.248	<b>221.3</b>	<b>236.1</b>
<i>Includes</i>	<i>83.82</i>	<i>90.20</i>	<i>6.38</i>	<i>6.28</i>	0.350	<b>257.4</b>	<b>278.4</b>
<i>Includes</i>	<i>86.54</i>	<i>89.90</i>	<i>3.36</i>	<i>3.31</i>	0.375	<b>348.8</b>	<b>371.3</b>
<i>Includes</i>	<i>80.05</i>	<i>81.65</i>	<i>1.60</i>	<i>1.58</i>	0.068	<b>285.0</b>	<b>289.1</b>
<i>Includes</i>	<i>80.86</i>	<i>81.06</i>	<i>0.20</i>	<i>0.20</i>	0.162	<b>1,050.0</b>	<b>1,059.7</b>
Unnamed	101.35	102.65	1.30	1.28	0.059	<b>100.7</b>	<b>104.3</b>
Unnamed	110.15	116.42	6.27	6.17	0.191	<b>107.0</b>	<b>118.5</b>
<i>Includes</i>	<i>110.15</i>	<i>113.96</i>	<i>3.81</i>	<i>3.75</i>	0.222	<b>133.7</b>	<b>147.0</b>
<i>Includes</i>	<i>114.48</i>	<i>116.42</i>	<i>1.94</i>	<i>1.91</i>	0.172	80.0	90.3
<i>Includes</i>	<i>110.15</i>	<i>110.90</i>	<i>0.75</i>	<i>0.74</i>	0.983	<b>574.0</b>	<b>633.0</b>
Unnamed	150.68	153.11	2.43	2.28	0.058	76.5	80.0
<i>Includes</i>	<i>150.68</i>	<i>151.79</i>	<i>1.11</i>	<i>1.04</i>	0.054	<b>127.9</b>	<b>131.1</b>
Unnamed	163.05	164.85	1.80	1.69	0.077	84.7	89.4
<i>Includes</i>	<i>163.05</i>	<i>163.64</i>	<i>0.59</i>	<i>0.55</i>	0.104	<b>174.9</b>	<b>181.2</b>
Unnamed	182.29	183.19	0.90	0.85	0.182	<b>110.1</b>	<b>121.0</b>
Luz Elena	341.95	345.39	3.44	3.23	0.366	<b>116.9</b>	<b>138.9</b>
<i>Includes</i>	<i>342.24</i>	<i>344.20</i>	<i>1.96</i>	<i>1.84</i>	0.526	<b>184.5</b>	<b>216.0</b>
<i>Includes</i>	<i>342.24</i>	<i>343.24</i>	<i>1.00</i>	<i>0.94</i>	0.684	<b>305.6</b>	<b>346.6</b>

Hole BP06-61 is located on La Preciosa Ridge on section mine-grid 15,300 N, 100 metres north of BP06-60. It intersected obliquely the Esperancita Vein before reaching a major intercept of Abundancia Vein, multiple smaller veins in the footwall of Abundancia and finally the Luz Elena Vein.

BP06-61ext

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Esperancita</b>	31.34	36.73	5.39	2.70	0.555	95.3	<b>128.6</b>
<i>Includes</i>	<i>31.54</i>	<i>34.69</i>	<i>3.15</i>	<i>1.58</i>	0.909	<b>144.5</b>	<b>199.1</b>
<i>Includes</i>	<i>31.54</i>	<i>32.49</i>	<i>0.95</i>	<i>0.48</i>	2.820	<b>380.0</b>	<b>549.2</b>
Unnamed	71.46	71.68	0.22	0.21	0.270	<b>570.0</b>	<b>586.2</b>
<b>Abundancia</b>	80.05	90.45	10.40	10.24	0.233	<b>209.7</b>	<b>223.7</b>
<i>Includes</i>	<i>86.54</i>	<i>89.90</i>	<i>3.36</i>	<i>3.31</i>	0.375	<b>348.8</b>	<b>371.3</b>
<i>Includes</i>	<i>80.86</i>	<i>81.06</i>	<i>0.20</i>	<i>0.20</i>	0.162	<b>1,050.0</b>	<b>1,059.7</b>
Unnamed	101.35	102.65	1.30	1.28	0.059	<b>100.7</b>	<b>104.3</b>
Unnamed	110.15	116.42	6.27	6.17	0.191	<b>107.0</b>	<b>118.5</b>
<i>Includes</i>	<i>110.15</i>	<i>113.96</i>	<i>3.81</i>	<i>3.75</i>	0.222	<b>133.7</b>	<b>147.0</b>
Unnamed	150.68	151.79	1.11	1.04	0.054	<b>127.9</b>	<b>131.1</b>
Unnamed	163.05	163.96	0.91	0.55	0.094	<b>129.9</b>	<b>135.5</b>
Unnamed	182.29	183.19	0.90	0.85	0.182	<b>110.1</b>	<b>121.0</b>
Unnamed	341.95	345.39	3.44	3.23	0.366	<b>116.9</b>	<b>138.9</b>
<i>Includes</i>	<i>342.24</i>	<i>344.20</i>	<i>1.96</i>	<i>1.84</i>	0.526	<b>184.5</b>	<b>216.0</b>
<i>Includes</i>	<i>342.24</i>	<i>343.24</i>	<i>1.00</i>	<i>0.94</i>	0.684	<b>305.6</b>	<b>346.6</b>
<b>Martha</b>	369.04	371.54	2.50	2.35	0.416	<b>183.2</b>	<b>208.2</b>
<i>Includes</i>	<i>369.04</i>	<i>370.94</i>	<i>1.90</i>	<i>1.79</i>	0.495	<b>235.0</b>	<b>264.7</b>
Unnamed	446.64	447.11	0.47	0.43	0.808	<b>2,831.5</b>	<b>2,879.9</b>
Unnamed	449.25	450.21	0.96	0.87	0.109	<b>281.2</b>	<b>287.7</b>

Hole BP06-61ext is located on La Preciosa Ridge on section mine-grid 15,300 N, 100 metres north of BP06-60. This hole was extended in late 2007 to target the Martha Vein, thus the letters “ext” were added to the name. It was extended to a core length of 489.81 metres, thus the results below 350 metres are new reporting. It intersected obliquely the Esperancita Vein before reaching a major intercept of Abundancia vein, multiple smaller veins in the footwall of Abundancia, then Martha vein at depth. Martha vein is hosted in conglomerates and has elevated base metals at Pb 0.69 % and Zn 2.04 %.

## BP06-62

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Luz Elena	168.78	177.14	8.36	7.73	0.211	<b>133.2</b>	<b>145.9</b>
<i>Includes</i>	<i>168.78</i>	<i>176.01</i>	<i>7.23</i>	<i>6.79</i>	<i>0.233</i>	<b>150.8</b>	<b>164.8</b>
<i>Includes</i>	<i>171.76</i>	<i>176.01</i>	<i>4.25</i>	<i>3.99</i>	<i>0.282</i>	<b>226.5</b>	<b>243.4</b>
<i>Includes</i>	<i>171.76</i>	<i>175.11</i>	<i>3.35</i>	<i>3.15</i>	<i>0.329</i>	<b>268.9</b>	<b>288.6</b>
Unnamed	191.12	192.89	1.68	1.58	0.073	56.4	60.8
<i>Includes</i>	<i>191.91</i>	<i>192.44</i>	<i>0.53</i>	<i>0.50</i>	<i>0.118</i>	<b>106.0</b>	<b>113.1</b>
Unnamed	208.90	209.15	0.25	0.23	0.134	<b>205.0</b>	<b>213.0</b>
Unnamed	216.94	217.64	0.70	0.66	0.098	<b>279.0</b>	<b>284.9</b>

Hole BP06-62 was drilled east of the outcropping Abundancia Vein in the “Mina La Preciosa Sector”, on section mine-grid 15,200 N, to test the underlying Luz Elena Vein.

## BP06-62ext

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Luz Elena</b>	168.78	177.14	8.36	7.73	0.211	<b>133.2</b>	<b>145.9</b>
<i>Includes</i>	<i>168.78</i>	<i>176.01</i>	<i>7.23</i>	<i>6.79</i>	<i>0.233</i>	<b>150.8</b>	<b>164.8</b>
<i>Includes</i>	<i>171.76</i>	<i>175.11</i>	<i>3.35</i>	<i>3.15</i>	<i>0.329</i>	<b>268.9</b>	<b>288.6</b>
Unnamed	191.91	192.44	0.53	0.50	0.118	<b>106.0</b>	<b>113.1</b>
Unnamed	216.94	217.64	0.70	0.66	0.098	<b>279.0</b>	<b>284.9</b>
Unnamed	244.44	245.04	0.60	0.56	0.156	<b>118.2</b>	<b>127.5</b>
Unnamed	260.15	261.24	1.09	0.83	0.073	<b>114.5</b>	<b>118.9</b>
<b>Martha</b>	284.76	295.85	11.09	10.42	0.108	61.6	68.0
<i>Includes</i>	<i>289.90</i>	<i>295.20</i>	<i>5.30</i>	<i>4.98</i>	<i>0.126</i>	95.2	<b>102.8</b>
<i>Includes</i>	<i>289.90</i>	<i>292.05</i>	<i>2.15</i>	<i>2.02</i>	<i>0.243</i>	<b>102.8</b>	<b>117.4</b>
<i>Includes</i>	<i>289.90</i>	<i>290.70</i>	<i>0.80</i>	<i>0.75</i>	<i>0.607</i>	<b>231.1</b>	<b>267.5</b>

Hole BP06-62 was drilled in 2006 east of the outcropping Abundancia Vein in the “Mina La Preciosa Sector”, on section mine-grid 15,200 N, to test the Luz Elena vein. In late 2007 the hole was extended to a depth of 480.06 metres to target the Martha Vein, thus the letters “ext” were added to the name.

BP06-63

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Esperancita	35.18	38.13	2.95	2.85	0.363	<b>146.4</b>	<b>168.2</b>
<i>Includes</i>	<i>35.18</i>	<i>37.49</i>	<i>2.31</i>	<i>2.23</i>	<i>0.434</i>	<b>176.9</b>	<b>203.0</b>
<i>Includes</i>	<i>35.45</i>	<i>35.70</i>	<i>0.25</i>	<i>0.24</i>	<i>3.040</i>	<b>880.0</b>	<b>1,062.4</b>
Abundancia	194.90	203.80	8.90	6.29	0.170	<b>116.6</b>	<b>126.9</b>
<i>Includes</i>	<i>199.55</i>	<i>203.80</i>	<i>4.25</i>	<i>3.01</i>	<i>0.289</i>	<b>202.5</b>	<b>219.8</b>
<i>Includes</i>	<i>200.35</i>	<i>203.30</i>	<i>2.95</i>	<i>2.09</i>	<i>0.371</i>	<b>265.2</b>	<b>287.4</b>
<i>Includes</i>	<i>200.35</i>	<i>200.82</i>	<i>0.47</i>	<i>0.33</i>	<i>0.685</i>	<b>530.0</b>	<b>571.1</b>
Unnamed	212.27	212.57	0.30	0.23	0.104	<b>279.0</b>	<b>285.2</b>
Unnamed	214.34	215.04	0.70	0.54	0.103	69.9	76.1
Unnamed	247.46	249.02	1.56	1.41	0.066	53.4	57.4
Unnamed	285.65	287.50	1.85	1.68	0.080	79.2	84.0
<i>Includes</i>	<i>286.67</i>	<i>287.13</i>	<i>0.46</i>	<i>0.42</i>	<i>0.114</i>	<b>182.0</b>	<b>188.8</b>

Hole BP06-63 was drilled from the same pad as BP06-61 on La Preciosa Ridge, but at an azimuth of 020° and dip -45° in order to have a more perpendicular testing of the Esperancita Vein. The hole continued on to the Abundancia Vein, with a 45 degree oblique intercept.

## BP06-64

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	37.17	37.52	0.35	0.34	0.295	77.9	95.6

Hole BP06-64 is located on the east side of La Preciosa Ridge, azimuth 090°, dip -50°, on mine-section 15,200 N. This hole may have stopped short of its target due to a flattening of the Luz Elena Vein.

## BP06-64ext

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	276.83	277.03	0.20	0.19	2.207	<b>330.0</b>	<b>462.4</b>
<b>Martha</b>	299.50	325.70	26.20	24.62	0.276	<b>100.2</b>	<b>116.8</b>
Includes	308.32	324.31	15.99	15.03	0.303	<b>136.1</b>	<b>154.3</b>
Includes	320.41	324.31	3.90	3.66	0.324	<b>366.4</b>	<b>385.9</b>
Includes	321.26	321.96	0.70	0.66	0.434	<b>1,177.4</b>	<b>1,203.4</b>

Hole BP06-64ext is located on the east side of La Preciosa Ridge, azimuth 090°, dip -50°, on mine-section 15,200 N. It was originally drilled in 2006 then extended to a depth of 480.90 metres in late 2007 to target the Martha Vein, thus the letters “ext” were added to the name. The Martha vein is a prominent structure in this hole.

## BP06-65

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	66.92	67.29	0.37		0.059	52.9	56.4
Luz Elena	143.07	144.28	1.04		0.012	70.2	70.9
<i>Includes</i>	<i>143.57</i>	<i>143.85</i>	<i>0.28</i>		0.033	<b>204.0</b>	<b>206.0</b>

Hole BP06-65 is located on the east side of La Preciosa Ridge, azimuth 090°, dip -50°, on mine-section 14,800 N.

## BP06-66

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Luz Elena	142.48	144.40	1.92	1.80	0.023	64.6	65.9

Hole BP06-66 is located on the east side of La Preciosa Ridge, azimuth 090°, dip -50°, on mine-section 15,000 N.

## BP06-67

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	14.90	16.98	2.08	1.80	0.044	96.0	98.6
<i>Includes</i>	<i>15.12</i>	<i>15.72</i>	<i>0.60</i>	<i>0.52</i>	<i>0.117</i>	<b>277.0</b>	<b>284.0</b>
Luz Elena	74.83	78.63	3.80	3.29	0.330	<b>131.2</b>	<b>151.0</b>
<i>Includes</i>	<i>75.65</i>	<i>78.35</i>	<i>2.70</i>	<i>2.34</i>	<i>0.419</i>	<b>152.4</b>	<b>177.5</b>
<i>Includes</i>	<i>75.65</i>	<i>77.45</i>	<i>1.80</i>	<i>1.56</i>	<i>0.576</i>	<b>185.5</b>	<b>220.1</b>

Hole BP06-67 is located on the east side of La Preciosa Ridge, azimuth 000°, dip -90°, on mine-section 14,800 N.

## BP06-67ext

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	14.90	16.98	2.08	1.89	0.044	96.0	98.6
<i>Includes</i>	<i>15.12</i>	<i>15.72</i>	<i>0.60</i>	<i>0.54</i>	<i>0.117</i>	<b>277.0</b>	<b>284.0</b>
<b>Luz Elena</b>	74.83	78.63	3.80	3.57	0.330	<b>131.2</b>	<b>151.0</b>
<i>Includes</i>	<i>75.65</i>	<i>77.45</i>	<i>1.80</i>	<i>1.69</i>	<i>0.576</i>	<b>185.5</b>	<b>220.1</b>
Unnamed	321.56	323.88	2.32	1.16	0.396	94.9	<b>118.6</b>
<i>Includes</i>	<i>322.27</i>	<i>323.88</i>	<i>1.61</i>	<i>0.81</i>	<i>0.494</i>	<b>128.9</b>	<b>158.5</b>
<i>Includes</i>	<i>322.67</i>	<i>323.35</i>	<i>0.68</i>	<i>0.34</i>	<i>0.767</i>	<b>204.7</b>	<b>250.7</b>
<b>Martha</b>	469.28	471.22	1.94	1.82	0.118	19.2	26.2
<i>Includes</i>	<i>471.00</i>	<i>471.22</i>	<i>0.22</i>	<i>0.21</i>	<i>0.050</i>	56.6	59.6
Unnamed	545.30	547.40	2.10	1.97	0.107	30.8	37.2
<i>Includes</i>	<i>545.64</i>	<i>545.97</i>	<i>0.33</i>	<i>0.31</i>	<i>0.098</i>	<b>123.5</b>	<b>129.4</b>

Hole BP06-67ext was initially drilled in 2006 and later extended near the end of 2007 to a depth of 556.87 metres. It is located on the east side of La Preciosa Ridge, azimuth 000°, dip -90°, on mine-section 14,800 N, 100 metres south of hole BP06-70ext. It was originally drilled to target Luz Elena vein and deepened to intersect Martha vein in late 2007, thus the letters “ext” were added to the name. Base metal content increases in a sulphide zone in the schist deeper than Martha vein.

## BP06-68

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	66.56	66.86	0.30	0.26	0.040	99.7	<b>102.1</b>
Luz Elena	169.75	172.05	2.30	1.99	0.097	61.5	67.3
<i>Includes</i>	<i>170.65</i>	<i>172.05</i>	<i>1.40</i>	<i>1.21</i>	0.149	93.8	<b>102.7</b>
<i>Includes</i>	<i>170.65</i>	<i>171.25</i>	<i>0.60</i>	<i>0.52</i>	0.269	<b>180.4</b>	<b>196.5</b>
Unnamed	198.48	198.78	0.30	0.27	0.304	83.6	<b>101.8</b>

Hole BP06-68 is located on the east side of La Preciosa Ridge, azimuth 090°, dip -45°, on mine-section 14,900 N.

BP06-69

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Luz Elena	138.48	140.13	1.65	1.63	0.073	81.8	86.2
Unnamed	142.73	142.90	0.17	0.16	0.200	<b>139.0</b>	<b>151.0</b>
Unnamed	175.76	176.18	0.42	0.40	0.070	<b>390.0</b>	<b>394.2</b>
Unnamed	210.91	211.44	0.53	0.50	0.065	53.1	57.0
Unnamed	219.16	219.43	0.27	0.19	0.618	<b>190.0</b>	<b>227.1</b>
Unnamed	223.85	224.38	0.53	0.37	0.061	68.8	72.5
Unnamed	250.53	252.85	2.32	2.24	0.027	74.6	76.2
<i>Includes</i>	<i>252.48</i>	<i>252.85</i>	<i>0.37</i>	<i>0.36</i>	0.060	<b>208.0</b>	<b>211.6</b>
Unnamed	258.87	259.27	0.40	0.38	0.069	<b>140.0</b>	<b>144.1</b>

Hole BP06-69 is located on the east side of La Preciosa Ridge, azimuth 090°, dip -80°, on mine-section 15,000 N.

## BP06-70

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	18.37	19.52	1.15	1.14	0.095	69.0	74.7
Luz Elena	64.56	66.16	1.60	1.58	0.040	<b>127.7</b>	<b>130.1</b>
<i>Includes</i>	<i>65.16</i>	<i>66.16</i>	<i>1.00</i>	<i>0.98</i>	0.042	<b>164.1</b>	<b>166.6</b>
<i>Includes</i>	<i>65.16</i>	<i>65.76</i>	<i>0.60</i>	<i>0.59</i>	0.045	<b>218.3</b>	<b>221.0</b>
Unnamed	170.46	170.73	0.27	0.22	0.115	<b>200.0</b>	<b>206.9</b>

Hole BP06-70 is located on the east side of La Preciosa Ridge, azimuth 000°, dip -90°, on mine-section 14,900 N.

## BP06-70ext

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Luz Elena</b>	64.56	66.16	1.60	1.58	0.040	<b>127.7</b>	<b>130.1</b>
<i>Includes</i>	<i>65.16</i>	<i>66.16</i>	<i>1.00</i>	<i>0.98</i>	0.042	<b>164.1</b>	<b>166.6</b>
<i>Includes</i>	<i>65.16</i>	<i>65.76</i>	<i>0.60</i>	<i>0.59</i>	0.045	<b>218.3</b>	<b>221.0</b>
Unnamed	218.54	219.11	0.57	0.40	0.005	<b>313.9</b>	<b>314.2</b>
<b>Martha</b>	444.89	460.37	15.42	14.49	0.234	88.8	<b>102.9</b>
<i>Includes</i>	<i>444.89</i>	<i>450.68</i>	<i>5.79</i>	<i>5.44</i>	0.232	<b>166.2</b>	<b>180.1</b>
<i>Includes</i>	<i>447.89</i>	<i>450.68</i>	<i>2.79</i>	<i>2.62</i>	0.325	<b>313.9</b>	<b>333.4</b>
<i>Includes</i>	<i>448.11</i>	<i>448.51</i>	<i>0.40</i>	<i>0.38</i>	0.670	<b>1,364.4</b>	<b>1,404.6</b>

Hole BP06-70ext was initially drilled in 2006 and later extended near the end of 2007 to a depth of 514.20 metres. It is located on the east side of La Preciosa Ridge, azimuth 000°, dip -90°, 100 metres south of hole BP07-135, on mine-section 14,900 N. It was originally drilled to target Luz Elena vein and deepened in late 2007 to target the Martha Vein, thus the letters “ext” were added to the name. Base metal content increases in the Martha vein and veinlets below.

## BP06-71

Hole BP06-71 is on the east side of La Preciosa Ridge, azimuth 090°, dip -50°, on mine-section 15,100 N. No significant intercepts hit.

## BP06-71ext

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	271.73	272.28	0.55	0.55	<b>1.678</b>	58.3	<b>159.0</b>
<b>Martha</b>	389.43	411.62	22.19	20.85	0.414	<b>433.5</b>	<b>458.3</b>
Includes	389.43	395.97	6.54	6.15	0.455	<b>872.1</b>	<b>899.4</b>
Includes	389.71	392.96	3.25	3.05	0.802	<b>1,547.4</b>	<b>1,595.5</b>
Includes	390.29	390.63	0.34	0.32	0.510	<b>4,036.6</b>	<b>4,067.2</b>
Unnamed	527.39	528.09	0.70	0.61	0.138	<b>150.5</b>	<b>158.8</b>

Hole BP06-71ext is located on the east side of La Preciosa Ridge, azimuth 090°, dip -50°, on mine-section 15,100 N. It was originally drilled in 2006 to a depth of 251.46 metres and was extended in late 2007 to target the Martha Vein, thus the letters “ext” were added to the name. It was drilled to a depth of 533.10 metres.

## BP06-72

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Luz Elena	130.05	131.65	1.60	1.58	0.017	<b>109.0</b>	<b>110.0</b>

Hole BP06-72 is located on the east side of La Preciosa Ridge, azimuth 090°, dip -45°, on mine-section 15,300 N.

BP06-73

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	37.66	38.76	1.10	1.06	0.006	99.0	99.4
Unnamed	54.56	54.80	0.24	0.15	0.025	64.8	66.3
Unnamed	120.88	123.18	2.30	1.76	0.064	38.1	42.0
Luz Elena	154.11	155.92	1.81	1.70	0.078	55.6	60.3
<i>Includes</i>	<i>154.78</i>	<i>155.59</i>	<i>0.81</i>	<i>0.76</i>	0.161	<b>116.5</b>	<b>126.1</b>
Unnamed	172.06	172.66	0.60	0.39	0.574	<b>210.0</b>	<b>244.4</b>
Unnamed	174.20	174.45	0.25	0.18	0.013	77.4	78.2

Hole BP06-73 is located on the east side of La Preciosa Ridge, azimuth 000°, dip -90°, on mine-section 15,300 N.

## BP06-74

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	0.00	3.20	3.20	2.26	0.040	<b>129.0</b>	<b>131.4</b>
Luz Elena	122.28	124.78	2.50	2.05	0.136	30.2	38.4
Unnamed	183.43	183.80	0.37	0.26	0.013	55.4	56.2
Unnamed	220.55	221.39	1.23	1.07	0.066	49.7	53.7
Unnamed	250.07	250.50	0.43	0.37	0.171	41.3	51.6
Unnamed	263.65	263.84	0.19	0.17	0.037	<b>111.0</b>	<b>113.2</b>

Hole BP06-74 is on the east side of La Preciosa Ridge, azimuth 000°, dip -90°, on mine-section 15,100 N.

## BP06-74ext

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	0.00	3.20	3.20	2.26	0.040	<b>129.0</b>	<b>131.4</b>
<b>Luz Elena</b>	122.28	124.78	2.50	2.05	0.136	30.2	38.4
<i>Includes</i>	<i>123.38</i>	<i>124.42</i>	<i>1.04</i>	<i>0.85</i>	0.157	38.4	47.8
<b>Martha</b>	375.18	380.04	4.86	4.69	0.190	53.1	64.5
<i>Includes</i>	377.11	379.32	2.21	2.13	0.268	86.1	<b>102.1</b>
<i>Includes</i>	377.32	377.72	0.40	0.39	0.517	<b>186.3</b>	<b>217.3</b>

Hole BP06-74 is on the east side of La Preciosa Ridge, azimuth 000°, dip -90°, on mine-section 15,100 N. It was originally drilled to a depth of 300.23 metres in 2006 then extended to a depth of 516.33 in late 2007 to target the Martha Vein, thus the letters “ext” were added to the name.. Base metal content (zinc and lead) are elevated in the lower veins.

## BP06-75

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	19.90	20.30	0.40	0.39	0.012	<b>123.0</b>	<b>123.7</b>
Unnamed	23.92	24.67	0.75	0.74	0.066	<b>189.0</b>	<b>193.0</b>
Unnamed	39.20	41.13	1.93	1.81	0.062	<b>187.4</b>	<b>191.1</b>
Abundancia	51.94	60.50	8.56	8.27	0.061	<b>138.0</b>	<b>141.7</b>
<i>Includes</i>	52.48	59.58	7.10	6.86	0.066	<b>158.4</b>	<b>162.3</b>
<i>Includes</i>	52.48	57.89	5.41	5.23	0.074	<b>197.8</b>	<b>202.3</b>
<i>Includes</i>	55.66	57.23	1.57	1.52	0.092	<b>459.2</b>	<b>464.7</b>
Unnamed	69.53	72.74	3.21	2.46	0.036	79.2	81.3
<i>Includes</i>	69.53	70.75	1.12	0.86	0.061	<b>120.5</b>	<b>124.2</b>
Unnamed	102.33	103.41	1.08	1.06	0.022	<b>117.9</b>	<b>119.2</b>
Unnamed	143.71	144.50	0.79	0.78	0.750	<b>133.1</b>	<b>178.1</b>
Unnamed	152.42	152.62	0.20	0.19	0.076	50.1	54.7
Unnamed	181.18	181.44	0.26	0.25	0.037	73.8	76.0
Unnamed	189.08	189.78	0.70	0.68	0.168	69.7	79.8

Hole BP06-75 is located near the north end of La Preciosa Ridge, azimuth 090°, dip -45°, on mine-section 15,400 N.

## BP06-75ext

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	351.22	393.42	42.20	39.66	0.370	<b>235.2</b>	<b>257.5</b>
<i>Includes</i>	351.64	356.26	4.62	4.34	0.530	<b>677.6</b>	<b>709.4</b>
<i>Includes</i>	376.01	380.75	4.74	4.45	<b>1.020</b>	<b>588.2</b>	<b>649.4</b>
<i>Includes</i>	378.46	379.65	1.19	1.12	<b>1.456</b>	<b>1,283.6</b>	<b>1,371.0</b>

Hole BP06-75 was originally drilled in 2006 to a depth of 250 metres, but was extended to a depth of 521.51 metres in late 2007 to target the Martha Vein, thus the letters “ext” were added to the name. Hole BP06-75 is located near the north end of La Preciosa Ridge, azimuth 090°, dip -45°, on mine-section 15,400 N, 150 m east of hole BP06-77 and 100 m west of hole BP07-126.

BP06-76

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	129.44	129.65	0.21	0.21	0.654	<b>450.0</b>	<b>489.2</b>
Unnamed	139.98	140.47	0.49	0.48	0.251	<b>200.4</b>	<b>215.5</b>
Unnamed	147.47	147.68	0.21	0.20	0.237	73.3	87.5
Unnamed	151.01	151.24	0.23	0.22	0.147	61.6	70.4
Abundancia	155.25	161.34	6.09	6.00	0.455	<b>217.5</b>	<b>244.8</b>
<i>Includes</i>	<i>155.25</i>	<i>159.61</i>	<i>4.36</i>	<i>4.29</i>	<i>0.526</i>	<b>258.8</b>	<b>290.4</b>
<i>Includes</i>	<i>155.25</i>	<i>158.53</i>	<i>3.08</i>	<i>3.03</i>	<i>0.635</i>	<b>250.1</b>	<b>288.2</b>
<i>Includes</i>	<i>155.25</i>	<i>156.21</i>	<i>0.96</i>	<i>0.94</i>	<i>1.665</i>	<b>386.3</b>	<b>486.2</b>
Unnamed	172.27	173.47	1.20	1.04	0.271	51.9	68.2
Unnamed	178.52	179.15	0.63	0.55	0.210	74.9	87.4
Unnamed	185.50	185.76	0.26	0.24	0.720	<b>250.0</b>	<b>293.2</b>
Unnamed	189.26	189.56	0.30	0.29	0.316	63.9	82.5
Unnamed	191.44	191.85	0.41	0.40	0.567	<b>131.0</b>	<b>165.0</b>
Unnamed	192.65	193.03	0.38	0.37	0.003	82.8	83.0
Unnamed	194.34	194.54	0.20	0.19	0.007	55.7	56.1
Unnamed	199.04	199.26	0.22	0.21	0.432	<b>132.0</b>	<b>157.9</b>
Unnamed	199.94	200.17	0.23	0.22	0.035	51.5	53.6
Unnamed	200.95	201.15	0.20	0.19	0.465	<b>132.0</b>	<b>159.9</b>
Unnamed	201.45	202.19	0.74	0.71	0.068	52.0	56.1
Luz Elena	315.77	317.43	1.66	1.58	0.706	<b>236.2</b>	<b>278.5</b>

Hole BP06-76 was drilled from the west side of La Preciosa Ridge, azimuth 090°, dip -45°, on mine-section 15,000 N.

## BP06-77

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	116.24	122.15	5.91	5.36	0.125	<b>121.6</b>	<b>129.0</b>
Includes	116.44	120.51	4.07	3.69	0.152	<b>146.8</b>	<b>155.9</b>
Includes	116.77	119.83	3.06	2.77	0.138	<b>170.6</b>	<b>178.9</b>
Unnamed	380.66	380.86	0.20	0.19	0.657	<b>1,620.0</b>	<b>1,659.4</b>
Unnamed	401.74	405.47	3.73	3.51	0.361	<b>130.6</b>	<b>152.3</b>
Includes	401.74	404.45	2.71	2.56	0.428	<b>157.1</b>	<b>182.8</b>
Includes	403.15	404.45	1.30	1.22	0.506	<b>190.7</b>	<b>221.0</b>
Unnamed	426.79	429.58	2.79	2.62	0.360	<b>325.8</b>	<b>347.4</b>
Includes	427.04	429.58	2.54	2.39	0.385	<b>352.5</b>	<b>375.6</b>
Includes	427.04	427.34	0.30	0.28	0.660	<b>1,980.0</b>	<b>2,019.6</b>
<b>Martha</b>	434.89	445.50	10.61	9.97	0.339	<b>249.5</b>	<b>269.8</b>
Includes	438.52	445.50	6.98	6.56	0.390	<b>296.4</b>	<b>319.8</b>
Includes	442.65	445.50	2.85	2.68	0.415	<b>490.0</b>	<b>514.9</b>

Hole BP06-77 was drilled from the northern side of La Preciosa Ridge, azimuth 090°, dip -45°, on mine-section 15,400 N. Martha Vein discovery hole.

## BP06-78

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	374.40	381.52	7.12	6.45	1.101	<b>640.6</b>	<b>706.7</b>
Includes	374.40	378.73	4.33	3.92	1.585	<b>981.3</b>	<b>1,076.4</b>
Includes	375.81	378.13	2.32	2.10	1.530	<b>1,242.2</b>	<b>1,334.0</b>

Hole BP06-78 was drilled in La Preciosa Norte sector, 200 m east of hole BP05-14, azimuth 070°, dip -45°, on mine-section 15,700 N.

BP06-79

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	63.10	65.62	2.52	2.39	0.257	<b>104.6</b>	<b>120.0</b>
<i>Includes</i>	<i>63.87</i>	<i>64.27</i>	<i>0.40</i>	<i>0.38</i>	0.295	<b>192.0</b>	<b>209.7</b>
La Gloria	69.79	73.99	4.20	3.64	0.270	<b>293.0</b>	<b>309.2</b>
<i>Includes</i>	<i>70.54</i>	<i>73.71</i>	<i>3.17</i>	<i>2.75</i>	0.308	<b>344.2</b>	<b>362.7</b>
Unnamed	77.51	78.06	0.55	0.52	0.119	<b>125.0</b>	<b>132.1</b>
Abundancia	81.79	91.27	9.48	8.91	0.202	<b>158.5</b>	<b>170.6</b>
<i>Includes</i>	<i>81.79</i>	<i>83.37</i>	<i>1.58</i>	<i>1.52</i>	0.317	<b>264.2</b>	<b>283.2</b>
<i>Includes</i>	<i>84.95</i>	<i>88.29</i>	<i>3.34</i>	<i>3.14</i>	0.311	<b>240.1</b>	<b>258.8</b>
Chabelita	113.86	118.49	4.61	4.33	0.458	<b>186.2</b>	<b>213.7</b>
<i>Includes</i>	<i>114.61</i>	<i>118.49</i>	<i>3.86</i>	<i>3.63</i>	0.521	<b>209.8</b>	<b>241.0</b>
Luz Elena	262.51	265.16	2.65	2.49	0.108	76.1	82.5
<i>Includes</i>	<i>262.51</i>	<i>263.53</i>	<i>1.02</i>	<i>0.96</i>	0.166	<b>136.1</b>	<b>146.0</b>
Unnamed	330.21	330.79	0.58	0.57	0.107	<b>220.2</b>	<b>226.7</b>

Hole BP06-79 was drilled from the west side of La Preciosa Ridge, east of BP06-76, at azimuth 090°, dip -45°, on mine-section 15,000 N. It passes through significant intersections of La Gloria, Abundancia, and Chabelita veins and a weaker Luz Elena vein, as well as multiple smaller veins.

## BP06-80

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	234.20	238.91	4.71	4.43	0.088	<b>114.8</b>	<b>120.0</b>
<i>Includes</i>	<i>234.63</i>	<i>236.36</i>	<i>1.73</i>	<i>1.62</i>	0.140	<b>175.3</b>	<b>183.8</b>
Unnamed	255.40	256.12	0.72	0.68	0.133	<b>112.4</b>	<b>120.4</b>
Unnamed	260.53	261.28	0.75	0.70	0.033	<b>281.8</b>	<b>283.9</b>
Unnamed	273.41	274.13	0.72	0.62	0.090	<b>279.8</b>	<b>285.2</b>
Abundancia	391.25	403.33	12.08	10.46	0.128	72.5	80.2
<i>Includes</i>	<i>400.20</i>	<i>403.33</i>	<i>3.13</i>	<i>2.71</i>	0.293	<b>137.6</b>	<b>155.1</b>
<i>Includes</i>	<i>402.39</i>	<i>403.33</i>	<i>0.94</i>	<i>0.81</i>	0.278	<b>203.9</b>	<b>220.5</b>

Hole BP06-80 is located in “La Preciosa Norte Sector”, north of La Preciosa Ridge, on mine-section 15,700 N. It was drilled at 090° azimuth and -45° dip. This hole is collared 100 m east of hole BP06-78. While the Abundancia vein is clearly a significant structure in this hole and it is mineralized throughout, only the bottom portion is in ore grade.

## BP06-81

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	354.73	356.21	1.48	1.39	0.140	60.9	69.3
<i>Includes</i>	<i>356.01</i>	<i>356.21</i>	<i>0.20</i>	<i>0.19</i>	0.543	<b>300.0</b>	<b>332.6</b>
Unnamed	361.37	362.68	1.31	1.31	0.213	<b>141.3</b>	<b>154.1</b>
<i>Includes</i>	<i>361.37</i>	<i>361.73</i>	<i>0.36</i>	<i>0.36</i>	0.319	<b>350.0</b>	<b>369.1</b>
Unnamed	366.88	367.08	0.20	0.13	0.372	<b>420.0</b>	<b>442.3</b>
Unnamed	386.41	387.26	0.85	0.74	0.447	<b>242.0</b>	<b>268.8</b>
Abundancia	413.00	436.44	23.44	20.30	0.388	95.2	<b>118.4</b>
<i>Includes</i>	<i>425.20</i>	<i>434.14</i>	<i>8.94</i>	<i>7.74</i>	0.543	<b>138.8</b>	<b>171.4</b>
<i>Includes</i>	<i>425.20</i>	<i>429.79</i>	<i>4.59</i>	<i>4.00</i>	0.743	<b>189.2</b>	<b>233.8</b>

Hole BP06-81 is located in “La Preciosa Norte Sector”, north of La Preciosa Ridge, on mine-section 15,700 N. It was drilled at 090° azimuth and -45° dip. This hole is collared 100 m west of hole BP06-78. The major thick Abundancia vein is leached in this location and may have originally carried higher silver values. It also has significant lead and zinc.

## BP06-82

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	352.25	358.95	6.70	6.30	0.087	17.6	22.8
Unnamed	380.74	381.05	0.31	0.29	0.186	<b>121.0</b>	<b>132.2</b>
Unnamed	395.45	398.37	3.12	2.93	0.142	14.4	22.9

Hole BP06-82 was drilled in “La Preciosa Norte Sector” at 090 degrees azimuth, -45 degrees dip, on mine-section 15,800 N. Quartz vein and veinlets zones, with galena and sphalerite, were identified, but precious metal content is low.

## BP06-83

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	440.10	440.36	0.26	0.24	0.556	<b>400.0</b>	<b>433.4</b>
Unnamed	458.14	458.42	0.28	0.26	0.321	<b>235.0</b>	<b>254.3</b>
Unnamed	505.66	508.95	3.29	3.09	0.066	14.5	18.4
<i>includes</i>	<i>508.74</i>	<i>508.95</i>	<i>0.21</i>	<i>0.20</i>	0.189	<b>178.0</b>	<b>189.3</b>

Hole BP06-83 was drilled in “La Preciosa Norte Sector” at 090 degrees azimuth, -45 degrees dip, on mine-section 15,800 N, east of hole BP05-16. Quartz vein and veinlets zones, with galena and sphalerite, were identified, yielding elevated Pb and Zn, but precious metal content is low.

## BP06-84A

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia?	388.04	404.82	12.78	12.01	0.045	16.5	19.2
<i>Includes</i>	398.37	400.94	2.57	2.42	0.104	35.1	41.3
<i>Includes</i>	398.37	398.66	0.29	0.27	0.124	93.6	<b>101.0</b>
Unnamed	423.14	423.54	0.40	0.38	0.470	55.0	83.2

Hole BP06-84A was drilled in “La Preciosa Norte Sector” at 090 degrees azimuth, -45 degrees dip, on mine-section 15,800 N, east of hole BP06-83. Quartz vein and veinlets zones, with galena and sphalerite, were identified, yielding elevated Pb and Zn, but precious metal content is low.

## BP06-85

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Luz Elena	407.98	409.53	1.55	1.46	0.079	<b>16.3</b>	<b>21.0</b>
<b>Martha</b>	537.87	541.48	3.61	3.39	0.200	81.6	93.5
<i>Includes</i>	537.87	540.10	2.23	2.10	0.248	<b>121.8</b>	<b>136.6</b>
<i>Includes</i>	537.87	539.59	1.72	1.62	0.179	<b>154.1</b>	<b>161.8</b>
<i>Includes</i>	537.87	538.86	0.99	0.93	0.113	<b>243.3</b>	<b>250.1</b>
<i>Includes</i>	537.87	538.34	0.47	0.44	0.129	<b>443.0</b>	<b>450.7</b>

Hole BP06-85 was collared in the flats west of La Preciosa Ridge as a deep hole in “Mina La Preciosa Sector”, west of hole BP05-07 on mine-section 15,200 N, azimuth 090, dip -50 degrees. Minor stringers exist where Abundancia Vein projects to a sandy conglomerate. The deeper structure, hosted in schist near the conglomerate contact, may match with Martha Vein and meets grade and thickness requirements.

## BP06-86

Hole BP06-86 was drilled in La Preciosa Norte Sector at 090 degrees azimuth, -45 degrees dip, on mine-section 15,800 N, 100 metres east of BP06-82. Quartz vein and veinlets zones, with galena and sphalerite, were identified, but precious metal content is low.

## BP06-87

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	365.25	368.81	3.56	3.44	0.142	<b>113.3</b>	<b>121.8</b>
<i>Includes</i>	<i>365.25</i>	<i>365.81</i>	<i>0.56</i>	<i>0.54</i>	0.534	<b>209.0</b>	<b>241.0</b>
<i>Includes</i>	<i>368.39</i>	<i>368.81</i>	<i>0.42</i>	<i>0.41</i>	0.297	<b>590.0</b>	<b>607.8</b>
Unnamed	592.87	594.73	1.86	1.75	0.363	<b>116.4</b>	<b>138.2</b>
<i>Includes</i>	<i>593.17</i>	<i>593.57</i>	<i>0.40</i>	<i>0.38</i>	1.380	<b>530.0</b>	<b>612.8</b>

Hole BP06-87 was a western deep step-out hole collared in the fields west of La Preciosa Ridge in “Mina La Preciosa Sector”, 150 metres west of holes BP05-08 and 09, on mine-section 15,400 N, azimuth 090, dip -50 degrees.

## BP07-88

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	299.24	300.30	1.06	0.92	0.026	<b>178.0</b>	<b>179.6</b>
Abundancia	358.75	372.96	14.21	12.31	0.109	77.1	83.7
<i>Includes</i>	<i>367.15</i>	<i>372.96</i>	<i>5.81</i>	<i>5.03</i>	0.220	<b>102.2</b>	<b>115.3</b>
<i>Includes</i>	<i>368.14</i>	<i>370.94</i>	<i>2.80</i>	<i>2.42</i>	0.258	<b>140.3</b>	<b>155.8</b>

Hole BP06-88 is located in “La Preciosa Norte Sector”, north of La Preciosa Ridge, on mine-section 15,700 N. It was drilled at 090° azimuth and -45° dip. This hole is collared 100 m east of hole BP06-80. While the Abundancia vein is clearly a significant structure in this hole and it is mineralized throughout, only the bottom portion is in ore grade.

## BP07-89

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	416.24	417.19	0.95	0.89	0.530	<b>170.6</b>	<b>202.4</b>
<i>Includes</i>	<i>416.73</i>	<i>417.19</i>	<i>0.46</i>	<i>0.43</i>	0.759	<b>320.0</b>	<b>365.5</b>
Unnamed	420.53	421.74	1.21	1.14	0.337	<b>215.0</b>	<b>235.2</b>
Abundancia	502.83	507.36	4.53	4.11	0.398	91.3	<b>115.2</b>
<i>Includes</i>	<i>503.44</i>	<i>505.58</i>	<i>2.14</i>	<i>1.94</i>	0.327	<b>152.3</b>	<b>171.9</b>
<i>Includes</i>	<i>503.89</i>	<i>504.46</i>	<i>0.57</i>	<i>0.52</i>	0.446	<b>424.0</b>	<b>450.8</b>
<i>Includes</i>	<i>503.89</i>	<i>504.08</i>	<i>0.19</i>	<i>0.17</i>	0.234	<b>1,050.0</b>	<b>1,064.0</b>
Unnamed	553.60	554.91	1.31	1.15	0.174	<b>100.0</b>	<b>110.4</b>
<i>Includes</i>	<i>553.71</i>	<i>554.31</i>	<i>0.60</i>	<i>0.52</i>	0.369	<b>215.1</b>	<b>237.3</b>

Hole BP06-89 was collared in the fields west of La Preciosa Ridge in “Mina La Preciosa Sector”, 100 metres west of hole BP07-87 and 250 metres west of holes BP05-08 and 09, on mine-section 15,400 N, azimuth 090, dip -50 degrees. This area may represent a down-dropped graben block in the western valley. There are also higher lead and zinc values in the deeper intersections.

## BP07-90

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	116.99	119.07	2.08	2.01	0.039	<b>134.8</b>	<b>137.2</b>
Abundancia	158.41	162.96	4.55	4.28	0.070	<b>247.0</b>	<b>251.2</b>
<i>Includes</i>	<i>158.89</i>	<i>161.16</i>	<i>2.27</i>	<i>2.13</i>	0.069	<b>347.3</b>	<b>351.5</b>
Unnamed	209.98	210.54	0.56	0.53	0.053	<b>340.0</b>	<b>343.2</b>
<b>Martha</b>	338.59	358.62	20.03	18.82	0.286	<b>144.8</b>	<b>161.9</b>
<i>Includes</i>	<i>346.86</i>	<i>356.67</i>	<i>9.81</i>	<i>9.22</i>	0.481	<b>200.8</b>	<b>229.7</b>
<i>Includes</i>	<i>346.86</i>	<i>353.05</i>	<i>6.19</i>	<i>5.82</i>	0.684	<b>280.4</b>	<b>321.4</b>
<i>Includes</i>	<i>348.02</i>	<i>351.05</i>	<i>3.03</i>	<i>2.81</i>	1.001	<b>408.5</b>	<b>468.5</b>

Hole BP06-90 was collared north of La Preciosa Ridge in “Mina La Preciosa Sector”, east of holes BP05-10 & 11, BP07-92, 95 & 99, on mine-section 15,600 N, azimuth 090, dip -45 degrees.

## BP07-91

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	108.31	110.41	2.10	1.97	0.184	<b>131.4</b>	<b>142.5</b>
<i>Includes</i>	<i>108.31</i>	<i>109.84</i>	<i>1.53</i>	<i>1.44</i>	0.244	<b>156.6</b>	<b>171.2</b>
Esperancita	180.10	182.25	2.15	1.38	0.293	<b>171.7</b>	<b>189.3</b>
<i>Includes</i>	<i>180.31</i>	<i>182.05</i>	<i>1.74</i>	<i>1.12</i>	0.355	<b>208.6</b>	<b>229.9</b>
Unnamed	208.47	211.14	2.67	2.51	0.183	<b>107.5</b>	<b>118.5</b>
<i>Includes</i>	<i>209.20</i>	<i>211.14</i>	<i>1.94</i>	<i>1.82</i>	0.208	<b>119.3</b>	<b>131.8</b>
Abundancia	215.00	223.10	8.10	7.61	0.104	<b>106.7</b>	<b>113.0</b>
<i>Includes</i>	<i>219.60</i>	<i>223.10</i>	<i>3.50</i>	<i>3.29</i>	0.188	<b>167.1</b>	<b>178.4</b>
<i>Includes</i>	<i>215.00</i>	<i>215.60</i>	<i>0.60</i>	<i>0.56</i>	0.088	<b>221.0</b>	<b>226.3</b>

Hole BP06-91 was collared north of La Preciosa Ridge in “Mina La Preciosa Sector”, east of holes BP05-08, 09 and BP07-101 on mine-section 15,400 N, azimuth 090, dip -45 degrees. This hole did not go deep enough to reach the Martha Vein.

## BP07-92

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	187.77	191.54	3.77	3.54	0.144	<b>289.2</b>	<b>297.9</b>
<i>Includes</i>	<i>189.74</i>	<i>191.54</i>	<i>1.80</i>	<i>1.69</i>	0.089	<b>380.9</b>	<b>386.2</b>
<i>Includes</i>	<i>188.18</i>	<i>188.38</i>	<i>0.20</i>	<i>0.19</i>	1.120	<b>1,250.0</b>	<b>1,317.2</b>
Unnamed	277.32	277.96	0.64	0.55	0.563	<b>525.7</b>	<b>559.5</b>
<i>Includes</i>	<i>277.53</i>	<i>277.74</i>	<i>0.21</i>	<i>0.18</i>	1.610	<b>1,320.0</b>	<b>1,416.6</b>
Marthita	415.43	415.83	0.40	0.39	0.034	<b>760.0</b>	<b>762.0</b>
<b>Martha</b>	425.96	439.93	13.97	12.10	0.212	<b>127.9</b>	<b>140.6</b>
<i>Includes</i>	<i>425.96</i>	<i>431.68</i>	<i>5.72</i>	<i>4.95</i>	0.204	<b>197.6</b>	<b>209.8</b>
<i>Includes</i>	<i>425.96</i>	<i>429.54</i>	<i>3.58</i>	<i>3.10</i>	0.135	<b>248.8</b>	<b>257.0</b>

Hole BP07-92 was collared north of La Preciosa Ridge in “Mina La Preciosa Sector”, east of holes BP05-10 & 11, BP07-95 & 99 and west of hole BP06-90 on mine-section 15,600 N, azimuth 090, dip -45 degrees.

## BP07-93, 97 and 100

Hole BP07-93, 97 and 100 were northward oriented holes, -45 degrees dip, to test the transition area between “Mina La Preciosa Sector” and “La Preciosa Norte Sector”. The results show a post-mineralization intense fracturing and brecciation zone. No structures of economic mineralization present.

## BP07-94

Hole BP07-94 was a northward oriented hole, -45 degrees dip, to test the transition area between “Mina La Preciosa Sector” and “La Preciosa Norte Sector”. The results show a post-mineralization intense fracturing and brecciation zone. No structures of economic mineralization present.

## BP07-96

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	63.39	74.40	11.01	10.84	0.065	57.8	61.8
<i>Includes</i>	63.39	65.92	2.53	2.49	0.148	<b>108.0</b>	<b>116.9</b>
<i>Includes</i>	63.39	64.70	1.31	1.29	0.216	<b>139.4</b>	<b>152.4</b>
Luz Elena	115.05	119.09	4.04	3.80	0.047	<b>110.2</b>	<b>113.0</b>
<i>Includes</i>	117.05	119.09	2.04	1.92	0.047	<b>159.1</b>	<b>162.0</b>
<i>Includes</i>	115.05	115.65	0.60	0.56	0.150	<b>172.3</b>	<b>181.3</b>
Martha	341.85	347.47	5.62	5.42	0.181	<b>187.5</b>	<b>198.4</b>
<i>Includes</i>	341.85	346.08	4.23	4.09	0.217	<b>232.3</b>	<b>245.3</b>

Hole BP07-96 was collared north of La Preciosa Ridge in “Mina La Preciosa Sector”, east of holes BP05-12, 13 and BP07-98, 102, 103 and 104 on mine-section 15,500 N, azimuth 090, dip - 45 degrees. Abundancia vein is immediately below the paleo-surface at the base of the basaltic cover and is strongly leached. Martha Vein is strong and up-dip from the intercept in BP07-98.

## BP07-98

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	128.95	133.75	4.80	4.73	0.136	<b>319.8</b>	<b>328.0</b>
<i>Includes</i>	<i>130.85</i>	<i>133.75</i>	<i>2.90</i>	<i>2.86</i>	<i>0.144</i>	<b>423.3</b>	<b>431.9</b>
Luz Elena	208.10	211.45	3.35	3.30	0.169	<b>113.2</b>	<b>123.4</b>
<b>Martha</b>	389.23	404.97	15.74	14.79	0.389	<b>240.0</b>	<b>263.4</b>
<i>Includes</i>	<i>393.97</i>	<i>402.10</i>	<i>8.13</i>	<i>7.64</i>	<i>0.471</i>	<b>310.5</b>	<b>338.8</b>
<i>Includes</i>	<i>398.23</i>	<i>402.10</i>	<i>3.87</i>	<i>3.64</i>	<i>0.411</i>	<b>391.6</b>	<b>416.3</b>
<i>Includes</i>	<i>398.23</i>	<i>398.47</i>	<i>0.24</i>	<i>0.23</i>	<i>0.713</i>	<b>1,268.7</b>	<b>1,311.5</b>

Hole BP07-98 was collared north of La Preciosa Ridge in “Mina La Preciosa Sector”, east of holes BP05-12, 13 and BP07-102, 103 and 104 on mine-section 15,500 N, azimuth 090, dip -45 degrees.

## BP07-99

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	246.07	248.97	2.90	2.73	0.130	52.9	60.7
<i>Includes</i>	<i>246.57</i>	<i>246.83</i>	<i>0.26</i>	<i>0.24</i>	<i>0.150</i>	92.0	<b>101.0</b>
<i>Includes</i>	<i>248.73</i>	<i>248.97</i>	<i>0.24</i>	<i>0.23</i>	<i>0.140</i>	<b>327.3</b>	<b>335.7</b>
Abundancia	281.55	286.28	4.73	4.44	0.208	<b>166.0</b>	<b>178.4</b>
<i>Includes</i>	<i>283.13</i>	<i>286.28</i>	<i>3.15</i>	<i>2.96</i>	<i>0.217</i>	<b>178.3</b>	<b>191.4</b>
<i>Includes</i>	<i>283.40</i>	<i>285.67</i>	<i>2.27</i>	<i>2.13</i>	<i>0.251</i>	<b>219.7</b>	<b>234.8</b>
<i>Includes</i>	<i>283.40</i>	<i>284.79</i>	<i>1.39</i>	<i>1.31</i>	<i>0.252</i>	<b>228.5</b>	<b>243.6</b>
Martha	475.34	478.56	3.22	3.03	0.300	<b>269.8</b>	<b>287.8</b>
<i>Includes</i>	<i>476.95</i>	<i>478.56</i>	<i>1.61</i>	<i>1.51</i>	<i>0.516</i>	<b>511.2</b>	<b>542.2</b>
<i>Includes</i>	<i>478.17</i>	<i>478.56</i>	<i>0.39</i>	<i>0.37</i>	<i>0.585</i>	<b>1,170.3</b>	<b>1,205.4</b>

Hole BP07-99 was collared north of La Preciosa Ridge in “Mina La Preciosa Sector”, east of holes BP05-10 & 11 and west of holes BP07-95 & 92 on mine-section 15,600 N, azimuth 090, dip -45 degrees.

BP07-101

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	97.14	116.86	19.72	19.05	0.227	<b>226.0</b>	<b>239.6</b>
<i>Includes</i>	<i>97.14</i>	<i>109.53</i>	<i>12.39</i>	<i>11.97</i>	0.249	<b>296.5</b>	<b>311.4</b>
<i>Includes</i>	<i>104.15</i>	<i>106.88</i>	<i>2.73</i>	<i>2.64</i>	0.368	<b>475.5</b>	<b>497.6</b>
Chabelita	126.46	128.82	2.36	2.28	0.261	<b>173.8</b>	<b>189.5</b>
<i>Includes</i>	<i>126.46</i>	<i>127.70</i>	<i>1.24</i>	<i>1.20</i>	0.401	<b>296.7</b>	<b>320.8</b>
Luz Elena	205.59	207.22	1.63	1.53	0.622	<b>309.3</b>	<b>346.6</b>
<i>Includes</i>	<i>205.59</i>	<i>206.94</i>	<i>1.35</i>	<i>1.27</i>	0.742	<b>361.9</b>	<b>406.4</b>
Unnamed	268.62	269.28	0.66	0.57	0.202	<b>436.8</b>	<b>448.9</b>
<b>Martha</b>	534.74	540.18	5.44	4.71	0.474	74.6	<b>103.0</b>
<i>Includes</i>	<i>537.33</i>	<i>540.18</i>	<i>2.85</i>	<i>2.47</i>	0.839	74.0	<b>124.3</b>
<i>Includes</i>	<i>538.69</i>	<i>540.18</i>	<i>1.49</i>	<i>1.29</i>	1.415	<b>103.5</b>	<b>188.4</b>

Hole BP07-101 was collared north of La Preciosa Ridge in “Mina La Preciosa Sector”, east of holes BP05-08 and 09 and west of hole BP06-91 on mine-section 15,400 N, azimuth 090, dip -45 degrees. It is 100 metres south and 100 metres west of the previously reported high-grade hole BP07-102

BP07-102

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	131.76	132.58	0.82	0.81	0.040	<b>106.7</b>	<b>109.1</b>
Abundancia	151.51	179.29	27.75	26.80	0.205	<b>152.3</b>	<b>164.5</b>
<i>Includes</i>	<i>155.69</i>	<i>172.66</i>	<i>16.94</i>	<i>16.36</i>	0.232	<b>189.9</b>	<b>203.9</b>
<i>Includes</i>	<i>157.59</i>	<i>160.94</i>	<i>3.35</i>	<i>3.24</i>	0.282	<b>366.6</b>	<b>383.5</b>
<i>Includes</i>	<i>158.90</i>	<i>159.17</i>	<i>0.27</i>	<i>0.26</i>	0.411	<b>1,092.3</b>	<b>1,117.0</b>
Chabelita	220.99	227.77	6.78	6.55	0.170	<b>177.9</b>	<b>188.1</b>
<i>Includes</i>	220.99	225.86	4.87	4.70	0.191	<b>205.4</b>	<b>216.8</b>
<i>Includes</i>	222.94	225.42	2.48	2.40	0.194	<b>257.7</b>	<b>269.3</b>
Luz Elena	296.88	302.38	5.50	5.17	0.088	89.1	94.4
<i>Includes</i>	299.92	302.38	2.46	2.31	0.110	<b>120.6</b>	<b>127.3</b>
Unnamed	391.57	392.44	0.87	0.82	0.685	<b>3,761.7</b>	<b>3,802.8</b>
Unnamed	429.61	430.11	0.50	0.49	0.166	<b>292.4</b>	<b>299.3</b>
<b>Martha</b>	442.16	456.17	14.68	13.79	0.320	<b>376.5</b>	<b>395.7</b>
<i>Includes</i>	<i>442.16</i>	<i>455.15</i>	<i>13.66</i>	<i>12.84</i>	0.338	<b>400.4</b>	<b>420.7</b>
<i>Includes</i>	<i>442.16</i>	<i>450.03</i>	<i>8.54</i>	<i>8.02</i>	0.377	<b>567.8</b>	<b>590.5</b>
<i>Includes</i>	<i>442.16</i>	<i>445.43</i>	<i>3.27</i>	<i>3.07</i>	0.605	<b>1,374.0</b>	<b>1,141.3</b>
<i>Includes</i>	<i>442.44</i>	<i>444.24</i>	<i>1.80</i>	<i>1.69</i>	0.941	<b>2,199.0</b>	<b>2,255.4</b>
<i>Includes</i>	<i>442.94</i>	<i>443.69</i>	<i>0.75</i>	<i>0.70</i>	1,249	<b>3,471.1</b>	<b>3,546.1</b>

Hole BP07-102 was collared north of La Preciosa Ridge in “Mina La Preciosa Sector”, east of holes BP05-12, 13 and BP07-104 on mine-section 15,500 N, azimuth 090, dip -45 degrees.

BP07-103

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	180.38	192.90	12.52	11.76	0.082	<b>383.6</b>	<b>388.5</b>
<i>Includes</i>	<i>187.46</i>	<i>192.90</i>	<i>5.44</i>	<i>5.11</i>	0.159	<b>833.5</b>	<b>843.0</b>
<i>Includes</i>	<i>187.46</i>	<i>189.10</i>	<i>1.64</i>	<i>1.54</i>	0.346	<b>2,050.1</b>	<b>2,070.9</b>
<i>Includes</i>	<i>188.59</i>	<i>188.84</i>	<i>0.25</i>	<i>0.23</i>	0.685	<b>5,897.4</b>	<b>5,938.5</b>
Luz Elena	297.09	302.38	5.29	4.58	0.109	<b>202.7</b>	<b>209.2</b>
<i>Includes</i>	<i>298.97</i>	<i>302.38</i>	<i>3.41</i>	<i>2.95</i>	0.146	<b>269.7</b>	<b>278.5</b>
Martha	412.64	439.39	26.75	23.17	0.532	<b>216.5</b>	<b>248.4</b>
<i>Includes</i>	<i>425.81</i>	<i>439.39</i>	<i>13.58</i>	<i>11.76</i>	0.682	<b>310.4</b>	<b>351.3</b>
<i>Includes</i>	<i>428.85</i>	<i>436.22</i>	<i>7.37</i>	<i>6.38</i>	0.869	<b>433.6</b>	<b>485.7</b>
<i>Includes</i>	<i>435.55</i>	<i>436.22</i>	<i>0.67</i>	<i>0.58</i>	<b>1.558</b>	<b>1,610.3</b>	<b>1,703.8</b>

Hole BP07-103 was collared north of La Preciosa Ridge in “Mina La Preciosa Sector”, 100 metres east of the previously reported high-grade hole BP07-102 and 100 metres west of hole BP07-98 (news release 9 May 2007) on mine-section 15,500 N, azimuth 090, dip -45 degrees.

BP07-104

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
La Gloria	53.30	55.88	2.58	2.23	0.025	90.6	92.1
<i>Includes</i>	53.30	53.98	0.68	0.59	0.053	<b>135.3</b>	<b>138.5</b>
<i>Includes</i>	55.57	55.88	0.31	0.27	0.020	<b>289.9</b>	<b>291.1</b>
Abundancia	92.57	96.94	4.37	4.11	0.174	<b>318.2</b>	<b>328.6</b>
<i>Includes</i>	92.57	96.26	3.69	3.47	0.204	<b>370.6</b>	<b>382.9</b>
<i>Includes</i>	92.57	95.33	2.76	2.59	0.261	<b>448.4</b>	<b>464.1</b>
Carmen	240.17	243.14	2.97	1.91	0.283	<b>481.0</b>	<b>498.0</b>
<i>Includes</i>	240.43	242.83	2.40	1.54	0.331	<b>571.3</b>	<b>591.1</b>
<i>Includes</i>	241.40	241.75	0.35	0.22	<b>1.430</b>	<b>1,801.3</b>	<b>1,887.1</b>
Unnamed	403.82	404.05	0.23	0.22	0.398	<b>2,389.6</b>	<b>2,413.5</b>
<b>Martha</b>	471.80	481.47	9.67	8.37	0.254	56.2	71.4
<i>Includes</i>	479.50	481.47	1.97	1.71	0.545	<b>149.3</b>	<b>182.0</b>
<i>Includes</i>	479.90	481.18	1.28	1.11	0.727	<b>210.4</b>	<b>254.0</b>

Hole BP07-104 was collared north of La Preciosa Ridge in “Mina La Preciosa Sector”, east of holes BP05-12, 13 and west of hole BP07-102 on mine-section 15,500 N, azimuth 090, dip -45 degrees. It contains multiple silver-gold mineralized veinlets and several major veins. La Gloria vein is near the paleo-surface contact beneath the basaltic cover and is leached. Abundancia vein is at 20 degrees to core perpendicular. Carmen vein is oblique at 50 degrees to core perpendicular. Martha Vein, at 30 degrees to core perpendicular, has higher base metal values.

## BP07-105

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	166.31	166.76	0.45	0.42	0.204	<b>371.6</b>	<b>383.8</b>
Transversal	183.96	189.56	5.60	4.59	0.166	58.4	68.4
Includes	187.56	189.56	2.00	1.64	0.147	<b>104.1</b>	<b>112.9</b>
Unnamed	297.08	297.49	0.41	0.31	0.268	<b>484.6</b>	<b>500.7</b>
Unnamed	344.69	345.14	0.45	0.32	0.010	<b>217.3</b>	<b>217.9</b>

Hole BP07-105 was collared along the slopes of the creek cut (arroyo) on the east side of La Preciosa Ridge, south of the Transversal Vein. It is oriented azimuth 000, dip -60 degrees, on the same north-south section as hole BP07-107.

## BP07-106

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	245.56	248.37	2.81	2.43	0.190	22.7	34.2
Includes	245.56	245.78	0.22	0.19	0.501	58.9	89.0
Esperancita	438.20	439.31	1.11	0.78	0.057	<b>112.4</b>	<b>115.8</b>
Includes	438.51	438.74	0.23	0.16	0.130	<b>284.4</b>	<b>292.2</b>

Hole BP07-106 is located northwest of La Preciosa Ridge on mine-section 15,500 N, 250 metres west of holes BP05-12 and BP05-13, and 100 metres west of hole BP07-109. It is oriented azimuth 090, dip -45 degrees. The projected Abundancia Vein is elevated in Pb, Zn and Au, but low in Ag.

## BP07-107

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	25.01	26.00	0.99	0.64	0.488	<b>260.3</b>	<b>289.6</b>
Transversal	133.00	136.45	3.45	3.24	0.087	<b>212.2</b>	<b>217.4</b>
Includes	133.00	135.73	2.73	2.57	0.100	<b>257.3</b>	<b>263.3</b>
Includes	134.14	135.15	1.01	0.95	0.066	<b>564.9</b>	<b>568.8</b>
Unnamed	157.50	158.46	0.96	0.90	0.111	<b>116.1</b>	<b>122.8</b>
Unnamed	245.47	248.22	2.75	2.38	0.050	<b>169.2</b>	<b>172.2</b>
Includes	245.47	247.43	1.96	1.70	0.062	<b>196.9</b>	<b>200.6</b>

Hole BP07-107 was collared along the slopes of the creek cut (arroyo) on the east side of La Preciosa Ridge, south of the Transversal Vein. It is oriented azimuth 000, dip -45 degrees, on the same north-south section as hole BP07-105.

## BP07-108A

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Transversal	49.41	49.85	0.44	0.40	0.045	<b>111.5</b>	<b>114.2</b>
Unnamed	270.56	272.20	1.64	1.54	0.195	<b>307.7</b>	<b>319.4</b>
Includes	270.56	271.56	1.00	0.94	0.240	<b>404.7</b>	<b>419.1</b>
Unnamed	278.68	278.98	0.30	0.28	0.025	<b>294.2</b>	<b>295.7</b>
Unnamed	350.40	350.63	0.23	0.22	0.375	<b>227.0</b>	<b>249.5</b>

Hole BP07-108A is a northward trending hole on the slopes of the quebrada in Zona Sur, designed to test the Transversal vein from the same pad as BP07-111. Hole BP07-108A is oriented azimuth 000, dip -60 degrees.

## BP07-109

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Abundancia	248.42	254.89	5.13	4.65	0.050	9.3	12.3
Esperancita	356.12	357.92	1.80	1.27	0.258	<b>109.1</b>	<b>124.6</b>
Includes	356.12	357.38	1.26	0.89	0.353	<b>135.4</b>	<b>156.5</b>
Unnamed	398.68	401.09	2.41	1.97	0.203	<b>130.3</b>	<b>142.5</b>
Includes	398.68	400.75	2.07	1.70	0.231	<b>137.8</b>	<b>151.7</b>
Includes	398.68	399.24	0.56	0.46	0.628	<b>305.6</b>	<b>343.3</b>
Unnamed	512.85	513.26	0.41	0.34	0.065	<b>651.3</b>	<b>655.2</b>
Unnamed	530.04	530.42	0.38	0.33	<b>2.113</b>	97.4	<b>224.2</b>

Hole BP07-109 is located on mine-section 15,500 N, 150 metres west of holes BP05-12 and BP05-13, and 100 metres east of hole BP07-106. It is oriented azimuth 090, dip -45 degrees. The projected Abundancia Vein is elevated in Pb, Zn and Au, but low in Ag.

## BP07-110

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
La Gloria	373.25	374.96	1.71	1.61	0.147	<b>155.1</b>	<b>163.9</b>
Includes	373.25	374.00	0.75	0.70	0.238	<b>324.2</b>	<b>338.5</b>
Abundancia	414.36	416.52	2.16	1.87	0.424	<b>451.2</b>	<b>476.6</b>
includes	415.12	416.52	1.40	1.21	0.634	<b>680.3</b>	<b>718.4</b>
<b>Martha</b>	501.59	511.43	9.84	8.06	0.062	14.0	17.7

Hole BP07-110 is collared 150 metres west of holes BP05-10 and BP05-11 on mine section 15,600 N, azimuth 090, dip -45 degrees. It is a deep hole testing the projection of La Gloria, Abundancia and Martha Veins. La Gloria and Abundancia contain silver and gold. The Martha structure is present in this hole, but is only weakly anomalous in precious metals.

## BP07-111

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Transversal	53.01	56.05	3.04	3.04	0.344	<b>611.8</b>	<b>632.5</b>
Includes	54.39	54.92	0.53	0.53	0.672	<b>1,204.4</b>	<b>1,244.7</b>
Unnamed	157.80	158.37	0.57	0.54	0.345	<b>246.2</b>	<b>266.9</b>
Unnamed	315.93	317.75	1.82	1.29	0.023	<b>128.5</b>	<b>129.9</b>
Includes	315.93	316.14	0.21	0.15	0.130	<b>839.9</b>	<b>847.7</b>

Hole BP07-111 is a northward trending hole on the slopes of the quebrada in Zona Sur, designed to test the Transversal vein from the same pad as hole BP07-108A. BP07-111 is oriented azimuth 000, dip -45 degrees.

## BP07-112

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
La Gloria	482.85	485.12	2.27	2.23	0.022	44.6	45.9
Includes	482.85	483.10	0.25	0.24	0.015	<b>147.4</b>	<b>148.3</b>
Abundancia	538.53	541.18	2.65	2.40	0.160	<b>290.2</b>	<b>299.8</b>
Includes	538.53	539.87	1.34	1.21	0.302	<b>566.6</b>	<b>584.7</b>

Hole BP07-112 is collared 100 metres west of hole BP07-110 and 250 metres west of holes BP05-10 and BP05-11 on mine section 15,600 N, azimuth 090, dip -45 degrees. It is a deep hole testing the projection of La Gloria, Abundancia and Martha Veins. Interpreted down-faulting may mean it did not reach the Martha vein projection.

## BP07-113

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Transversal	76.65	77.90	1.25	1.23	0.195	87.3	99.0
Unnamed	283.35	285.27	1.92	0.66	0.163	<b>282.3</b>	<b>292.1</b>
Includes	283.35	284.16	0.81	0.28	0.324	<b>577.9</b>	<b>597.4</b>
Includes	283.55	283.76	0.21	0.10	<b>1.125</b>	<b>1,247.8</b>	<b>1,315.3</b>
Unnamed	314.68	314.88	0.20	0.14	0.336	<b>1,326.8</b>	<b>1,347.0</b>

Hole BP07-113 is a northward trending hole on the slopes of the quebrada in Zona Sur, designed to test the Transversal vein from the same pad as hole BP07-114. BP07-113 is oriented azimuth 000, dip -60 degrees. A deeper, high-angle to core axis, unnamed vein was also intercepted at 284 metres.

## BP07-114

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Transversal	73.05	76.54	3.49	3.37	0.118	95.6	<b>102.7</b>
Includes	75.22	76.54	1.32	1.28	0.035	<b>139.0</b>	<b>141.1</b>
Unnamed	267.20	270.36	3.16	3.05	0.697	<b>669.5</b>	<b>711.4</b>
Includes	269.58	270.36	0.78	0.75	<b>1.335</b>	<b>1,891.4</b>	<b>1,971.5</b>
Unnamed	298.58	300.24	1.66	1.44	0.103	<b>122.1</b>	<b>128.3</b>
Includes	298.94	299.54	0.60	0.52	0.120	<b>201.9</b>	<b>209.1</b>

Hole BP07-114 is a northward trending hole on the slopes of the quebrada in Zona Sur, designed to test the Transversal vein from the same pad as hole BP07-113. BP07-114 is oriented azimuth 000, dip -45 degrees. A deeper, unnamed vein was also intercepted at 270 metres.

## BP07-115

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
La Gloria	135.50	146.00	10.50	9.52	0.214	<b>254.4</b>	<b>267.2</b>
Includes	135.50	142.76	7.26	6.58	0.290	<b>334.6</b>	<b>352.0</b>
Includes	135.50	140.76	5.26	4.77	0.366	<b>368.9</b>	<b>390.8</b>
Abundancia	240.41	252.04	11.63	10.92	0.129	<b>107.0</b>	<b>114.8</b>
Includes	245.16	248.36	3.20	3.01	0.134	<b>165.1</b>	<b>173.2</b>
Includes	245.16	246.10	0.94	0.88	0.208	<b>233.8</b>	<b>246.3</b>
Chabelita ?	280.70	286.48	5.78	5.43	0.163	99.6	<b>109.4</b>
Includes	284.65	286.48	1.83	1.72	0.339	<b>111.4</b>	<b>131.7</b>
Unnamed	289.40	290.74	1.34	1.26	0.202	<b>148.0</b>	<b>160.1</b>
Unnamed	435.26	435.58	0.32	0.30	<b>1.045</b>	<b>909.8</b>	<b>972.5</b>

Hole BP07-115 was drilled from the west side of La Preciosa Ridge on mine section 15,300 N, 100 metres east of hole BP05-05. It is oriented at azimuth 090, dip -45 degrees. A strong and thick La Gloria was intersected. Abundancia is a zone of multiple veins and veinlets.

## BP07-116

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	130.10	132.26	2.16	1.96	0.324	<b>124.6</b>	<b>144.1</b>
Includes	130.10	131.84	1.74	1.58	0.389	<b>137.8</b>	<b>161.2</b>
Includes	130.10	131.05	0.95	0.86	0.646	<b>194.9</b>	<b>233.6</b>

Hole BP07-116 did not reach target depth for the Martha Vein due to a jamming of the drill rods. It is located on the east side of La Preciosa Ridge, 200 metres east of hole BP06-65, on mine grid 14,800 N, azimuth 090, dip -50 degrees.

## BP07-117

No significant intercepts were found in hole BP07-117, although stringers and anomalous lead and zinc values were located in the 478.00 to 490.90 metres interval. Hole BP07-117 is located north of La Preciosa Ridge, 100 metres west of BP07-119, on mine section 15,900 N, azimuth 090, dip -45 degrees.

## BP07-118

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	322.17	329.27	7.10	6.43	0.597	<b>196.9</b>	<b>232.7</b>
Includes	322.17	324.75	2.58	2.34	<b>1.317</b>	<b>349.6</b>	<b>428.6</b>
Includes	324.41	324.75	0.34	0.31	0.504	<b>961.8</b>	<b>992.0</b>

Hole BP07-118 is located north of La Preciosa Ridge on mine-section 15,600 N, 100 metres east of BP07-90 and 100 metres west of BP07-124. It is oriented azimuth 090, dip -45 degrees and targeted the Martha Vein, where it intersected a strong, mineralized vein at 322.17 to 329.27 metres depth.

## BP07-119

The Martha position is spotty as stringers and does not reach grade with thickness. Hole BP07-119 is located north of La Preciosa Ridge, 100 metres east of BP07-117 and 100 metres west of BP07-121. It is on mine grid 15,900 N, azimuth 090, dip -45 degrees.

## BP07-120

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	296.59	301.84	5.25	4.93	0.094	<b>104.0</b>	<b>109.6</b>
Includes	298.12	299.92	1.80	1.69	0.063	<b>119.8</b>	<b>123.6</b>
Includes	301.04	301.44	0.40	0.38	0.531	<b>286.3</b>	<b>318.2</b>

Hole BP07-120 is located north of La Preciosa Ridge on mine-section 15,700 N, 115 metres east of hole BP06-88 and 100 metres west of hole BP07-122. BP07-120 is oriented azimuth 090, dip -45 dip.

## BP07-121

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	423.40	425.22	1.82	1.71	0.096	<b>245.8</b>	<b>251.5</b>
Includes	423.40	424.89	1.49	1.40	0.109	<b>298.8</b>	<b>305.4</b>
Includes	423.40	424.27	0.87	0.81	0.118	<b>488.8</b>	<b>495.9</b>

Hole BP07-121 is located north of La Preciosa Ridge, 100 metres east of BP07-119. It is on mine grid 15,900 N, azimuth 090, dip -45 degrees.

## BP07-122

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	258.00	259.97	1.97	1.85	0.137	45.3	53.5
Includes	258.00	258.85	0.85	0.80	0.223	73.5	86.8

Hole BP07-122 is located north of La Preciosa Ridge on mine section 15,700 N, 100 metres east of hole BP07-120. It is oriented azimuth 090, dip -45 degrees. The Martha Vein is present, but it is of lower grade in this location.

## BP07-123A

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	290.60	291.01	0.41	0.29	<b>1.015</b>	<b>374.9</b>	<b>435.8</b>
Includes	290.81	291.01	0.20	0.14	<b>1.385</b>	<b>595.1</b>	<b>678.2</b>

Hole BP07-123A is located north of La Preciosa Ridge, 100 metres east of BP07-129. It is on mine grid 15,900 N, azimuth 090, dip -45 degrees. A zone of quartz stringers, with elevated base metals is present in the conglomerates at 339 to 370 metres, but no clear major vein.

## BP07-124

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	264.14	264.76	0.62	0.54	0.003	<b>135.9</b>	<b>136.1</b>
<b>Martha</b>	269.36	274.86	5.50	5.17	0.286	<b>125.9</b>	<b>143.1</b>
Includes	270.16	273.94	3.78	3.55	0.373	<b>146.8</b>	<b>169.1</b>
Includes	270.16	270.36	0.20	0.19	0.530	<b>355.4</b>	<b>387.2</b>

Hole BP07-124 is located north of La Preciosa Ridge on mine section 15,600 N, 100 metres east of hole BP07-118. It is oriented azimuth 090, dip -45 degrees.

## BP07-125A

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	256.33	267.34	11.01	9.98	0.244	<b>144.8</b>	<b>159.4</b>
Includes	256.33	263.17	6.84	6.20	0.293	<b>208.4</b>	<b>226.0</b>
Includes	258.16	260.02	1.86	1.69	0.560	<b>374.7</b>	<b>408.4</b>

Hole BP07-125A is located north of La Preciosa Ridge on mine section 15,800 N, 100 metres east of hole BP07-127. It is oriented azimuth 090, dip -45 degrees.

## BP07-126

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Marthita	298.34	306.02	7.68	7.22	0.259	87.1	<b>102.7</b>
Includes	298.74	302.92	4.18	3.93	0.313	<b>113.8</b>	<b>132.6</b>
Includes	302.59	302.92	0.33	0.31	0.650	<b>484.3</b>	<b>523.3</b>
<b>Martha</b>	312.28	315.41	3.13	2.94	0.176	<b>131.6</b>	<b>142.2</b>
Includes	313.60	315.41	1.81	1.70	0.199	<b>190.9</b>	<b>202.8</b>

Hole BP07-126 is located north of La Preciosa Ridge on mine section 15,400 N, 100 metres east of hole BP06-77. It is oriented azimuth 090, dip -45 degrees. The Martha structure includes Marthita at the top and Martha at the bottom. Collectively, the interval would span 17.07 metres at gold 0.167 g/t, silver 72.5 g/t, for silver-equivalent 82.5 g/t.

## BP07-127A

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	299.78	304.00	4.22	3.82	0.121	43.3	50.6
Includes	299.78	301.21	1.43	1.30	0.177	64.7	75.3
Includes	299.78	299.98	0.20	0.18	0.428	<b>104.2</b>	<b>129.9</b>

Hole BP07-127A is located north of La Preciosa Ridge on mine section 15,800 N, 100 metres east of hole BP06-86 and 100 metres west of hole BP07-125A. It is oriented azimuth 090, dip -45 degrees.

## BP07-128

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	288.65	296.74	8.09	7.33	0.186	<b>105.2</b>	<b>116.4</b>
Includes	288.65	292.92	4.27	3.87	0.242	<b>171.7</b>	<b>186.2</b>
Includes	288.65	290.37	1.72	1.56	0.259	<b>257.8</b>	<b>273.3</b>

Hole BP07-128 is located north of La Preciosa Ridge on mine section 15,500 N, 100 metres east of hole BP07-96. It is oriented azimuth 090, dip -45 degrees.

## BP07-129

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	395.46	406.60	11.14	10.10	0.127	39.0	46.6
Includes	395.63	396.00	0.37	0.34	<b>2.150</b>	<b>489.0</b>	<b>618.0</b>

Hole BP06-129 was collared north of La Preciosa Ridge, 100 metres east of hole BP07-121 on mine-section 15,900 N, azimuth 090, dip -45 degrees. The Martha structure is marked by a zone of quartz veinlets and stringers hosted in conglomerate near the andesite contact. Precious metals values are spotty, with elevated base metals Pb and Zn. The intercept in this hole does not meet grade/thickness requirements.

## BP07-130

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	257.05	262.20	5.15	4.46	0.538	<b>182.8</b>	<b>215.1</b>
Includes	257.05	259.65	2.60	2.25	0.950	<b>210.2</b>	<b>267.2</b>
Includes	257.05	258.60	1.55	1.34	<b>1.359</b>	<b>306.9</b>	<b>388.4</b>

Hole BP07-130 is located north of La Preciosa Ridge on mine section 15,400 N, 100 metres east of hole BP07-126. It is oriented azimuth 090, dip -45 degrees.

## BP07-131

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	241.17	253.50	12.33	11.17	0.322	<b>129.1</b>	<b>148.4</b>
Includes	241.17	247.26	6.09	5.52	0.346	<b>144.7</b>	<b>165.4</b>
Includes	241.17	243.03	1.86	1.69	0.546	<b>236.5</b>	<b>269.3</b>
Unnamed	267.29	267.59	0.30	0.26	0.745	<b>890.5</b>	<b>935.2</b>

Hole BP07-131 is located east of La Preciosa Ridge on mine section 15,200 N, 100 metres east of hole BP06-62. It is oriented azimuth 000, dip -90 degrees.

## BP07-132

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha(total)</b>	230.73	246.55	15.82	13.70	0.144	79.7	88.3
Marthita	230.73	234.03	3.30	2.86	0.305	<b>141.7</b>	<b>160.0</b>
Includes	231.38	234.03	2.65	2.29	0.342	<b>160.1</b>	<b>180.6</b>
Martha	241.33	246.55	5.22	4.52	0.097	<b>109.0</b>	<b>114.8</b>
Includes	244.03	246.55	2.52	2.18	0.072	<b>161.0</b>	<b>165.4</b>
Includes	244.03	245.55	1.52	1.32	0.077	<b>235.9</b>	<b>240.5</b>

Hole BP07-132 is located east of La Preciosa Ridge on mine section 15,300 N, 100 metres east of hole BP06-72. It is oriented azimuth 090, dip -45 degrees. The Martha (total) is the structure of Martha plus Marthita intersections and lower grade material in between.

### BP07-133

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	308.23	321.26	13.03	11.28	0.358	<b>126.3</b>	<b>147.8</b>
Includes	310.94	321.26	10.32	8.94	0.412	<b>139.6</b>	<b>164.3</b>
Includes	318.21	321.26	3.05	2.64	0.540	<b>186.4</b>	<b>218.8</b>

Hole BP07-133 is located east of La Preciosa Ridge on mine section 15,100 N, 100 metres east of hole BP06-71 and 100 metres north of hole BP07-135. It is oriented azimuth 090, dip -50 degrees.

### BP07-134

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	118.09	119.85	1.76	1.65	0.140	<b>115.9</b>	<b>124.3</b>
Includes	118.09	118.29	0.20	0.19	0.057	<b>515.6</b>	<b>519.0</b>
<b>Martha</b>	243.32	255.05	11.73	11.33	0.609	<b>106.2</b>	<b>142.7</b>
Includes	243.84	249.12	5.28	5.10	0.977	<b>125.3</b>	<b>184.0</b>
Includes	254.00	254.20	0.20	0.19	0.821	<b>1,043.1</b>	<b>1,092.4</b>
Unnamed	405.21	406.96	1.75	1.52	0.248	<b>170.3</b>	<b>185.2</b>
Includes	405.64	406.96	1.32	1.14	0.267	<b>222.4</b>	<b>238.4</b>

Hole BP07-134 is located on the east side of La Preciosa Ridge, mine-section 15,200 N, at azimuth 090, dip -50. It was drilled from the same pad as the vertical hole BP07-131, thus its Martha intercept is further to the east.

## BP07-135

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	204.24	206.35	2.11	1.91	0.237	<b>117.3</b>	<b>131.5</b>
Unnamed	466.53	466.98	0.45	0.34	0.175	<b>344.1</b>	<b>354.6</b>
<b>Martha</b>	472.83	490.44	17.61	16.55	0.363	<b>355.9</b>	<b>377.7</b>
Includes	476.68	490.44	13.76	12.93	0.451	<b>430.5</b>	<b>457.6</b>
Includes	481.91	483.76	1.85	1.74	0.684	<b>1,033.6</b>	<b>1,074.6</b>
Includes	481.91	482.42	0.51	0.48	<b>1.108</b>	<b>2,419.0</b>	<b>2,485.5</b>

## BP07-136

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	324.07	331.04	6.97	4.93	0.134	48.1	56.2
Includes	324.07	325.87	1.80	1.27	0.347	93.8	<b>114.6</b>
Includes	324.07	324.89	0.82	0.58	0.445	<b>121.3</b>	<b>148.0</b>
Unnamed	407.47	411.06	3.59	3.11	0.322	<b>109.8</b>	<b>129.1</b>
Includes	407.47	409.18	1.71	1.48	0.463	<b>132.9</b>	<b>159.1</b>

Hole BP07-136 is located east of La Preciosa Ridge on mine section 15,100 N, 100 metres east of hole BP07-133. It is oriented azimuth 090, dip -50 degrees.

## BP07-137

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	455.25	460.06	4.81	4.35	0.069	35.1	39.3
Includes	455.64	459.61	3.97	3.60	0.065	36.7	40.6
Includes	457.78	458.05	0.27	0.24	0.039	<b>111.2</b>	<b>113.5</b>

Hole BP07-137 is located on the east side of La Preciosa Ridge, 100 metres east of hole BP06-65, on mine grid 14,800 N, azimuth 090, dip -50 degrees. The Martha structure is present, but does not meet current grade requirements.

## BP07-138

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	111.50	112.58	1.08	0.76	0.082	68.5	73.4
Unnamed	369.74	370.03	0.29	0.27	0.010	<b>484.9</b>	<b>485.5</b>
Unnamed	427.21	427.53	0.32	0.20	0.003	50.2	50.4
<b>Martha</b>	436.94	442.86	5.92	5.56	0.130	47.0	54.8
Includes	436.94	438.60	1.66	1.56	0.181	95.0	<b>105.9</b>
Includes	437.14	437.59	0.45	0.42	0.406	<b>248.7</b>	<b>273.1</b>
Unnamed	454.91	455.13	0.22	0.21	0.126	90.5	98.1

Hole BP07-138 is located on the east side of La Preciosa Ridge, azimuth 090°, dip -50°, 100 metres east of hole BP06-68, on mine-section 14,900 N.

## BP07-139

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	187.93	189.13	1.20	1.13	0.095	<b>277.9</b>	<b>283.6</b>
<b>Martha</b>	220.50	235.92	15.42	14.49	0.169	59.4	69.5
Includes	220.50	222.68	2.08	1.95	0.444	<b>146.6</b>	<b>173.2</b>
Includes	220.50	221.79	1.29	1.21	0.611	<b>215.0</b>	<b>251.6</b>

Hole BP07-139 is located north of La Preciosa Ridge on mine section 15,500 N, 100 metres east of hole BP07-128. It is oriented azimuth 090, dip -60 degrees.

## BP07-140

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	246.30	259.53	13.23	12.43	0.068	60.4	64.5
Includes	246.30	248.91	2.61	2.45	0.167	<b>107.5</b>	<b>117.5</b>
Includes	246.30	247.78	1.48	1.39	0.254	<b>157.1</b>	<b>172.4</b>

Hole BP07-140 is located north of La Preciosa Ridge on mine section 15,600 N, 100 metres east of hole BP07-124. It is oriented azimuth 090, dip -48 degrees.

## BP07-141

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Martha(total)	398.84	431.17	33.35	31.34	0.082	81.2	86.1
Marthita	398.84	403.01	4.17	3.92	0.040	<b>101.0</b>	<b>103.4</b>
Includes	399.54	401.26	1.72	1.62	0.042	<b>117.8</b>	<b>120.3</b>
Includes	402.71	403.01	0.30	0.28	0.030	<b>410.8</b>	<b>412.6</b>
<b>Martha</b>	426.38	432.19	5.81	5.46	0.349	<b>280.5</b>	<b>301.4</b>
Includes	429.40	432.19	2.79	2.62	0.554	<b>500.6</b>	<b>533.8</b>
Includes	429.40	431.17	1.77	1.66	0.745	<b>661.7</b>	<b>706.4</b>

Hole BP07-141 is located on the east side of La Preciosa Ridge, azimuth 090°, dip -50°, 100 metres east of hole BP07-135, on mine-section 15,000 N. The interval Martha(total) is from Marthita to Martha and all the sub-intervals. Martha(total) also grades 0.21 % Pb and 0.71 % Zn.

## BP07-142

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	231.17	237.10	5.93	5.57	0.059	37.6	41.2
Includes	233.75	235.07	1.32	1.24	0.146	95.6	<b>104.4</b>
Includes	233.99	234.25	0.26	0.24	0.320	<b>239.8</b>	<b>259.0</b>

Hole BP07-142 is located north of La Preciosa Ridge on mine section 15,800 N, 100 metres east of hole BP07-125A. It is oriented azimuth 090, dip -45 degrees.

### BP07-143

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	391.36	397.87	6.51	6.12	0.250	<b>134.8</b>	<b>149.8</b>
Includes	395.08	397.87	2.79	2.62	0.447	<b>290.9</b>	<b>317.7</b>
Includes	395.68	395.90	0.22	0.21	<b>1.035</b>	<b>982.4</b>	<b>1,044.5</b>

Hole BP07-143 is located on the east side of La Preciosa Ridge, azimuth 090°, dip -45°, 100 metres east of hole BP06-138, on mine-section 14,900 N. There are two internal intervals of “no recovery” entered as zero grade, thus the overall grade may be understated. Core recovery for the Martha zone was 78.6%.

### BP07-144

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha(total)</b>	327.56	357.49	29.93	28.03	0.080	82.6	87.4
<b>Marthita</b>	327.56	331.68	4.12	3.87	0.090	<b>172.2</b>	<b>177.5</b>
Includes	329.74	331.68	1.94	1.82	0.124	<b>317.7</b>	<b>325.2</b>
Includes	330.05	330.25	0.20	0.19	0.375	<b>1,006.5</b>	<b>1,029.0</b>
<b>Martha</b>	348.50	357.49	8.99	8.45	0.179	<b>147.2</b>	<b>158.0</b>
Includes	353.71	357.49	3.78	3.55	0.272	<b>207.9</b>	<b>224.2</b>
Includes	355.62	356.20	0.58	0.55	0.815	<b>531.2</b>	<b>580.1</b>

Hole BP07-144 is located on the east side of La Preciosa Ridge, azimuth 090°, dip -45°, 100 metres east of hole BP07-141, on mine-section 15,000 N. The interval Martha(total) is from Marthita to Martha and all the sub-intervals.



## BP07-147

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	186.61	200.82	14.14	13.92	0.230	77.4	91.2
Includes	186.61	195.00	8.32	8.19	0.355	<b>111.8</b>	<b>133.1</b>
Includes	186.61	192.32	5.71	5.62	0.507	<b>144.3</b>	<b>174.8</b>
Includes	186.61	188.78	2.17	2.14	<b>1.142</b>	<b>162.2</b>	<b>230.7</b>
Includes	187.04	187.63	0.59	0.58	<b>3.043</b>	<b>418.9</b>	<b>601.5</b>
Unnamed	318.10	318.60	0.50	0.43	0.624	<b>342.7</b>	<b>380.1</b>
Unnamed	319.95	320.58	0.63	0.55	0.250	<b>193.2</b>	<b>208.2</b>
Unnamed	340.04	344.10	4.06	3.82	0.416	<b>618.7</b>	<b>643.6</b>
Includes	340.31	343.90	3.59	3.37	0.459	<b>695.0</b>	<b>722.5</b>
Includes	343.11	343.90	0.79	0.74	0.959	<b>2,114.1</b>	<b>2,171.6</b>

Hole BP07-147 is located east of La Preciosa Ridge on mine section 15,400 N, 110 metres east of hole BP07-130, as well as 100 metres north of hole BP07-149. It is oriented azimuth 090, dip -45 degrees. A significant silver-gold rich Martha Vein is present, as well as a deeper silver-gold rich unnamed vein 140 metres further down the drill hole.

## BP07-148

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	233.25	243.70	10.45	9.82	0.256	<b>134.7</b>	<b>150.0</b>
Includes	233.25	242.21	8.96	8.42	0.272	<b>147.9</b>	<b>164.2</b>
Includes	237.10	238.79	1.69	1.59	0.315	<b>205.1</b>	<b>224.0</b>

Hole BP07-148 is located east of La Preciosa Ridge on mine section 15,200 N, 150 metres east of hole BP07-131, as well as 100 metres north of hole BP07-146. It is oriented azimuth 090, dip -45 degrees. A significant silver-rich Martha Vein is present, with stringer mineralization in hanging and foot walls.

## BP07-149

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	168.74	169.25	0.51	0.48	<b>1.440</b>	<b>214.2</b>	<b>300.6</b>
<b>Martha</b>	190.90	194.39	3.49	3.28	0.231	<b>176.9</b>	<b>190.7</b>
Includes	190.90	192.66	1.76	1.65	0.436	<b>270.2</b>	<b>296.4</b>
Includes	191.10	191.30	0.20	0.19	<b>3.095</b>	<b>1,050.4</b>	<b>1,236.1</b>
Unnamed	315.80	316.88	1.08	0.94	0.384	<b>513.9</b>	<b>537.0</b>

Hole BP07-149 is located east of La Preciosa Ridge on mine section 15,300 N, 116 metres east of hole BP07-132, as well as 100 metres north of hole BP07-148. It is oriented azimuth 090, dip -45 degrees.

## BP07-150A

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	316.38	323.28	6.90	5.98	0.181	<b>119.5</b>	<b>130.4</b>
Includes	317.19	322.16	4.97	4.30	0.233	<b>148.5</b>	<b>162.5</b>
Includes	318.98	319.34	0.36	0.31	0.425	<b>732.8</b>	<b>759.9</b>
Unnamed	361.48	363.14	1.66	1.63	0.072	<b>164.3</b>	<b>168.6</b>
Includes	362.08	363.14	1.06	1.04	0.063	<b>241.3</b>	<b>245.1</b>
Includes	362.34	362.54	0.20	0.20	0.079	<b>439.4</b>	<b>444.1</b>

Hole BP07-150A is located east of La Preciosa Ridge on mine section 14,800 N, 100 metres south of hole BP07-143. It is oriented azimuth 090, dip -60 degrees. Martha vein is a strong structure in andesite. The lower vein is hosted in schist and has higher base metals.

## BP07-151

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Luz Elena</b>	58.22	62.18	3.96	3.72	0.151	73.0	82.1
Includes	58.22	59.33	1.11	1.04	0.072	92.9	97.2
Includes	59.13	59.33	0.20	0.19	0.126	<b>161.8</b>	<b>169.4</b>
Unnamed	87.05	87.68	0.63	0.45	0.094	<b>139.9</b>	<b>145.6</b>
<b>Unnamed</b>	170.57	177.06	6.49	6.10	0.057	<b>145.4</b>	<b>148.8</b>
Includes	170.57	173.84	3.27	3.07	0.073	<b>250.3</b>	<b>254.7</b>
Includes	171.97	172.17	0.20	0.19	0.131	<b>629.7</b>	<b>637.6</b>
Unnamed	313.99	315.06	1.07	0.93	0.187	<b>138.3</b>	<b>149.5</b>
Includes	314.39	314.65	0.26	0.23	0.025	<b>351.4</b>	<b>352.9</b>
<b>Martha</b>	442.48	444.53	2.05	1.93	0.157	47.3	56.7
Includes	442.79	443.56	0.77	0.72	0.282	<b>115.1</b>	<b>132.0</b>
Includes	442.79	443.04	0.25	0.23	0.602	<b>213.4</b>	<b>249.5</b>
Unnamed	482.13	483.49	1.36	1.28	0.240	<b>156.2</b>	<b>170.6</b>
Includes	482.63	482.95	0.32	0.30	0.758	<b>600.3</b>	<b>645.8</b>

Hole BP07-151 is located east of La Preciosa Ridge on mine section 14,900 N, drilled from the same pad as BP06-70ext and BP07-153. It is oriented azimuth 090, dip -75 degrees. Martha vein is a weak structure in conglomerates. Base metal values are higher in the lower portion of the hole.

## BP07-152

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	90.75	91.74	0.99	0.93	0.069	<b>207.1</b>	<b>211.3</b>
<b>Martha</b>	392.28	405.94	13.66	13.45	0.065	41.7	45.7
Includes	392.28	398.29	6.01	5.92	0.104	69.8	76.0
Includes	397.50	397.84	0.34	0.33	0.386	<b>576.5</b>	<b>599.7</b>

Hole BP07-152 is located east of La Preciosa Ridge on mine section 14,800 N, 100 metres east of BP07-154. It is oriented azimuth 000, dip -90 degrees. Martha is a vein and veinlets structure in conglomerate. Base metals and precious metals are elevated in Martha, but of low grade.

BP07-153

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Luz Elena</b>	60.90	61.13	0.23	0.20	0.222	<b>487.3</b>	<b>500.6</b>
Unnamed	122.64	122.89	0.25	0.18	0.010	<b>438.0</b>	<b>438.6</b>
Unnamed	155.13	155.67	0.54	0.47	0.094	<b>135.2</b>	<b>140.9</b>
Unnamed	158.55	159.47	0.92	0.86	0.112	<b>330.8</b>	<b>337.5</b>
Includes	159.25	159.47	0.22	0.21	0.198	<b>569.0</b>	<b>580.9</b>
Unnamed	162.81	163.25	0.44	0.43	0.019	<b>147.6</b>	<b>148.8</b>
Unnamed	175.89	176.68	0.79	0.68	0.166	<b>139.1</b>	<b>149.0</b>
Unnamed	196.49	197.15	0.66	0.62	0.132	92.7	<b>100.6</b>
Unnamed	251.71	253.64	1.93	1.81	0.030	70.5	72.3
Includes	252.40	252.62	0.22	0.21	0.030	<b>144.6</b>	<b>146.4</b>
Unnamed	416.83	417.04	0.21	0.18	0.065	<b>900.9</b>	<b>904.8</b>
<b>Martha</b>	496.33	502.17	5.84	5.49	0.071	27.7	32.0
Includes	496.33	497.34	1.01	0.95	0.295	<b>117.4</b>	<b>135.1</b>
Includes	501.95	502.17	0.22	0.21	0.055	80.3	83.6

Hole BP07-153 is located east of La Preciosa Ridge on mine section 14,900 N, oriented azimuth 090, dip -60 degrees, collared on the same pad as BP07-151. Martha vein is a quartz-sulphides veinlets structure along the conglomerate/schist contact area, with elevated zinc and lead.

## BP07-154

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	152.51	159.02	6.51	6.41	0.401	<b>191.3</b>	<b>215.4</b>
Includes	154.02	157.15	3.13	3.08	0.765	<b>310.6</b>	<b>356.5</b>
Includes	155.95	156.42	0.47	0.46	<b>4.460</b>	<b>707.2</b>	<b>974.8</b>
Unnamed	182.79	183.50	0.71	0.67	0.047	<b>420.0</b>	<b>422.9</b>
<b>Martha</b>	444.88	453.96	9.08	8.94	0.144	33.8	42.5
Includes	452.38	453.96	1.58	1.56	0.101	91.4	97.5
Includes	453.27	453.58	0.31	0.31	0.175	<b>283.8</b>	<b>294.3</b>

Hole BP07-154 is located east of La Preciosa Ridge on mine section 14,800 N, 100 metres east of BP06-67ext. It is oriented azimuth 000, dip -90 degrees. An unnamed vein is flat-lying and is hosted in andesite. Martha is a vein and veinlets structure near the conglomerate/schist contact. Base metals are elevated in Martha at Zn 0.72 % and Pb 0.37 %.

## BP07-155

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	314.63	318.69	4.06	4.00	0.148	51.3	60.2
Includes	315.40	317.04	1.64	1.62	0.162	89.4	99.1
Includes	315.40	315.66	0.26	0.26	0.242	<b>321.6</b>	<b>336.1</b>

Hole BP07-155 is located east of La Preciosa Ridge on mine section 14,800 N, 100 metres south of hole BP07-143. It is oriented azimuth 090, dip -70 degrees. Martha vein is a vein and stockwork structure in andesite at the conglomerate contact. The base metals zinc and lead are elevated.

## BP07-156

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	300.28	301.74	1.46	1.26	0.025	<b>463.5</b>	<b>465.0</b>
<b>Martha</b>	398.07	403.85	5.78	5.43	0.294	<b>169.7</b>	<b>187.4</b>
Includes	398.07	402.22	4.15	3.90	0.368	<b>225.3</b>	<b>247.3</b>
Includes	401.37	401.57	0.20	0.19	0.885	<b>1,554.7</b>	<b>1,607.8</b>

Hole BP07-156 is located east of La Preciosa Ridge on mine section 15,000 N, oriented azimuth 090, dip -70 degrees, collared on the same pad as BP07-141. Martha vein is hosted in the schist unit with Pb 0.71% and Zn 1.55%.

## BP07-157

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	344.66	348.02	3.36	3.16	0.159	<b>113.6</b>	<b>123.2</b>
Includes	344.66	346.82	2.16	2.03	0.192	<b>152.5</b>	<b>164.0</b>
Includes	345.64	346.24	0.60	0.56	0.206	<b>304.8</b>	<b>317.2</b>

Hole BP07-157 is located east of La Preciosa Ridge on mine section 15,000 N, oriented azimuth 090, dip -45 degrees, collared 100 metres east of hole BP07-144. Martha vein is hosted in andesite near the conglomerate contact and has elevated zinc values.

## BP07-158

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	333.10	342.71	9.61	9.03	0.586	<b>209.5</b>	<b>244.7</b>
Includes	333.10	337.02	3.92	3.68	0.911	<b>358.7</b>	<b>413.3</b>
Includes	335.10	335.60	0.50	0.47	<b>3.035</b>	<b>1,049.4</b>	<b>1,231.5</b>
Unnamed	350.57	351.17	0.60	0.56	0.671	<b>333.0</b>	<b>373.2</b>

Hole BP07-158 is located east of La Preciosa Ridge on mine section 14,900 N, oriented azimuth 090, dip -45 degrees, 100 metres east of hole BP07-143. Martha vein is a strong structure in conglomerate.

## BP07-159

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	307.41	308.81	1.40	1.21	0.488	<b>205.7</b>	<b>235.0</b>
Includes	307.41	307.63	0.22	0.19	<b>1.442</b>	<b>714.4</b>	<b>800.9</b>
Unnamed	320.47	323.39	2.92	2.52	0.285	78.8	95.9
Includes	320.47	320.81	0.34	0.29	<b>1.516</b>	<b>236.9</b>	<b>327.9</b>
Unnamed	329.71	330.61	0.90	0.78	0.367	<b>206.5</b>	<b>228.5</b>
Includes	329.71	329.94	0.23	0.20	0.675	<b>356.3</b>	<b>396.8</b>
Unnamed	335.18	336.97	1.79	1.55	0.656	<b>106.0</b>	<b>145.5</b>
Includes	336.55	336.97	0.42	0.36	0.970	<b>196.4</b>	<b>254.6</b>

Hole BP07-159 is located east of La Preciosa Ridge on mine section 15,000 N, oriented azimuth 000, dip -90 degrees. Multiple veinlets are present in andesite and conglomerate, with elevated base metals at depth.

## BP07-160

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	134.38	135.13	0.75	0.72	0.106	<b>259.6</b>	<b>266.0</b>
Includes	134.38	134.73	0.35	0.34	0.205	<b>491.8</b>	<b>504.1</b>
Unnamed	335.78	335.98	0.20	0.18	0.130	<b>424.6</b>	<b>432.4</b>
<b>Martha</b>	360.65	361.31	0.66	0.62	0.220	<b>543.8</b>	<b>556.9</b>
Includes	360.90	361.11	0.21	0.20	0.353	<b>1,396.3</b>	<b>1,417.5</b>

Hole BP07-160 is located east of La Preciosa Ridge on mine section 14,800 N, oriented azimuth 090, dip -75 degrees, from the same pad as BP07-152. The Martha vein is a narrow structure near the andesite to conglomerate contact.

BP07-161

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Abundancia</b>	43.20	50.95	7.75	5.48	0.094	<b>109.6</b>	<b>115.2</b>
Includes	49.99	50.95	0.96	0.68	0.235	<b>270.1</b>	<b>284.1</b>
Includes	43.43	43.89	0.46	0.33	0.250	<b>804.0</b>	<b>819.0</b>
<b>Luz Elena</b>	225.62	233.15	7.53	6.52	0.117	<b>180.8</b>	<b>187.8</b>
Includes	225.62	228.62	3.00	2.60	0.222	<b>412.5</b>	<b>425.8</b>
Includes	226.56	226.77	0.21	0.18	0.575	<b>714.0</b>	<b>748.5</b>
Unnamed	250.14	252.01	1.87	1.62	0.062	<b>106.1</b>	<b>109.8</b>
Includes	251.78	252.01	0.23	0.20	0.265	<b>452.5</b>	<b>468.4</b>
<b>Martha</b>	374.80	378.25	3.45	3.24	0.375	<b>122.9</b>	<b>145.4</b>
Includes	374.80	377.51	2.71	2.55	0.423	<b>147.0</b>	<b>172.3</b>
Includes	376.88	377.08	0.20	0.19	<b>1.700</b>	<b>523.7</b>	<b>625.7</b>

Hole BP07-161 is located on La Preciosa Ridge on mine section 15,200 N, oriented azimuth 000, dip -90 degrees, to intercept Martha Vein 100 metres west of BP06-60ext. The Abundancia Vein is greatly leached in this hole and is hosted in andesite. Luz Elena Vein is hosted in andesite and Martha vein is hosted in conglomerate.

## BP07-162

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Luz Elena</b>	51.71	54.25	2.54	2.38	0.064	54.8	58.6
Includes	53.75	53.95	0.20	0.19	0.085	<b>143.9</b>	<b>149.0</b>
Unnamed	112.44	113.56	1.12	1.05	0.029	<b>323.4</b>	<b>325.1</b>
Unnamed	184.20	185.22	1.02	0.96	0.041	79.2	81.6
Unnamed	349.38	350.63	1.25	1.17	0.172	<b>248.1</b>	<b>258.4</b>
Includes	349.74	349.94	0.20	0.19	0.324	<b>1,085.2</b>	<b>1,104.6</b>
Unnamed	373.65	376.26	2.61	2.52	0.168	65.4	75.7
Includes	373.86	374.29	0.43	0.42	0.105	<b>112.9</b>	<b>119.2</b>
<b>Martha</b>	381.97	405.87	23.90	23.54	0.223	41.7	55.1
Includes	396.00	399.42	3.42	3.37	0.471	<b>103.3</b>	<b>131.5</b>
Includes	405.64	405.87	0.23	0.23	0.501	<b>510.1</b>	<b>540.2</b>

Hole BP07-162 is located east of La Preciosa Ridge on mine section 15,000 N, between holes BP07-166 and BP07-159. It is oriented azimuth 000, dip -90 degrees. Martha vein is in the conglomerate close to the conglomerate to schist contact. The base metals zinc and lead are elevated in the Martha vein.

## BP07-163

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	314.26	315.00	0.74	0.64	0.158	<b>119.8</b>	<b>129.3</b>
<b>Martha</b>	316.60	319.13	2.53	2.29	0.182	87.6	98.5
Includes	317.47	317.92	0.45	0.41	0.570	<b>295.2</b>	<b>329.4</b>
Unnamed	328.83	329.40	0.57	0.47	0.624	<b>126.3</b>	<b>163.7</b>
Unnamed	338.11	339.23	1.12	0.79	0.146	<b>117.6</b>	<b>126.4</b>

Hole BP07-163 is located east of La Preciosa Ridge on mine section 15,100 N, between holes BP07-146 and BP08-178. It is oriented azimuth 090, dip -45 degrees. Martha vein is along the conglomerate to andesite contact.

## BP07-164

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	318.91	323.11	4.20	3.81	0.197	94.9	<b>106.7</b>
Includes	320.47	323.11	2.64	2.39	0.269	<b>134.8</b>	<b>150.9</b>
Includes	320.87	322.23	1.36	1.23	0.408	<b>204.8</b>	<b>229.3</b>
Includes	321.78	322.03	0.25	0.23	0.639	<b>612.0</b>	<b>650.3</b>
Unnamed	348.12	348.89	0.77	0.76	0.146	<b>191.2</b>	<b>199.9</b>
Unnamed	360.41	361.49	1.08	0.76	0.035	<b>109.6</b>	<b>111.7</b>

Hole BP07-164 is located east of La Preciosa Ridge on mine section 14,900 N, between holes BP06-158 and BP08-181. It is oriented azimuth 090, dip -45 degrees. Martha vein is in the conglomerate close to the conglomerate to andesite contact. The base metals zinc and lead are elevated in the Martha vein.

## BP07-165

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	259.27	260.02	0.75	0.61	<b>1.290</b>	67.3	<b>144.7</b>
<b>Martha</b>	265.51	277.70	12.19	10.56	0.217	<b>122.6</b>	<b>135.6</b>
Includes	265.51	272.58	7.07	6.12	0.323	<b>153.7</b>	<b>173.1</b>
Includes	269.94	270.36	0.42	0.36	0.335	<b>450.0</b>	<b>470.1</b>

Hole BP07-165 is located east of La Preciosa Ridge on mine section 15,200 N, between holes BP07-148 and BP08-177. It is oriented azimuth 090, dip -45 degrees. Martha vein is at the andesite - conglomerate contact.

## BP07-166

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Luz Elena</b>	142.92	148.64	5.72	4.04	0.241	59.0	73.4
Includes	142.92	143.12	0.20	0.17	<b>2.402</b>	<b>422.5</b>	<b>566.6</b>
Unnamed	246.28	246.96	0.68	0.63	0.125	<b>154.3</b>	<b>161.8</b>
<b>Martha</b>	429.57	440.40	10.87	10.21	0.176	7.5	18.0

Hole BP07-166 is located east of La Preciosa Ridge on mine section 15,000 N, 100 metres west of BP07-162. It is oriented azimuth 000, dip -90 degrees. Martha vein is in the conglomerate. Zinc, lead and gold are elevated in the Martha vein, but silver values are lean.

## BP07-167

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	336.06	361.52	25.46	23.92	0.076	85.8	90.4
Includes	343.60	361.52	17.92	16.84	0.105	<b>108.2</b>	<b>114.5</b>
Includes	343.60	346.62	3.02	2.84	0.325	<b>295.5</b>	<b>315.0</b>
Includes	351.60	352.11	0.51	0.48	0.107	<b>1,026.9</b>	<b>1,033.4</b>

Hole BP07-167 is located east of La Preciosa Ridge on mine section 14,800 N. It is oriented azimuth 090, dip -45 degrees, approximately 100 metres east of hole BP06-150A. Martha vein is a strong structure along the andesite and conglomerate contact, with zinc values elevated in the central part of the intercept.

BP07-168

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	171.86	172.26	0.40	0.38	0.041	<b>487.7</b>	<b>490.1</b>
Unnamed	214.08	214.83	0.75	0.72	0.137	<b>153.8</b>	<b>162.0</b>
Unnamed	264.17	265.36	1.19	1.03	0.052	99.6	<b>102.7</b>
<b>Martha</b>	272.62	301.61	28.99	28.00	0.295	<b>116.2</b>	<b>133.9</b>
Includes	274.56	285.08	10.52	10.16	0.512	<b>137.2</b>	<b>167.9</b>
Includes	274.56	279.89	5.33	5.15	0.801	<b>208.9</b>	<b>257.0</b>
Includes	294.64	295.74	1.10	1.06	0.748	<b>1,049.8</b>	<b>1,094.7</b>
Unnamed	316.03	317.08	1.05	0.53	0.142	<b>106.5</b>	<b>115.0</b>
Unnamed	318.32	319.27	0.95	0.73	0.368	98.3	<b>121.3</b>
Unnamed	321.01	321.29	0.28	0.21	0.803	<b>472.1</b>	<b>520.3</b>
Unnamed	352.44	353.99	1.55	1.46	0.269	91.2	<b>107.3</b>
Unnamed	381.87	382.32	0.45	0.39	0.197	<b>132.6</b>	<b>144.4</b>

Hole BP07-168 is located east of La Preciosa Ridge on mine section 15,300 N, with a Martha intercept 100 metres west of hole BP08-169 and south of hole BP06-77. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure in andesite and conglomerate as veins and stockworks.

## BP07-169

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	219.19	219.82	0.63	0.59	<b>1.489</b>	<b>513.9</b>	<b>603.2</b>
Unnamed	226.70	228.14	1.44	1.35	<b>1.363</b>	<b>242.1</b>	<b>323.9</b>
<b>Martha</b>	249.94	276.43	26.49	25.59	0.306	<b>204.0</b>	<b>222.3</b>
Includes	251.16	263.95	12.79	12.35	0.342	<b>343.3</b>	<b>363.7</b>
Includes	262.30	262.87	0.57	0.55	<b>1.846</b>	<b>1,748.3</b>	<b>1,859.1</b>

Hole BP07-169 is located east of La Preciosa Ridge on mine section 14,800 N, with a Martha intercept 100 metres south of hole BP06-75ext. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure in andesite near the conglomerate contact.

## BP08-170

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	167.93	171.27	3.34	3.03	0.164	70.5	80.4
Includes	168.55	169.01	0.46	0.42	0.255	<b>143.3</b>	<b>158.6</b>
<b>Martha</b>	174.24	183.17	9.43	8.86	0.566	97.8	<b>131.8</b>
Includes	175.74	179.26	3.52	3.31	0.596	<b>131.1</b>	<b>166.9</b>
Includes	178.76	179.26	0.50	0.47	<b>1.015</b>	<b>169.8</b>	<b>230.7</b>
Unnamed	303.93	304.93	1.00	0.94	0.643	<b>226.5</b>	<b>259.1</b>
Includes	304.53	304.73	0.20	0.19	<b>1.226</b>	<b>606.6</b>	<b>680.2</b>

Hole BP07-170 is located east of La Preciosa Ridge on mine section 15,300 N, 116 metres east of hole BP07-132, on the same drill pad as hole BP07-149. It is oriented azimuth 090, dip -75 degrees. The lowest intercept is also high in base metals at Pb = 1.47 % and Zn = 15.23 %.

## BP08-171

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)	Pb (%)	Zn (%)	Cu (%)
<b>Martha</b>	216.31	216.51	0.20	0.14	0.025	<b>164.9</b>	<b>166.4</b>	0.02	0.11	0.01

Hole BP08-171 is located east of La Preciosa Ridge on mine section 15,300 N, between holes BP07-149 and BP08-176. It is oriented azimuth 090, dip -45 degrees. Veinlets occur, but there is no consistent vein in this hole.

## BP08-172

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	348.05	353.65	5.60	4.85	0.214	<b>151.3</b>	<b>164.2</b>
Includes	349.15	351.50	2.35	2.04	0.264	<b>266.4</b>	<b>282.3</b>
Includes	349.35	349.57	0.22	0.19	0.568	<b>645.2</b>	<b>679.3</b>
Unnamed	376.71	379.09	2.38	2.06	0.328	74.8	94.5
Unnamed	387.13	394.66	7.53	6.52	<b>1.478</b>	89.4	<b>178.1</b>
Includes	388.77	393.76	4.99	4.32	<b>2.113</b>	<b>109.0</b>	<b>235.8</b>
Includes	389.60	390.28	0.68	0.59	<b>11.950</b>	<b>313.3</b>	<b>1,030.3</b>

Hole BP08-172 is located on La Preciosa Ridge on mine section 15,100 N, between holes BP06-71ext and BP08-180. It is oriented azimuth 090, dip -60 degrees. Martha vein is a structure within the andesite and the lower structure is in the conglomerate.

## BP08-173

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)	Pb (%)	Zn (%)	Cu (%)
Unnamed	205.52	205.74	0.22	0.21	0.373	98.3	<b>120.7</b>	0.07	0.07	0.01
Unnamed	252.36	252.60	0.24	0.21	0.003	<b>477.8</b>	<b>478.0</b>	0.01	0.02	0.01

Hole BP08-173 is located east of La Preciosa Ridge on mine section 15,400 N, between BP07-147 and BP08-174. It is oriented azimuth 090, dip -50 degrees. Only stringer vein mineralization was encountered.

## BP08-174

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	148.71	150.14	1.43	1.24	0.033	59.4	61.4
Includes	148.71	149.16	0.45	0.39	0.010	<b>114.3</b>	<b>114.9</b>
Unnamed	205.44	206.19	0.75	0.38	0.420	<b>625.3</b>	<b>650.5</b>

Hole BP08-174 is located east of La Preciosa Ridge on mine section 15,400 N, between BP08-173 and BP08-207. It is oriented azimuth 090, dip -45 degrees. Only stringer vein mineralization was encountered.

## BP08-175

Hole BP08-175 is located east of La Preciosa ridge on mine section 15,400 N, between holes BP08-174 and BP08-204. It is oriented 090, dip -45 degrees and was abandoned due to difficult ground conditions at the base of the basalt at a depth of 89 metres. Hole BP08-207, drilled from the pad of BP08-204 but at a steeper angle, replaces hole BP08-175.

## BP08-176

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	175.69	176.48	0.79	0.74	<b>1.501</b>	<b>163.2</b>	<b>253.3</b>

Hole BP08-176 is located east of La Preciosa Ridge on mine section 15,300 N, between holes BP07-171 and BP08-186. It is oriented azimuth 090, dip -45 degrees. Veinlets occur, but there is no consistent vein in this hole.

## BP08-177

Hole BP08-177 is located east of La Preciosa Ridge on mine section 15,200 N, between holes BP07-165 and BP08-185. It is oriented azimuth 090, dip -45 degrees. There is no appreciable mineralization in this hole.

## BP08-178

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	315.52	318.16	2.64	2.02	0.049	<b>143.3</b>	<b>146.3</b>
Includes	316.66	318.16	1.50	1.15	0.066	<b>235.7</b>	<b>239.6</b>
Includes	316.99	317.25	0.26	0.20	0.155	<b>729.5</b>	<b>738.8</b>

Hole BP08-178 is located east of La Preciosa Ridge on mine section 15,100 N, between holes BP07-163 and BP08-182. It is oriented azimuth 090, dip -45 degrees. Martha vein is a stockwork zone hosted in conglomerate.

## BP08-179

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	274.27	292.55	18.08	17.80	0.082	82.3	87.2
Includes	282.73	292.00	9.27	9.13	0.124	99.6	<b>107.0</b>
Includes	285.90	290.26	4.36	4.29	0.185	<b>146.6</b>	<b>157.7</b>
Includes	287.67	289.70	2.03	2.00	0.198	<b>204.3</b>	<b>216.1</b>
Unnamed	295.90	297.26	1.36	1.11	0.049	<b>226.9</b>	<b>229.9</b>

Hole BP08-179 is located east of La Preciosa Ridge on mine section 14,800 N. It is oriented azimuth 090, dip -60 degrees, between holes BP08-187 and BP07-188. Martha vein is a broad structure in andesite.

## BP07-180

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Luz Elena</b>	107.98	109.29	1.31	1.29	0.116	73.0	80.0
Unnamed	203.01	203.91	0.90	0.89	0.748	<b>362.1</b>	<b>407.0</b>
<b>Martha</b>	322.85	333.24	10.39	10.23	0.360	<b>157.1</b>	<b>178.8</b>
Includes	328.61	330.88	2.27	2.24	0.447	<b>245.8</b>	<b>272.6</b>
Includes	329.62	329.86	0.24	0.24	0.994	<b>589.3</b>	<b>648.9</b>

Hole BP07-180 is located on La Preciosa Ridge on mine section 15,100 N, between holes BP06-74ext and BP08-172. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure along the andesite conglomerate contact. Base metal values for zinc and lead are elevated.

## BP07-181

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	268.34	275.84	7.50	6.80	0.251	<b>551.5</b>	<b>566.6</b>
Includes	268.34	269.44	1.10	1.00	0.170	<b>2,849.4</b>	<b>2,859.6</b>
Unnamed	282.90	284.10	1.20	1.13	0.036	<b>162.1</b>	<b>164.2</b>
Unnamed	290.40	291.63	1.23	1.16	0.164	<b>157.2</b>	<b>167.0</b>

Hole BP07-181 is located east of La Preciosa Ridge on mine section 14,900 N, between holes BP06-164 and BP08-189. It is oriented azimuth 090, dip -45 degrees. Martha vein is a strong structure along the andesite conglomerate contact.

## BP08-182

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	235.43	238.95	3.52	3.47	0.206	<b>138.4</b>	<b>150.7</b>
Includes	236.18	238.43	2.25	2.22	0.219	<b>182.3</b>	<b>195.5</b>
Includes	237.55	237.83	0.28	0.28	0.363	<b>314.9</b>	<b>336.7</b>

Hole BP08-182 is located east of La Preciosa Ridge on mine section 15,100 N, between holes BP08-178 and BP08-191. It is oriented azimuth 090, dip -45 degrees. Martha vein is a strong structure along the andesite conglomerate contact.

## BP08-183

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	318.82	327.71	8.89	7.70	<b>1,845</b>	<b>241.5</b>	<b>352.2</b>
Includes	320.30	324.83	4.53	3.92	<b>3,345</b>	<b>372.6</b>	<b>573.3</b>
Includes	323.09	323.45	0.36	0.31	<b>33,918</b>	<b>2,112.4</b>	<b>4,147.5</b>

Hole BP08-183 is located east of La Preciosa Ridge on mine section 15,000 N, between holes BP08-157 and BP08-184. It is oriented azimuth 090, dip -45 degrees. Martha vein is a strong structure along the andesite conglomerate contact. The base metals zinc and lead are elevated in the Martha vein.

## BP08-184

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	268.90	273.76	4.86	4.21	0.658	<b>143.6</b>	<b>183.1</b>
Includes	272.05	273.76	1.71	1.48	<b>1.334</b>	<b>334.7</b>	<b>414.7</b>

Hole BP08-184 is located east of La Preciosa Ridge on mine section 15,000 N, between holes BP08-183 and BP08-190. It is oriented azimuth 090, dip -45 degrees. Martha vein is a strong structure along the andesite conglomerate contact.

## BP08-185

Hole BP08-185 is located east of La Preciosa Ridge on mine section 15,200 N, between holes BP08-177 and BP08-206. It is oriented azimuth 090, dip -45 degrees. There is no appreciable mineralization in this hole.

## BP08-186

Hole BP08-186 is located east of La Preciosa Ridge on mine section 15,300 N, between holes BP08-176 and BP08-205. It is oriented azimuth 090, dip -45 degrees. There is no appreciable mineralization in this hole.

## BP08-187

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	275.99	279.04	3.05	2.95	0.017	<b>100.5</b>	<b>101.6</b>
<b>Martha</b>	281.60	291.87	10.27	9.92	0.188	<b>176.5</b>	<b>187.8</b>
Includes	285.04	289.15	4.11	3.97	0.339	<b>378.3</b>	<b>398.6</b>
Includes	288.00	288.24	0.24	0.23	0.507	<b>1,177.2</b>	<b>1,207.6</b>

Hole BP08-187 is located east of La Preciosa Ridge on mine section 14,800 N. It is oriented azimuth 090, dip -60 degrees, from the same drill pad as hole BP07-167 and 100 metres east of BP07-150A. Martha vein is a structure mainly in conglomerate near the andesite contact. It is also enriched in base metals at Zn 1.21 % and Pb 0.42 %.

## BP08-188

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	223.72	230.37	6.65	6.42	<b>1.007</b>	<b>187.6</b>	<b>248.0</b>
Includes	229.40	229.82	0.42	0.41	<b>13.017</b>	<b>452.1</b>	<b>1,233.1</b>

Hole BP08-188 is located east of La Preciosa Ridge on mine section 14,800 N. It is oriented azimuth 090, dip -50 degrees, between holes BP08-179 and BP08-192. Martha vein is a structure mainly in andesite near the conglomerate contact.

## BP08-189

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	214.58	217.63	3.05	2.87	0.067	84.7	88.7
Includes	214.58	215.81	1.23	1.16	0.085	<b>136.4</b>	<b>141.5</b>
<b>Martha</b>	224.05	234.13	10.08	9.47	<b>1.369</b>	<b>323.3</b>	<b>405.4</b>
Includes	224.05	229.14	5.09	4.78	<b>2.361</b>	<b>461.4</b>	<b>603.1</b>
Includes	224.67	225.49	0.82	0.77	<b>8.315</b>	<b>1,296.4</b>	<b>1,795.3</b>
Unnamed	255.66	260.14	4.48	3.17	0.313	<b>260.9</b>	<b>279.7</b>
Includes	256.70	259.71	3.01	2.13	0.399	<b>369.1</b>	<b>393.1</b>
Includes	257.38	258.74	1.36	0.96	0.542	<b>458.5</b>	<b>491.0</b>

Hole BP08-189 is located east of La Preciosa Ridge on mine section 14,900 N, 100 metres east of hole BP08-181. It is oriented azimuth 090, dip -45 degrees. Martha vein is a strong structure in the conglomerate.

## BP08-190

Hole BP08-190 is located east of La Preciosa Ridge on mine section 15,000 N, 100 metres east of BP08-184. It is oriented azimuth 090, dip -45 degrees. There is no appreciable mineralization in this hole.

BP08-191

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	179.29	182.69	3.40	3.19	0.150	94.0	<b>103.0</b>
Includes	179.29	181.88	1.64	1.54	0.161	<b>111.5</b>	<b>121.2</b>

Hole BP08-191 is located east of La Preciosa Ridge on mine section 15,100 N, 100 metres east of hole BP08-182. It is oriented azimuth 090, dip -45 degrees. Martha vein is a structure along the andesite / conglomerate contact.

BP08-192

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	191.34	194.35	3.01	2.98	0.435	<b>556.3</b>	<b>583.4</b>
Includes	191.34	192.54	1.20	1.19	0.752	<b>970.3</b>	<b>1,015.4</b>
Includes	191.62	192.54	0.92	0.91	0.668	<b>1,115.0</b>	<b>1,155.1</b>

Hole BP08-192 is located east of La Preciosa Ridge on mine section 14,800 N. It is oriented azimuth 090, dip -50 degrees, 100 metres east of holes BP08-188. Martha vein is a structure along the andesite / conglomerate contact.

BP08-193

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	170.95	177.47	6.46	5.59	0.079	<b>114.4</b>	<b>119.2</b>
Includes	171.63	172.98	1.35	1.17	0.227	<b>191.2</b>	<b>204.8</b>
Includes	171.63	172.15	0.52	0.45	0.280	<b>258.7</b>	<b>275.5</b>

Hole BP08-193 is located east of La Preciosa Ridge on mine section 15,500 N. It is oriented azimuth 090, dip -55 degrees, between holes BP08-139 and BP08-194. Martha vein is a structure in andesite near the conglomerate contact.

## BP08-194

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	135.54	136.19	0.65	0.50	0.120	<b>223.9</b>	<b>231.1</b>
<b>Martha</b>	156.93	160.95	4.02	3.64	0.044	48.6	51.2
Includes	156.93	157.33	0.40	0.36	0.145	<b>267.0</b>	<b>275.7</b>

Hole BP08-194 is located east of La Preciosa Ridge on mine section 15,500 N. It is oriented azimuth 090, dip -55 degrees, between holes BP08-193 and BP08-198. Martha vein is a weak structure in conglomerate near the andesite contact.

## BP08-195

Hole BP08-195 is located east of La Preciosa Ridge on mine section 15,600 N, between holes BC06-01 and BP08-199. It is oriented azimuth 090, dip -60 degrees. There is no appreciable mineralization in this hole. A stringer zone exists between 131 and 139 metres representing the position of the Martha structure.

## BP08-196

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	168.17	169.48	1.31	1.19	0.085	12.9	18.0
Unnamed	172.52	172.79	0.27	0.24	0.135	72.6	80.7

Hole BP08-196 is located east of La Preciosa Ridge on mine section 15,700 N, between holes BP07-145 and BP08-200. It is oriented azimuth 090, dip -55 degrees. There is no appreciable mineralization in this hole. A weak stringer zone exists between 168 and 173 metres.

## BP08-197

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	148.60	148.80	0.20	0.20	0.405	<b>149.8</b>	<b>174.1</b>

Hole BP08-197 is located east of La Preciosa Ridge on mine section 15,800 N, between holes BP07-142 and BP08-201. It is oriented azimuth 090, dip -65 degrees. There is no appreciable mineralization in this hole, only weak stringer zones.

## BP08-198

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	120.76	122.89	2.13	1.84	0.013	66.3	67.1
Includes	120.76	121.83	1.07	0.92	0.015	<b>122.2</b>	<b>123.1</b>
Unnamed	194.58	195.17	0.59	0.55	0.136	<b>185.5</b>	<b>193.7</b>

Hole BP08-198 is located east of La Preciosa Ridge on mine section 15,500 N. It is oriented azimuth 090, dip -50 degrees, between holes BP08-194 and BP08-203. Martha vein is a weak structure in andesite near the conglomerate contact.

## BP08-199

Hole BP08-199 is located east of La Preciosa Ridge on mine section 15,600 N. It is oriented azimuth 090, dip -50 degrees, between holes BP08-195 and BP08-202. There are no significant mineralized intercepts.

## BP08-200

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	131.28	135.04	3.76	3.53	0.147	42.8	51.7
Includes	131.28	131.88	0.60	0.56	0.390	<b>135.4</b>	<b>158.8</b>

Hole BP08-200 is located east of La Preciosa Ridge on mine section 15,700 N, 100 metres east of hole BP08-196. It is oriented azimuth 090, dip -45 degrees. There is a broad zone of low grade base metal mineralization in conglomerate from 125.19 to 147.52 metres, which includes the Martha vein with Pb 0.66 % and Zn 0.33 %.

## BP08-201

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	131.79	134.53	2.74	2.70	0.168	<b>104.0</b>	<b>114.1</b>
Includes	133.70	134.53	0.83	0.82	0.302	<b>225.7</b>	<b>243.8</b>

Hole BP08-201 is located east of La Preciosa Ridge on mine section 15,800 N, 100 metres east of hole BP08-197. It is oriented azimuth 090, dip -60 degrees. Martha structure is hosted in conglomerate and includes Pb 0.25 % and Zn 0.49 %.

## BP08-202

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	73.33	74.00	0.67	0.63	0.035	51.2	53.3
Unnamed	173.11	173.82	0.71	0.61	0.100	<b>287.5</b>	<b>293.5</b>
Includes	173.33	173.54	0.21	0.18	0.195	<b>802.6</b>	<b>814.3</b>

Hole BP08-202 is located east of La Preciosa Ridge on mine section 15,600 N, 100 metres east of hole BP08-199. It is oriented azimuth 090, dip -45 degrees. Martha vein is weak stringers located at the andesite / conglomerate contact.

## BP08-203

Hole BP08-203 is located east of La Preciosa Ridge on mine section 15,500 N. It is oriented azimuth 090, dip -45 degrees, 100 metres east of hole BP08-198.

No significant mineralized intercepts were encountered in hole BP08-203.

## BP08-204

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	123.00	128.70	5.70	4.94	0.097	52.0	57.9
Includes	123.00	124.07	1.07	0.93	0.310	<b>184.5</b>	<b>203.1</b>

Hole BP08-204 is located east of La Preciosa Ridge on mine section 15,400 N. It is oriented azimuth 090, dip -45 degrees, between holes BP08-207 and BP08-256. The Martha structure is hosted in conglomerate.

## BP08-205

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	105.67	112.95	7.28	6.84	0.031	17.5	19.3

Hole BP08-205 is located east of La Preciosa Ridge on mine section 15,300 N. It is oriented azimuth 090, dip -45 degrees, between holes BP08-186 and BP08-297. The Martha structure is a stringer zone hosted in conglomerate.

## BP08-206

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	125.58	128.13	2.55	2.39	0.126	<b>135.8</b>	<b>143.4</b>
Includes	125.58	126.81	1.23	1.16	0.178	<b>186.9</b>	<b>197.6</b>
Unnamed	134.28	134.97	0.69	0.65	0.199	<b>105.4</b>	<b>117.4</b>

Hole BP08-206 is located east of La Preciosa Ridge on mine section 15,200 N, east of hole BP08-185. It is oriented azimuth 090, dip -45 degrees. Martha vein is located at the andesite / conglomerate contact..

## BP08-207

Hole BP08-207 is located east of La Preciosa Ridge on mine section 15,400 N. It is oriented azimuth 090, dip -75 degrees, between holes BP08-175 and BP08-204.

There are no significant mineralized intercepts. (It is on the eastern flank of the main mineralized trend in Martha.)

## BP08-208

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	128.29	128.64	0.35	0.33	0.036	<b>215.0</b>	<b>217.2</b>
Unnamed	145.70	146.68	0.98	0.92	0.105	<b>550.1</b>	<b>556.3</b>
<b>Martha</b>	335.07	339.54	4.47	4.20	0.150	52.7	61.7
Includes	336.60	339.54	2.94	2.76	0.167	68.3	78.3
Includes	339.22	339.54	0.32	0.30	0.250	<b>181.3</b>	<b>196.3</b>
Unnamed	342.91	343.48	0.57	0.54	0.284	54.4	71.4

Hole BP08-208 is located east of La Preciosa Ridge on mine section 14,700 N, between holes BP08-213A and BP08-212A. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure adjacent to the conglomerate / schist contact. It is elevated in the base metals Pb 0.87 % and Zn 1.05 %.

BP08-209

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	22.66	23.47	0.81	0.62	0.064	<b>487.8</b>	<b>491.7</b>
Includes	22.66	22.86	0.20	0.15	0.020	<b>1,712.3</b>	<b>1,713.5</b>
Unnamed	36.67	37.07	0.40	0.36	0.016	<b>311.3</b>	<b>312.3</b>
Unnamed	52.19	52.96	0.77	0.59	0.036	<b>964.4</b>	<b>966.6</b>
Unnamed	55.99	56.83	0.84	0.64	0.060	<b>315.2</b>	<b>318.8</b>
<b>Abundancia</b>	63.19	68.12	4.93	3.78	0.093	<b>217.7</b>	<b>223.3</b>
Includes	64.43	68.12	3.69	2.83	0.114	<b>279.1</b>	<b>286.0</b>
Includes	65.50	66.02	0.52	0.39	0.316	<b>1,317.7</b>	<b>1,336.7</b>
Unnamed	249.74	250.59	0.85	0.55	0.235	<b>309.7</b>	<b>323.8</b>
<b>Esperancita</b>	274.57	276.80	2.23	1.28	0.271	<b>276.0</b>	<b>292.2</b>
Unnamed	327.56	328.57	1.01	0.87	0.320	92.1	<b>111.3</b>
<b>Martha</b>	332.65	356.16	23.51	22.09	0.157	32.0	41.4
Includes	332.65	335.82	3.17	2.98	0.321	90.6	<b>109.9</b>
Includes	353.46	356.16	2.70	2.54	0.537	<b>115.8</b>	<b>148.0</b>
Unnamed	395.33	396.24	0.91	0.70	0.148	<b>476.8</b>	<b>485.6</b>

Hole BP08-209 is located east of La Preciosa Ridge on mine section 15,400 N, between holes BP06-77 and BP06-75ext. It is oriented azimuth 090, dip -75 degrees. Abundancia is a strong vein preceded by a wide zone of stringers in andesite. Esperancita vein is an oblique intersect in andesite. Martha vein is a strong structure in two parts hosted in conglomerate near the andesite contact.

## BP08-210

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	382.04	384.71	2.67	2.63	0.214	82.6	95.4
Includes	383.35	383.74	0.39	0.38	0.281	<b>185.2</b>	<b>202.1</b>
<b>Martha</b>	396.47	402.86	6.39	6.29	0.661	<b>232.8</b>	<b>272.5</b>
Includes	397.38	400.74	3.36	3.31	0.872	<b>279.3</b>	<b>331.6</b>
Includes	398.80	399.09	0.29	0.29	2.086	<b>1,504.9</b>	<b>1,630.1</b>

Hole BP08-210 is located east of La Preciosa Ridge on mine section 14,600 N, 100 metres west of BP08-211 and 100 metres south of BP08-213A. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure adjacent to the conglomerate schist contact. Base metal values in Pb 2.04 % and Zn 4.76 % are high in this intercept.

## BP08-211

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Transversal</b>	107.05	119.63	12.58	8.08	0.102	34.2	40.3
Includes	112.02	113.12	1.10	0.70	0.064	88.6	92.4
Unnamed	341.36	341.86	0.50	0.49	0.604	<b>269.0</b>	<b>305.3</b>
<b>Martha</b>	344.27	352.99	8.72	8.58	0.285	91.9	<b>109.0</b>
Includes	351.31	352.99	1.68	1.65	0.990	<b>169.6</b>	<b>229.0</b>
Includes	344.27	345.63	1.38	1.36	0.421	<b>338.7</b>	<b>363.9</b>

Hole BP08-211 is located east of La Preciosa Ridge on mine section 14,600 N, 100 metres east of BP08-210 and 100 metres west of BP08-216. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure adjacent to the conglomerate schist contact. Base metal values in Pb and Zn are also high in this intercept. Transversal vein is an oblique intercept with low grade.

## BP08-212A

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	286.60	295.28	8.68	8.16	0.184	<b>247.9</b>	<b>258.9</b>
Includes	286.60	292.43	5.83	5.48	0.235	<b>300.5</b>	<b>314.6</b>
Includes	286.60	288.52	1.92	1.80	0.134	<b>520.2</b>	<b>528.3</b>

Hole BP08-212A is located east of La Preciosa Ridge on mine section 14,700 N, between holes BP08-208 and BP08-220. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure adjacent to the andesite / conglomerate contact.

## BP08-213A

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	359.19	372.57	13.38	13.18	0.077	87.1	91.7
Includes	367.92	372.57	4.65	4.58	0.142	<b>177.8</b>	<b>186.3</b>
Includes	369.41	371.87	2.46	2.42	0.156	<b>199.7</b>	<b>209.1</b>

Hole BP08-213A is located east of La Preciosa Ridge on mine section 14,700 N, between holes BP08-214 and BP08-208. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure adjacent to the conglomerate / schist contact. Lead and zinc are elevated in the Martha vein at 0.35 % and 1.22 % respectively for the 13.18 metre intercept and 0.73 % and 3.02 % respectively for the 4.58 metre intercept.

BP08-214

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	39.00	39.27	0.27	0.25	0.195	<b>1,907.0</b>	<b>1,918.7</b>
Unnamed	147.32	149.30	1.98	1.79	0.120	<b>134.7</b>	<b>141.9</b>
Includes	147.32	148.47	1.15	1.04	0.195	<b>216.2</b>	<b>227.9</b>
Includes	147.32	148.07	0.75	0.68	0.264	<b>294.8</b>	<b>310.7</b>
Unnamed	175.13	175.80	0.67	0.61	0.034	<b>136.3</b>	<b>138.4</b>
Unnamed	340.06	340.68	0.62	0.58	0.125	<b>111.5</b>	<b>119.0</b>
Unnamed	373.27	374.20	0.93	0.87	0.085	<b>125.4</b>	<b>130.5</b>
Unnamed	397.30	397.70	0.40	0.39	0.504	<b>1,693.7</b>	<b>1,723.9</b>
<b>Martha</b>	424.24	426.69	2.45	2.41	0.163	42.4	52.2
Includes	424.24	424.73	0.49	0.48	0.408	91.4	<b>115.9</b>

Hole BP08-214 is located east of La Preciosa Ridge on mine section 14,700 N, between holes BP08-213A and BP08-219. It is oriented azimuth 090, dip -75 degrees. Martha vein is elevated in base metals adjacent to the conglomerate / schist contact. Martha vein also grades Pb 0.79 % and Zn 1.90 %.

## BP08-215

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	0.00	3.05	3.05	2.95	0.010	<b>291.4</b>	<b>292.0</b>
<b>Transversal</b>	99.18	102.58	3.40	2.40	0.098	65.3	71.2
Includes	99.43	99.96	0.53	0.37	0.102	<b>137.2</b>	<b>143.3</b>
Unnamed	108.35	109.02	0.67	0.66	0.053	<b>226.3</b>	<b>229.5</b>
Unnamed	306.57	307.12	0.55	0.55	0.080	<b>108.3</b>	<b>113.1</b>
<b>Martha</b>	398.99	404.65	6.19	6.19	0.220	<b>127.5</b>	<b>140.7</b>
Includes	400.69	404.65	3.96	3.96	0.273	<b>170.6</b>	<b>187.0</b>
Includes	401.39	404.27	2.88	2.88	0.294	<b>205.6</b>	<b>223.3</b>
Unnamed	411.62	411.92	0.30	0.30	0.415	<b>2,589.5</b>	<b>2,614.4</b>

Hole BP08-215 is located east of La Preciosa Ridge on mine section 14,600 N, between holes BP08-210 and BP08-217. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure in conglomerate. Base metal values are elevated in the Martha intercept at Pb 0.51 % and Zn 1.16 %.

## BP08-216

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	164.07	169.25	5.18	3.97	0.013	<b>135.4</b>	<b>136.2</b>
Includes	165.48	168.86	3.38	2.59	0.018	<b>175.4</b>	<b>176.5</b>
Includes	168.44	168.86	0.42	0.32	0.003	<b>592.5</b>	<b>592.7</b>
Unnamed	228.80	229.67	0.87	0.86	0.080	70.8	75.6
Includes	228.80	229.02	0.22	0.22	0.032	<b>153.1</b>	<b>155.0</b>
<b>Martha</b>	303.64	306.65	3.01	3.01	0.258	<b>119.1</b>	<b>134.6</b>
Includes	303.64	305.55	1.91	1.91	0.315	<b>163.2</b>	<b>182.1</b>

Hole BP08-216 is located east of La Preciosa Ridge on mine section 14,600 N, between holes BP08-211 and BP08-218. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure at the andesite / conglomerate contact.

## BP08-217

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	95.01	96.14	1.13	0.93	0.179	<b>112.4</b>	<b>123.1</b>
<b>Martha</b>	387.84	393.71	5.87	5.52	0.446	<b>306.0</b>	<b>332.7</b>
Includes	390.06	393.71	3.65	3.43	0.698	<b>458.4</b>	<b>500.3</b>
Includes	390.26	390.80	0.54	0.51	0.880	<b>1,641.6</b>	<b>1,694.4</b>

Hole BP08-217 is located east of La Preciosa Ridge on mine section 14,600 N, west of hole BP08-215. It is oriented azimuth 000, dip -90 degrees. Martha vein is a strong structure in conglomerate. Base metal values in Pb and Zn are elevated in this intercept at Pb = 2.70 % and Zn = 1.65 %.

## BP08-218

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	264.92	266.26	1.34	1.26	0.020	<b>109.5</b>	<b>110.7</b>
<b>Martha</b>	276.39	284.16	7.77	7.65	0.162	<b>218.6</b>	<b>228.3</b>
Includes	280.68	283.24	2.56	2.52	0.281	<b>431.1</b>	<b>448.0</b>
Includes	281.36	281.93	0.57	0.56	0.250	<b>725.6</b>	<b>740.6</b>

Hole BP08-218 is located east of La Preciosa Ridge on mine section 14,600 N, between holes BP08-216 and BP08-227. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure hosted in andesite close to the conglomerate contact. Base metal values in Pb = 0.51 % and Zn = 1.25 % are elevated in this intercept.

## BP08-219

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	269.32	269.93	0.61	0.47	0.775	<b>1,410.9</b>	<b>1,457.4</b>
Unnamed	328.03	330.91	2.88	2.88	0.060	<b>109.1</b>	<b>112.7</b>
Includes	328.03	328.45	0.42	0.42	0.398	<b>357.3</b>	<b>381.2</b>
<b>Martha</b>	432.07	442.46	10.39	9.76	0.097	51.6	57.4
Includes	440.14	442.46	2.32	2.18	0.140	<b>107.1</b>	<b>115.5</b>
Includes	442.05	442.46	0.41	0.38	0.390	<b>330.0</b>	<b>335.7</b>

Hole BP08-219 is located east of La Preciosa Ridge on mine section 14,700 N, drilled from the same pad as BP08-214, but at a steeper angle. It is oriented azimuth 000, dip -90 degrees. Martha vein is hosted in conglomerate adjacent to the conglomerate / schist contact. Base metals are elevated at Pb 0.34 % and Zn 0.56 %.

## BP08-220

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	213.37	214.58	1.21	0.78	0.660	<b>127.7</b>	<b>167.3</b>
<b>Martha</b>	257.77	266.06	8.29	8.01	0.127	<b>103.6</b>	<b>111.2</b>
Includes	261.16	266.06	4.90	4.73	0.186	<b>143.2</b>	<b>154.4</b>
Includes	261.63	262.05	0.42	0.41	0.059	<b>310.1</b>	<b>313.6</b>
Unnamed	276.27	278.50	1.78	1.54	0.210	<b>123.9</b>	<b>136.5</b>

Hole BP08-220 is located east of La Preciosa Ridge on mine section 14,700 N, between holes BP08-212A and BP08-226. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure adjacent to the andesite / conglomerate contact. Base metals are elevated.

## BP08-221

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	230.93	231.14	0.21	0.20	0.040	<b>931.2</b>	<b>933.6</b>
<b>Martha</b>	327.36	329.10	1.74	1.64	0.185	46.6	57.7
Includes	327.64	328.06	0.42	0.39	0.600	<b>119.6</b>	<b>155.6</b>

Hole BP08-221 is located east of La Preciosa Ridge on mine section 14,500 N, 100 metres west of hole BP08-222. It is oriented azimuth 090, dip -75 degrees. Martha vein is a weak structure along the andesite / conglomerate contact.

## BP08-222

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	199.35	199.96	0.61	0.57	0.003	<b>234.2</b>	<b>234.4</b>
<b>Martha</b>	291.69	299.47	7.78	7.66	0.078	50.0	54.6
Includes	297.44	299.47	2.03	2.00	0.234	<b>109.8</b>	<b>123.8</b>
Includes	298.32	298.91	0.59	0.58	0.380	<b>182.6</b>	<b>205.4</b>

Hole BP08-222 is located east of La Preciosa Ridge on mine section 14,500 N, between holes BP08-221 and BP08-228. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure in andesite along the andesite / conglomerate contact. Base metals are low at Pb 0.21 % and Zn 0.06 %.

## BP08-223

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	354.94	357.29	2.43	2.27	0.889	<b>342.3</b>	<b>395.7</b>
Includes	354.94	356.74	1.88	1.82	<b>1.175</b>	<b>459.4</b>	<b>529.9</b>

Hole BP08-223 is located east of La Preciosa Ridge on mine section 14,400 N, 100 metres west of hole BP08-224. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure hosted in andesite at the conglomerate contact. Base metal values in Pb 2.40 % and Zn 1.00 % are elevated in this intercept.

## BP08-224

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	321.84	327.36	5.52	5.52	0.241	<b>151.4</b>	<b>165.9</b>
Includes	323.21	325.77	2.56	2.56	0.400	<b>285.7</b>	<b>309.7</b>
Includes	323.21	324.31	1.10	1.10	0.525	<b>337.3</b>	<b>368.8</b>

Hole BP08-224 is located east of La Preciosa Ridge on mine section 14,400 N, between hole BP08-223 and BP08-236. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure hosted in andesite at the conglomerate contact. Base metal values in Pb 0.54 % and Zn 0.73 % are elevated in this intercept.

## BP08-225

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Boulders*	4.27	9.13	4.86	*	0.008	<b>102.6</b>	<b>103.1</b>
Includes	4.27	6.03	1.76	*	0.010	<b>218.5</b>	<b>219.1</b>
Unnamed	241.73	243.85	2.12	1.99	0.004	<b>130.5</b>	<b>130.7</b>
Includes	241.73	242.69	0.96	0.90	0.006	<b>209.2</b>	<b>209.5</b>
<b>Martha</b>	392.95	395.57	2.62	2.53	0.451	<b>308.0</b>	<b>335.1</b>
Includes	393.30	395.27	1.97	1.90	0.561	<b>398.7</b>	<b>432.3</b>
Includes	393.30	394.62	1.32	1.28	0.646	<b>476.2</b>	<b>515.0</b>

Hole BP08-225 is located east of La Preciosa Ridge on mine section 14,300 N, at 100 metres west of hole BP08-234. It is oriented azimuth 090, dip -75 degrees. \* At the beginning of the hole are large boulders, through which the drill core sampled, but there is no true width. Deeper is the Martha vein, a strong structure hosted in andesite at the conglomerate contact. Base metal values in Pb 3.16 % and Zn 6.32 % are high in this intercept.

## BP08-226

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	235.14	248.92	13.78	12.95	0.047	64.8	67.6
Includes	246.16	248.92	2.76	2.59	0.205	<b>134.8</b>	<b>147.1</b>
Includes	247.25	248.92	1.67	1.57	0.317	<b>200.8</b>	<b>219.9</b>

Hole BP08-226 is located east of La Preciosa Ridge on mine section 14,700 N, between holes BP08-220 and BP08-229. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure adjacent to the andesite / conglomerate contact.

## BP08-227

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	255.12	258.67	3.55	3.50	0.383	92.8	<b>115.8</b>
Includes	255.12	257.06	1.94	1.91	0.470	<b>125.1</b>	<b>153.3</b>

Hole BP08-227 is located east of La Preciosa Ridge on mine section 14,600 N, between holes BP08-218 and BP08-231. It is oriented azimuth 090, dip -75 degrees. Martha vein is a structure hosted in andesite close to the conglomerate contact.

## BP08-228

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	256.79	283.34	26.55	26.15	0.111	95.7	<b>102.4</b>
Includes	277.40	283.34	5.94	5.85	0.457	<b>199.8</b>	<b>227.3</b>
Includes	278.78	279.40	0.62	0.61	<b>1.175</b>	<b>1,140.5</b>	<b>1,211.0</b>

Hole BP08-228 is located east of La Preciosa Ridge on mine section 14,500 N, between holes BP08-222 and BP08-230. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure hosted in andesite and conglomerate along the contact.

## BP08-229

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	198.82	202.60	3.78	3.72	0.139	85.1	93.4
Includes	199.97	202.60	2.63	2.59	0.154	<b>111.0</b>	<b>120.2</b>
Includes	200.57	202.14	1.57	1.55	0.208	<b>143.2</b>	<b>155.7</b>

Hole BP08-229 is located east of La Preciosa Ridge on mine section 14,700 N, between holes BP08-226 and BP08-233. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure within the conglomerate near the andesite contact.

## BP08-230

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	211.13	219.08	7.95	7.83	0.092	7.4	12.9
Includes	214.58	215.13	0.55	0.54	0.484	27.1	56.1

Hole BP08-230 is located east of La Preciosa Ridge on mine section 14,500 N, between holes BP08-228 and BP08-245. It is oriented azimuth 090, dip -75 degrees. Martha vein is an unusually leached out, low core recovery portion of the vein structure at the conglomerate / andesite contact.

## BP08-231

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	186.14	199.47	13.33	12.88	0.064	21.2	25.0
Includes	197.51	199.47	1.96	1.89	0.383	13.8	36.8

Hole BP08-231 is located east of La Preciosa Ridge on mine section 14,600 N, between holes BP08-227 and BP08-235. It is oriented azimuth 090, dip -75 degrees. The Martha structure is a broad zone of stringers and veinlets hosted in andesite close to the conglomerate contact.

## BP08-232

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	417.94	419.42	1.48	1.46	0.168	79.9	89.9
Includes	417.94	418.38	0.44	0.43	0.332	<b>179.2</b>	<b>199.1</b>

Hole BP08-232 is located east of La Preciosa Ridge on mine section 14,200 N, between holes BP08-301 and BP08-237. It is oriented azimuth 090, dip -75 degrees. The Martha vein structure is hosted in conglomerate near the andesite contact. Base metals are elevated at Pb 1.62 % and Zn 1.38 %.

## BP08-233

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	153.02	157.31	4.29	4.03	0.057	53.0	56.4
Includes	153.37	154.23	0.86	0.81	0.115	99.4	<b>106.3</b>

Hole BP08-233 is located east of La Preciosa Ridge on mine section 14,700 N, between holes BP08-229 and BP08-278. It is oriented azimuth 090, dip -75 degrees. Martha vein is a structure along the andesite / conglomerate contact.

## BP08-234

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)	Pb (%)	Zn (%)	Cu (%)
Unnamed	262.62	263.35	0.73	0.58	0.003	65.7	65.8	0.07	0.08	0.01
<b>Martha</b>	351.68	364.62	12.94	12.74	0.035	10.9	13.0	0.01	0.03	0.00

Hole BP08-234 is located east of La Preciosa Ridge on mine section 14,300 N, between holes BP08-225 and BP08-238. It is oriented azimuth 090, dip -75 degrees. Martha vein is a poorly mineralized veinlets and alteration structure in andesite near the conglomerate contact.

## BP08-235

Hole BP08-235 is located east of La Preciosa Ridge on mine section 14,600 N, between hole BP08-231 and BP08-277. It is oriented azimuth 090, dip -75 degrees. A Martha quartz vein was observed in conglomerate near the andesite contact, however, no significant mineralized intercepts were encountered in hole BP08-235.

## BP08-236

Hole BP08-236 is located east of La Preciosa Ridge on mine section 14,400 N. It is oriented azimuth 090, dip -75 degrees, between holes BP08-224 and BP08-240.

This hole was abandoned at a depth of 27.74 metres at the sub-basalt paleosoil contact and was replaced by BP08-244.

## BP08-237

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)	Pb (%)	Zn (%)	Cu (%)
Unnamed	301.69	303.02	1.33	1.02	0.045	123.9	126.6	0.51	0.55	0.01
Unnamed	351.69	351.89	0.20	0.17	0.035	79.7	81.8	3.25	0.02	0.02
<b>Martha</b>	378.31	378.97	0.66	0.65	0.070	75.0	79.2	2.05	3.18	0.03

Hole BP08-237 is located east of La Preciosa Ridge on mine section 14,200 N, between hole BP08-232 and BP08-239. It is oriented azimuth 090, dip -75 degrees. Martha vein is an alteration and veinlets structure hosted in conglomerate near the andesite / conglomerate contact. Base metals are elevated.

## BP08-238

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	323.07	327.96	4.89	4.82	0.162	69.1	78.9
Includes	325.33	327.36	2.03	2.00	0.250	138.6	153.7

Hole BP08-238 is located east of La Preciosa Ridge on mine section 14,300 N, between hole BP08-234 and BP08-242. It is oriented azimuth 090, dip -70 degrees. Martha vein is an alteration and veinlets structure hosted at the andesite / conglomerate contact.

## BP08-239

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	338.27	347.94	9.67	9.63	0.443	<b>125.4</b>	<b>152.0</b>
Includes	338.27	340.16	1.89	1.88	0.494	<b>201.7</b>	<b>231.4</b>
Includes	339.32	340.16	0.84	0.84	0.549	<b>246.5</b>	<b>279.4</b>

Hole BP08-239 is located east of La Preciosa Ridge on mine section 14,200 N, between hole BP08-237 and BP08-243. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure at the andesite / conglomerate contact.

## BP08-240

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	239.88	240.68	0.80	0.69	0.045	<b>266.5</b>	<b>269.2</b>
<b>Martha</b>	256.52	262.17	5.65	5.56	0.020	18.3	19.5
Includes	259.66	261.43	1.77	1.74	0.026	34.0	35.6

Hole BP08-240 is located east of La Preciosa Ridge on mine section 14,400 N, between hole BP08-244 and BP08-247. It is oriented azimuth 090, dip -70 degrees. Martha vein is a strong structure hosted at the andesite / conglomerate contact.

## BP08-241

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	408.21	415.82	7.61	7.49	0.054	10.6	13.9

Hole BP08-241 is located east of La Preciosa Ridge on mine section 14,100 N, between hole BP08-246 and BP08-253. It is oriented azimuth 090, dip -75 degrees. Martha vein is marked by a weak stringer zone in the narrow conglomerate unit, marked by minor base metal enrichment.

## BP08-242

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	281.46	286.16	4.70	4.63	0.040	<b>156.7</b>	<b>159.1</b>
Includes	281.46	284.23	2.77	2.73	0.032	<b>253.0</b>	<b>254.9</b>
Includes	281.46	283.25	1.79	1.76	0.030	<b>389.1</b>	<b>390.8</b>

Hole BP08-242 is located east of La Preciosa Ridge on mine section 14,300 N, between BP08-238 and BP08-248. It is oriented azimuth 090, dip -75 degrees. The Martha vein is a structure at the andesite / conglomerate contact.

## BP08-243

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	311.85	314.33	2.48	2.44	0.209	<b>127.6</b>	<b>140.1</b>
Includes	311.85	313.73	1.88	1.85	0.217	<b>145.2</b>	<b>158.3</b>
Includes	312.55	313.73	1.18	1.16	0.244	<b>192.5</b>	<b>207.2</b>
Unnamed	351.49	356.25	4.76	4.69	0.079	76.6	81.4
Includes	351.49	351.93	0.44	0.43	0.168	<b>128.9</b>	<b>139.0</b>

Hole BP08-243 is located east of La Preciosa Ridge on mine section 14,200 N, between BP08-239 and BP08-249. It is oriented azimuth 090, dip -75 degrees. The Martha vein is a structure in conglomerate at the andesite contact. Base metal values are low at Pb 0.03 % and Zn 0.02 %.

## BP08-244

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	226.74	228.75	2.01	1.01	0.014	<b>110.0</b>	<b>110.8</b>
Includes	227.39	228.45	1.06	0.53	0.010	<b>154.5</b>	<b>155.1</b>
<b>Martha</b>	273.53	276.21	2.68	2.64	0.668	<b>171.2</b>	<b>211.2</b>
Includes	274.70	276.21	1.51	1.49	<b>1.112</b>	<b>277.1</b>	<b>343.8</b>
Includes	274.96	275.39	0.43	0.42	<b>2.176</b>	<b>420.1</b>	<b>550.7</b>

Hole BP08-244 is located east of La Preciosa Ridge on mine section 14,400 N, between hole BP08-224 and BP08-240. It is oriented azimuth 000, dip -90 degrees. Martha vein is a strong structure hosted in andesite at the conglomerate contact. Base metal values are Pb 0.30 % and Zn 0.38 %.

## BP08-245

Hole BP08-245 is located east of La Preciosa Ridge on mine section 14,500 N, between hole BP08-230 and BP08-273. It is oriented azimuth 090, dip -45 degrees.

No significant mineralized intercepts were encountered in hole BP08-245.

## BP08-246

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	111.50	112.46	0.96	0.95	<b>1.296</b>	37.9	<b>115.7</b>
<b>Martha</b>	441.37	463.56	22.19	21.85	0.065	21.3	25.2
Includes	442.43	453.18	10.75	10.59	0.086	31.1	36.2
Includes	450.15	453.18	3.03	2.98	0.082	51.0	55.9

Hole BP08-246 is located east of La Preciosa Ridge on mine section 14,100 N, between hole BP08-250 and BP08-241. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure hosted in a narrow conglomerate unit between andesite and schist. Base metals are elevated throughout at Pb 0.39 % and Zn 0.96 %.

## BP08-247

Hole BP08-247 is located east of La Preciosa Ridge on mine section 14,400 N, between hole BP08-240 and BP08-267. It is oriented azimuth 090, dip -75 degrees.

No significant mineralized intercepts were encountered in hole BP08-247. Where Martha vein should be located is a zone of very poor core recovery at the andesite / conglomerate contact.

## BP08-248

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	231.25	233.48	2.23	2.10	0.019	31.2	32.3
Includes	233.13	233.48	0.35	0.33	0.035	90.0	92.1

Hole BP08-248 is located east of La Preciosa Ridge on mine section 14,300 N, between holes BP08-242 and BP08-261. It is oriented azimuth 090, dip -75 degrees. Martha vein is a weakly mineralized structure at the andesite / conglomerate contact.

## BP08-249

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	264.99	266.81	1.82	1.71	0.011	12.8	13.4

Hole BP08-249 is located east of La Preciosa Ridge on mine section 14,200 N, between holes BP08-243 and BP08-262. It is oriented azimuth 090, dip -75 degrees. Martha vein is a weakly mineralized structure at the andesite / conglomerate contact.

## BP08-250

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	110.95	111.97	1.02	0.88	0.115	<b>210.3</b>	<b>217.3</b>
<b>Martha</b>	450.48	454.32	3.84	3.61	0.048	13.2	16.1
Unnamed	462.33	463.63	1.30	0.75	0.170	<b>110.3</b>	<b>120.5</b>

Hole BP08-250 is located east of La Preciosa Ridge on mine section 14,100 N, from the same drill pad as hole BP08-246, but drilled at a vertical dip. It is oriented azimuth 000, dip -90 degrees. Martha vein is in conglomerate near the conglomerate /schist contact.

## BP08-251

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	307.10	309.33	2.23	2.19	0.095	<b>100.0</b>	<b>105.7</b>
Includes	308.22	309.33	1.11	1.09	0.163	<b>170.1</b>	<b>179.8</b>
Includes	308.68	309.33	0.65	0.64	0.239	<b>258.2</b>	<b>272.5</b>
Unnamed	343.37	346.75	3.38	3.26	0.089	70.1	75.5
Includes	344.56	346.75	2.19	2.12	0.115	<b>101.4</b>	<b>108.3</b>
Includes	345.76	346.75	0.99	0.96	0.090	<b>198.8</b>	<b>204.2</b>

Hole BP08-251 is located east of La Preciosa Ridge on mine section 14,100 N, between holes BP08-252 and BP08-264. It is oriented azimuth 090, dip -75 degrees. Martha vein is at the andesite / conglomerate contact.

## BP08-252

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	341.63	345.88	4.25	4.19	0.104	<b>147.0</b>	<b>153.3</b>
Includes	343.68	345.88	2.20	2.17	0.174	<b>216.3</b>	<b>226.7</b>
Includes	344.44	344.80	0.36	0.35	0.348	<b>451.5</b>	<b>472.4</b>

Hole BP08-252 is located east of La Preciosa Ridge on mine section 14,100 N, between holes BP08-253 and BP08-251. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure at the andesite / conglomerate contact. Base metals are elevated at Pb 0.67 % and Zn 1.18 %.

## BP08-253

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	364.55	367.17	2.62	2.58	0.185	<b>353.3</b>	<b>364.4</b>
Includes	365.41	366.61	1.20	1.18	0.313	<b>703.4</b>	<b>722.2</b>
Includes	366.12	366.35	0.23	0.23	0.631	<b>809.2</b>	<b>847.1</b>

Hole BP08-253 is located east of La Preciosa Ridge on mine section 14,100 N, between holes BP08-241 and BP08-252. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure at the andesite / conglomerate contact. Base metals are elevated in Martha vein at Pb 0.50 % and Zn 0.71 %.

## BP08-254

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	436.96	441.92	4.96	4.88	0.056	8.8	12.1
Includes	439.11	439.49	0.38	0.37	0.256	55.4	70.8

Hole BP08-254 is located east of La Preciosa Ridge on mine section 14,000 N, 100 metres west of hole BP08-258. It is oriented azimuth 090, dip -75 degrees. Martha vein is a very weak structure at the andesite / conglomerate contact. Base metals are elevated at Pb 0.35 % and Zn 0.45 %.

## BP08-255

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	351.95	359.17	7.22	7.11	0.040	5.5	7.9

Hole BP08-255 is located east of La Preciosa Ridge on mine section 14,000 N, between holes BP08-257 and BP08-263. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure at the andesite / conglomerate contact.

## BP08-256

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	101.01	104.54	3.34	2.89	0.061	46.3	50.0

Hole BP08-256 is located east of La Preciosa Ridge on mine section 15,400 N, 100 metres east of hole BP08-204. It is oriented azimuth 090, dip -45 degrees. Martha vein is diffuse in a sandy lensed conglomerate near the andesite contact.

## BP08-257

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	373.64	379.03	5.39	5.21	0.057	23.3	26.7
Includes	377.16	377.87	0.71	0.69	0.226	<b>100.2</b>	<b>113.7</b>
Includes	377.16	377.44	0.28	0.27	0.504	<b>179.7</b>	<b>209.9</b>

Hole BP08-257 is located east of La Preciosa Ridge on mine section 14,000 N, between holes BP08-258 and BP08-255. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure at the andesite / conglomerate contact.

## BP08-258

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	351.87	352.41	0.60	0.56	0.065	125.4	129.3
<b>Martha</b>	402.87	404.84	1.97	1.96	0.028	11.0	12.7

Hole BP08-258 is located east of La Preciosa Ridge on mine section 14,000 N, between holes BP08-254 and BP08-257. It is oriented azimuth 090, dip -75 degrees. Martha vein is a weak structure at the andesite / conglomerate contact.

## BP08-259

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	342.02	345.84	3.82	3.76	0.029	8.6	10.4

Hole BP08-259 is located east of La Preciosa Ridge on mine section 13,900 N, between holes BP08-260 and BP08-275. It is oriented azimuth 090, dip -75 degrees. Martha vein is a weak structure at the andesite / conglomerate contact.

## BP08-260

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)	Pb (%)	Zn (%)	Cu (%)
Unnamed	67.70	68.29	0.59	0.45	0.109	44.3	50.8	0.02	0.01	0.00
<b>Martha</b>	367.14	379.59	12.45	12.26	0.012	4.3	5.0	0.02	0.03	0.00

Hole BP08-260 is located east of La Preciosa Ridge on mine section 13,900 N, 100 metres west of hole BP08-259. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong silicified structure, but unmineralized, in andesite near the metamorphic basement contact.

## BP08-261

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	183.95	186.46	2.51	2.35	0.122	19.7	27.0
Includes	185.17	185.45	0.28	0.26	0.246	49.0	63.8

Hole BP08-261 is located east of La Preciosa Ridge on mine section 14,300 N, between holes BP08-248 and BP08-266. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong quartz-barite structure at the andesite / conglomerate contact, but of low grade.

## BP08-262

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	187.30	192.05	4.75	4.68	0.024	85.9	87.3
Includes	188.55	190.61	2.06	2.03	0.034	<b>166.0</b>	<b>168.1</b>
Includes	188.55	189.81	1.26	1.24	0.045	<b>247.0</b>	<b>249.7</b>

Hole BP08-262 is located east of La Preciosa Ridge on mine section 14,200 N, between holes BP08-249 and BP08-268. It is oriented azimuth 090, dip -75 degrees. Martha vein is hosted in andesite near the conglomerate contact.

## BP08-263

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	299.70	309.07	9.37	8.11	0.028	4.2	5.9

Hole BP08-263 is located east of La Preciosa Ridge on mine section 14,000 N, between holes BP08-255 and BP08-270. It is oriented azimuth 090, dip -75 degrees. Martha vein is a stringers structure hosted at the andesite / conglomerate contact.

## BP08-264

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	254.19	265.62	11.43	10.74	0.206	96.3	<b>108.6</b>
Includes	254.19	260.95	6.76	6.35	0.285	<b>147.6</b>	<b>164.7</b>
Includes	255.64	258.96	3.32	3.12	0.405	<b>185.6</b>	<b>209.9</b>

Hole BP08-264 is located east of La Preciosa Ridge on mine section 14,100 N, between holes BP08-251 and BP08-271. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure hosted at the andesite / conglomerate contact. Base metals are elevated at Pb 0.80 % and Zn 1.09 %.

## BP08-265

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	384.66	390.85	6.19	6.10	0.004	2.7	2.9

Hole BP08-265 is located east of La Preciosa Ridge on mine section 13,800 N, 100 metres west of BP08-282. It is oriented azimuth 090, dip -75 degrees. Martha vein is an unmineralized silicified and stringer zone in conglomerate.

## BP08-266

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	145.39	152.31	6.92	6.81	0.132	33.9	41.8
Includes	150.81	152.31	1.50	1.48	0.388	94.9	<b>118.2</b>

Hole BP08-266 is located east of La Preciosa Ridge on mine section 14,300 N, between holes BP08-261 and BP08-303. It is oriented azimuth 090, dip -75 degrees. Martha vein is a structure hosted at the andesite / conglomerate contact.

## BP08-267

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	27.88	28.51	0.63	0.59	0.003	<b>164.7</b>	<b>164.9</b>
<b>Martha</b>	163.07	165.95	2.88	2.87	0.200	77.9	89.8
Includes	163.07	165.32	2.25	2.24	0.198	90.1	<b>102.0</b>
Includes	164.64	165.32	0.68	0.68	0.505	<b>187.1</b>	<b>217.4</b>
Unnamed	182.33	183.47	1.14	1.12	0.064	<b>218.2</b>	<b>222.1</b>
Includes	182.33	182.98	0.65	0.64	0.102	<b>334.4</b>	<b>340.7</b>

Hole BP08-267 is located east of La Preciosa Ridge on mine section 14,400 N, between holes BP08-247 and BP08-269. It is oriented azimuth 090, dip -75 degrees. Martha vein is a structure hosted at the andesite / conglomerate contact.

## BP08-268

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	154.53	164.22	9.69	9.36	0.095	53.1	58.8
Includes	161.90	164.22	2.32	2.24	0.183	97.8	<b>108.8</b>
Includes	163.92	164.22	0.30	0.29	<b>1.080</b>	<b>601.7</b>	<b>666.5</b>

Hole BP08-268 is located east of La Preciosa Ridge on mine section 14,200 N, between holes BP08-262 and BP08-302. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure at the conglomerate contact.

## BP08-269

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	136.65	139.67	3.02	3.01	0.181	<b>139.9</b>	<b>150.8</b>
Includes	136.65	138.82	2.17	2.16	0.238	<b>184.2</b>	<b>198.5</b>
Includes	136.65	137.76	1.11	1.11	0.330	<b>271.2</b>	<b>291.0</b>

Hole BP08-269 is located east of La Preciosa Ridge on mine section 14,400 N, between holes BP08-267 and BP08-304. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure hosted at the andesite / conglomerate contact.

## BP08-270

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	254.81	266.01	11.20	11.03	0.716	<b>302.0</b>	<b>345.0</b>
Includes	254.81	262.92	8.11	7.99	0.939	<b>391.1</b>	<b>447.5</b>
Includes	259.07	262.92	3.58	3.53	<b>1.906</b>	<b>713.2</b>	<b>827.5</b>

Hole BP08-270 is located east of La Preciosa Ridge on mine section 14,000 N, 100 metres east of BP08-263. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure hosted in andesite at the conglomerate contact. Base meals are elevated in Martha vein at Pb 1.80 % and Zn 0.68 %.

## BP08-271

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	197.65	223.12	25.47	22.06	0.046	8.8	11.6

Hole BP08-271 is located east of La Preciosa Ridge on mine section 14,100 N, between hole BP08-264 and BP08-300. It is oriented azimuth 090, dip -75 degrees. Martha vein is a thick, moderately strong structure at the andesite / conglomerate contact, but is low-grade at this location.

## BP08-272

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	107.15	115.73	8.58	8.29	0.080	48.8	53.6
Includes	108.43	111.31	2.88	2.78	0.181	<b>106.5</b>	<b>117.4</b>
Includes	108.43	110.05	1.62	1.56	0.244	<b>152.6</b>	<b>167.2</b>

Hole BP08-272 is located east of La Preciosa Ridge on mine section 14,500 N, between hole BP08-273 and BP08-312. It is oriented azimuth 090, dip -75 degrees. Martha vein is a moderately strong structure at the andesite / conglomerate contact.

## BP08-273

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	133.27	144.48	11.01	10.35	0.386	<b>208.8</b>	<b>231.0</b>
Includes	133.95	142.51	8.56	8.04	0.460	<b>263.2</b>	<b>290.8</b>
Includes	138.38	141.43	3.05	2.87	0.911	<b>639.3</b>	<b>694.0</b>

Hole BP08-273 is located east of La Preciosa Ridge on mine section 14,500 N, between hole BP08-245 and BP08-272. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure at the andesite / conglomerate contact. Base metals are low at Pb 0.21 % and Zn 0.13 %.

## BP08-274

Hole BP08-274 is located east of La Preciosa Ridge on mine section 13,900 N, between hole BP08-275 and BP08-307. It is oriented azimuth 090, dip -75 degrees. There are no significant intercepts. A high proportion of diorite sills and dykes are present.

## BP08-275

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	281.15	283.75	2.60	2.36	0.031	12.9	14.7

Hole BP08-275 is located east of La Preciosa Ridge on mine section 13,900 N, between hole BP08-259 and BP08-274. It is oriented azimuth 090, dip -75 degrees. Martha vein is a narrow veinlets structure at the andesite / conglomerate contact.

## BP08-276

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	74.33	89.47	15.14	14.91	0.079	25.3	30.0
Includes	75.83	77.34	1.51	1.49	0.360	80.4	<b>102.0</b>
Includes	76.93	77.34	0.41	0.40	0.404	<b>202.7</b>	<b>226.9</b>

Hole BP08-276 is located east of La Preciosa Ridge on mine section 14,600 N, between hole BP08-277 and BP08-313. It is oriented azimuth 090, dip -75 degrees. Martha vein is a wide veinlets structure in conglomerate close to the andesite contact.

## BP08-277

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	109.60	112.95	3.35	3.30	0.218	<b>247.1</b>	<b>260.2</b>
Includes	110.05	112.05	2.00	1.97	0.310	<b>352.7</b>	<b>371.3</b>
Includes	111.20	112.05	0.85	0.84	0.265	<b>602.0</b>	<b>617.9</b>

Hole BP08-277 is located east of La Preciosa Ridge on mine section 14,600 N, between hole BP08-235 and BP08-276. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure at the andesite / conglomerate contact.

## BP08-278

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	83.63	89.06	5.43	5.10	<b>1.004</b>	<b>251.3</b>	<b>311.5</b>
Includes	85.89	89.06	3.17	2.98	<b>1.713</b>	<b>418.2</b>	<b>520.9</b>
Includes	87.48	89.06	1.58	1.48	<b>3.261</b>	<b>695.8</b>	<b>891.5</b>

Hole BP08-278 is located east of La Preciosa Ridge on mine section 14,700 N, between hole BP08-233 and BP08-280. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure at the andesite / conglomerate contact.

### BP08-279

Hole BP08-279 is located east of La Preciosa Ridge on mine section 13,800 N, 100 metres east of hole BP08-282. It is oriented azimuth 090, dip -75 degrees. There are no significant mineralized intercepts. Multiple diorite dykes and sills in andesite have been logged.

### BP08-280

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	46.77	53.61	6.84	6.74	<b>1.111</b>	<b>561.6</b>	<b>628.2</b>
Includes	48.30	52.35	4.05	3.99	<b>1.822</b>	<b>927.4</b>	<b>1,036.7</b>
Includes	48.30	50.30	2.00	1.97	<b>3.351</b>	<b>1,594.7</b>	<b>1,795.8</b>

Hole BP08-280 is located east of La Preciosa Ridge on mine section 14,700 N, 100 metres east of BP08-278. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure near the andesite / conglomerate contact.

### BP08-281

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	75.94	79.02	3.08	2.98	0.515	<b>262.4</b>	<b>293.3</b>
Includes	75.94	78.82	2.88	2.78	0.549	<b>278.3</b>	<b>311.3</b>
Includes	76.75	78.62	1.87	1.81	0.825	<b>377.0</b>	<b>426.5</b>

Hole BP08-281 is located east of La Preciosa Ridge on mine section 14,800 N, between holes BP08-192 and BP08-291. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure at the andesite / conglomerate contact.

### BP08-282

Hole BP08-282 is located east of La Preciosa Ridge on mine section 13,800 N, between holes BP08-265 and BP08-279. It is oriented azimuth 090, dip -75 degrees. There are no significant mineralized intercepts and this hole did not reach the projected Martha structure depth. Multiple diorite dykes and sills in andesite have been logged.

## BP08-283

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	160.10	165.65	5.55	5.03	0.344	<b>199.1</b>	<b>219.7</b>
Includes	160.10	164.16	4.06	3.68	0.446	<b>249.6</b>	<b>276.4</b>
Includes	160.10	161.36	1.26	1.14	0.609	<b>296.7</b>	<b>333.2</b>
Unnamed	228.08	229.71	1.63	1.15	0.093	<b>101.5</b>	<b>107.1</b>

Hole BP08-283 is located east of La Preciosa Ridge on mine section 14,900 N, between holes BP08-189 and BP08-284. It is oriented azimuth 090, dip -45 degrees. Martha vein is a strong structure at the andesite / conglomerate contact. Base metals are low at Pb 0.09 % and Zn 0.13 %.

## BP08-284

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	119.94	122.68	2.74	2.47	0.306	<b>213.6</b>	<b>232.0</b>

Hole BP08-284 is located east of La Preciosa Ridge on mine section 14,900 N, between holes BP08-283 and BP08-285. It is oriented azimuth 090, dip -45 degrees. Martha vein is a strong structure at the andesite / conglomerate contact.

## BP08-285

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	65.70	70.69	4.99	4.52	0.081	23.7	28.5

Hole BP08-285 is located east of La Preciosa Ridge on mine section 14,900 N, between holes BP08-284 and BP08-290. It is oriented azimuth 090, dip -45 degrees. Martha vein is a structure at the andesite / conglomerate contact.

## BP08-286

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	143.58	148.59	5.01	4.71	0.151	<b>127.4</b>	<b>136.5</b>
Includes	143.58	147.15	3.57	3.35	0.170	<b>162.2</b>	<b>172.3</b>
Includes	146.28	147.15	0.87	0.82	0.189	<b>239.7</b>	<b>251.0</b>
Unnamed	169.60	172.21	2.61	2.45	0.254	<b>148.4</b>	<b>163.7</b>

Hole BP08-286 is located east of La Preciosa Ridge on mine section 15,000 N, between holes BP08-190 and BP08-287. It is oriented azimuth 090, dip -45 degrees. Martha vein is a structure in andesite near the andesite / conglomerate contact.

## BP08-287

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	93.41	98.16	4.75	4.46	0.198	<b>226.5</b>	<b>238.4</b>
Includes	93.41	97.18	3.77	3.54	0.210	<b>274.2</b>	<b>286.8</b>
Includes	95.33	95.91	0.58	0.55	0.492	<b>897.7</b>	<b>927.2</b>

Hole BP08-287 is located east of La Preciosa Ridge on mine section 15,000 N, between holes BP08-286 and BP08-288. It is oriented azimuth 090, dip -45 degrees. Martha vein is a strong structure at the andesite / conglomerate contact.

## BP08-288

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	57.17	62.54	5.37	4.87	0.183	<b>208.3</b>	<b>219.3</b>
Includes	58.52	61.04	2.52	2.28	0.296	<b>363.3</b>	<b>381.1</b>
Includes	58.52	60.39	1.87	1.69	0.371	<b>448.8</b>	<b>471.1</b>

Hole BP08-288 is located east of La Preciosa Ridge on mine section 15,000 N, 100 metres east of hole BP08-287. It is oriented azimuth 090, dip -45 degrees. Martha vein is a strong structure in andesite near the andesite / conglomerate contact.

## BP08-289

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	123.17	131.60	8.43	7.30	0.312	<b>406.5</b>	<b>425.3</b>
Includes	124.05	130.15	6.10	5.28	0.397	<b>532.1</b>	<b>555.9</b>
Includes	126.36	128.39	2.03	1.76	0.592	<b>942.6</b>	<b>978.1</b>

Hole BP08-289 is located east of La Preciosa Ridge on mine section 15,100 N, between holes BP08-191 and BP08-292. It is oriented azimuth 090, dip -45 degrees. Martha vein is a strong structure at the andesite / conglomerate contact.

## BP08-290

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	33.82	34.75	0.93	0.81	0.045	47.1	49.8

Hole BP08-290 is located east of La Preciosa Ridge on mine section 14,900 N, 100 metres east of hole BP08-285. It is oriented azimuth 090, dip -45 degrees. Martha vein is in conglomerate truncated by the paleosoil at the base of the post-mineralization basalt.

## BP08-291

Hole BP08-291 is located east of La Preciosa Ridge on mine section 14,800 N, 100 metres east of hole BP08-281. It is oriented azimuth 090, dip -75 degrees. Martha vein has been eroded away and is truncated by the paleosoil at the base of the post-mineralization basalt.

## BP08-292

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	89.41	124.22	34.81	30.15	0.089	50.8	56.1
Includes	96.94	99.95	3.01	2.61	0.145	<b>137.0</b>	<b>145.7</b>
Unnamed	380.80	382.14	1.34	1.16	0.150	<b>1,295.3</b>	<b>1,304.3</b>

Hole BP08-292 is located east of La Preciosa Ridge on mine section 15,100 N, between holes BP08-289 and BP08-293. It is oriented azimuth 090, dip -45 degrees. Martha vein is a strong structure at the andesite / conglomerate contact.

## BP08-293

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	52.03	67.27	15.34	13.28	0.036	32.7	34.9
Includes	52.03	54.66	2.63	2.28	0.015	69.4	70.3

Hole BP08-293 is located east of La Preciosa Ridge on mine section 15,100 N, 100 metres east of hole BP08-292. It is oriented azimuth 090, dip -45 degrees. Martha vein is a strong structure at the andesite / conglomerate contact.

## BP08-294

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	77.99	85.24	7.25	6.57	0.017	8.1	9.2
Unnamed	122.15	124.92	2.77	2.51	0.049	48.3	51.3

Hole BP08-294 is located east of La Preciosa Ridge on mine section 15,200 N, between holes BP08-206 and BP08-296. It is oriented azimuth 090, dip -45 degrees. Martha vein is a weak stringer and vein structure at the andesite / conglomerate contact.

## BP08-295

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	145.05	146.83	1.76	1.52	0.003	<b>375.1</b>	<b>375.3</b>
<b>Transversal</b>	285.54	295.04	9.50	6.11	0.068	49.6	53.7
Includes	285.54	287.14	1.60	1.03	0.184	82.7	93.7
Unnamed	318.21	321.74	3.53	3.06	0.040	<b>112.5</b>	<b>114.9</b>
Includes	318.21	320.04	1.83	1.58	0.054	<b>164.2</b>	<b>167.4</b>
<b>Martha</b>	362.62	380.42	17.80	16.73	0.014	20.4	21.2
Includes	373.75	375.50	1.75	1.64	0.030	64.9	66.7

Hole BP08-295 is located east of La Preciosa Ridge on mine section 14,500 N, between holes BP08-298 and BP08-221. It is oriented azimuth 090, dip -75 degrees. Martha vein is a weak stringer structure at the andesite / conglomerate contact. Transversal is an oblique intercept in andesite.

## BP08-296

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	42.72	53.31	10.59	9.60	0.071	28.5	32.8
Includes	47.55	48.77	1.22	1.11	0.135	50.0	58.1
Unnamed	67.30	69.86	2.56	2.22	0.791	<b>130.8</b>	<b>178.3</b>
Includes	67.30	68.28	0.98	0.85	<b>1.476</b>	<b>282.9</b>	<b>371.5</b>
Unnamed	81.99	83.57	1.58	1.48	0.290	<b>160.3</b>	<b>177.7</b>
Unnamed	405.51	405.76	0.25	0.25	0.050	<b>2,268.7</b>	<b>2,271.7</b>

Hole BP08-296 is located east of La Preciosa Ridge on mine section 15,200 N, 100 metres east of hole BP08-294. It is oriented azimuth 090, dip -45 degrees. Martha vein is a stringers and veinlets structure at the andesite / conglomerate contact.

## BP08-297

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	50.53	54.36	3.83	3.47	0.061	59.6	63.3
Includes	50.53	51.48	0.95	0.86	0.122	<b>103.0</b>	<b>110.3</b>

Hole BP08-297 is located east of La Preciosa Ridge on mine section 15,300 N, 100 metres east of hole BP08-205. It is oriented azimuth 090, dip -45 degrees. Martha vein is a structure at the andesite / conglomerate contact.

## BP08-298

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	216.34	219.54	3.20	2.77	0.022	96.7	98.0
Includes	217.86	219.54	1.68	1.45	0.029	<b>152.5</b>	<b>154.3</b>
Includes	217.86	218.28	0.42	0.36	0.055	<b>486.6</b>	<b>489.9</b>
<b>Transversal</b>	294.24	297.00	2.76	2.11	0.155	<b>215.7</b>	<b>225.0</b>
Includes	295.99	297.00	1.01	0.77	0.235	<b>473.4</b>	<b>487.5</b>
<b>Martha</b>	434.20	441.34	7.14	6.71	0.090	14.3	19.8
Includes	434.80	435.00	0.20	0.19	0.289	60.9	78.2

Hole BP08-298 is located east of La Preciosa Ridge on mine section 14,500 N, 100 metres west of hole BP08-295. It is oriented azimuth 090, dip -45 degrees. Martha structure is a veinlets and stringers zone in conglomerate.

## BP08-299

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	214.00	228.26	14.26	13.40	0.151	<b>159.3</b>	<b>168.4</b>
Includes	214.52	219.16	4.64	4.36	0.270	<b>444.3</b>	<b>460.5</b>
Includes	215.19	217.17	1.98	1.86	0.456	<b>899.0</b>	<b>926.4</b>

Hole BP08-299 is located east of La Preciosa Ridge on mine section 14,000 N, between holes BP08-270 and BP08-306. It is oriented azimuth 090, dip -75 degrees. Martha structure is a strong structure at the andesite / conglomerate contact.

## BP08-300

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	170.20	179.01	8.81	8.68	0.321	<b>137.1</b>	<b>156.4</b>
Includes	170.20	175.80	5.60	5.51	0.332	<b>202.6</b>	<b>222.5</b>
Includes	170.20	171.71	1.51	1.49	0.820	<b>486.4</b>	<b>535.6</b>

Hole BP08-300 is located east of La Preciosa Ridge on mine section 14,100 N, between holes BP08-271 and BP08-305. It is oriented azimuth 090, dip -75 degrees. Martha structure is a strong structure at the andesite / conglomerate contact. Base metals are elevated at Pb 1.73 % and Zn 1.56 %.

## BP08-301

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	41.65	42.24	0.59	0.57	0.045	<b>301.6</b>	<b>304.3</b>
Unnamed	144.48	145.26	0.78	0.67	0.020	<b>111.2</b>	<b>112.4</b>
Unnamed	215.37	215.98	0.61	0.45	0.905	88.7	<b>143.0</b>
<b>Martha</b>	440.74	447.85	7.11	7.00	0.066	8.4	12.3

Hole BP08-301 is located east of La Preciosa Ridge on mine section 14,200 N, 100 metres west of BP08-232. It is oriented azimuth 090, dip -75 degrees. Martha structure is a deep stringer zone in conglomerate.

## BP08-302

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	149.81	160.31	10.50	9.09	0.114	24.0	30.8
Includes	153.90	155.90	2.00	1.73	0.105	60.2	66.5

Hole BP08-302 is located east of La Preciosa Ridge on mine section 14,200 N, between holes BP08-268 and BP08-310. It is oriented azimuth 090, dip -70 degrees. Martha structure is a strong structure at the andesite / conglomerate contact.

## BP08-303

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	118.94	121.35	2.41	2.37	0.026	16.3	17.9

Hole BP08-303 is located east of La Preciosa Ridge on mine section 14,300 N, between holes BP08-266 and BP08-316. It is oriented azimuth 090, dip -75 degrees. Martha structure is a moderate structure at the andesite / conglomerate contact.

## BP08-304

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	95.42	103.88	8.46	7.33	0.081	26.3	31.2
Includes	98.50	99.94	1.44	1.25	0.085	45.1	50.2

Hole BP08-304 is located east of La Preciosa Ridge on mine section 14,400 N, between holes BP08-269 and BP08-314. It is oriented azimuth 090, dip -75 degrees. Martha structure is a strong structure at the andesite / conglomerate contact.

## BP08-305

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	141.66	145.95	4.29	4.03	0.042	19.0	21.6

Hole BP08-305 is located east of La Preciosa Ridge on mine section 14,100 N, between holes BP08-300 and BP08-315. It is oriented azimuth 090, dip -75 degrees. Martha structure is a weak structure at the andesite / conglomerate contact.

## BP08-306

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	182.00	188.15	6.15	6.06	0.108	23.3	29.8
Includes	187.30	188.15	0.85	0.84	0.232	48.4	62.3

Hole BP08-306 is located east of La Preciosa Ridge on mine section 14,000 N, between holes BP08-299 and BP08-309. It is oriented azimuth 090, dip -75 degrees. Martha structure is a stringer zone in andesite near the andesite / conglomerate contact.

### BP08-307

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	244.30	253.11	8.81	8.28	0.003	0.3	0.4

Hole BP08-307 is located east of La Preciosa Ridge on mine section 13,900 N, between holes BP08-274 and BP08-308. It is oriented azimuth 090, dip -75 degrees. Martha structure is a stringer zone at the andesite / conglomerate contact. Proximity to a major diorite intrusive in BP08-274 may have flushed out this part of the vein and lead to its non-mineralized status.

### BP08-308

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	245.90	250.56	4.66	4.38	0.021	9.8	11.1

Hole BP08-308 is located east of La Preciosa Ridge on mine section 13,900 N, between holes BP08-307 and BP08-323. It is oriented azimuth 090, dip -75 degrees. Martha structure is a stringer zone at the andesite / conglomerate contact. Proximity to a major diorite intrusive in BP08-274 may have flushed out this part of the vein and lead to its non-mineralized status. Base metals are elevated.

### BP08-309

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	148.93	159.92	10.99	10.32	0.101	18.5	24.6
Includes	150.57	152.09	1.52	1.43	0.285	53.7	70.8
Unnamed	187.43	187.64	0.21	0.20	0.003	54.8	55.0

Hole BP08-309 is located east of La Preciosa Ridge on mine section 14,000 N, between holes BP08-306 and BP08-318. It is oriented azimuth 090, dip -75 degrees. Martha structure is a stringer zone at the andesite / conglomerate contact.

## BP08-310

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	114.89	122.20	7.31	7.06	0.114	89.1	96.0
Includes	114.89	120.02	5.13	4.96	0.102	<b>122.0</b>	<b>128.1</b>
Includes	114.89	117.65	2.76	2.67	0.125	<b>216.9</b>	<b>224.4</b>

Hole BP08-310 is located east of La Preciosa Ridge on mine section 14,200 N, between holes BP08-302 and BP08-319. It is oriented azimuth 090, dip -75 degrees. Martha structure is a vein zone in conglomerate at the andesite / conglomerate contact.

## BP08-311

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	43.32	52.22	8.90	8.76	0.055	4.7	8.0

Hole BP08-311 is located east of La Preciosa Ridge on mine section 14,500 N, 100 metres east of hole BP08-312. It is oriented azimuth 090, dip -75 degrees. Martha structure is a weak stringers zone in andesite above the andesite / conglomerate contact.

## BP08-312

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	71.34	87.48	16.14	15.89	0.259	90.3	<b>105.8</b>
Includes	75.23	83.04	7.81	7.69	0.441	<b>148.2</b>	<b>174.7</b>
Includes	78.86	81.13	2.27	2.24	0.710	<b>215.8</b>	<b>258.4</b>

Hole BP08-312 is located east of La Preciosa Ridge on mine section 14,500 N, between holes BP08-272 and BP08-311. It is oriented azimuth 090, dip -75 degrees. Martha structure is a strong structure at the andesite / conglomerate contact.

### BP08-313

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	41.70	52.27	10.57	10.21	0.025	5.9	7.5

Hole BP08-313 is located east of La Preciosa Ridge on mine section 14,600 N, 100 metres east of hole BP08-276. It is oriented azimuth 090, dip -75 degrees. Martha structure is a minor stringer zone in andesite near the andesite / conglomerate contact.

### BP08-314

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	56.55	62.48	5.93	5.57	0.050	27.7	30.7
Includes	61.79	62.48	0.69	0.65	0.153	94.1	<b>103.3</b>

Hole BP08-314 is located east of La Preciosa Ridge on mine section 14,400 N, 100 metres east of hole BP08-304. It is oriented azimuth 090, dip -75 degrees. Martha structure is a stringer zone in sandstone near the andesite / conglomerate(plus sandstone) contact.

### BP08-315

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	106.48	120.37	13.89	13.42	0.028	3.3	4.9
Unnamed	152.74	159.72	6.98	6.04	0.094	25.5	31.1
Includes	152.74	153.44	0.70	0.61	0.270	74.0	90.2

Hole BP08-315 is located east of La Preciosa Ridge on mine section 14,100 N, between holes BP08-305 and BP08-321. It is oriented azimuth 090, dip -75 degrees. Martha structure is a vein and replacement zone at the andesite / conglomerate contact.

### BP08-316

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	84.12	90.72	6.60	6.50	0.032	5.8	7.7

Hole BP08-316 is located east of La Preciosa Ridge on mine section 14,300 N, between holes BP08-303 and BP08-317. It is oriented azimuth 090, dip -75 degrees. Martha structure is a vein and replacement zone at the andesite / conglomerate contact.

### BP08-317

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	54.78	57.00	2.22	2.19	0.034	21.7	23.8

Hole BP08-317 is located east of La Preciosa Ridge on mine section 14,300 N, between holes BP08-316 and BP08-343. It is oriented azimuth 090, dip -75 degrees. Martha structure is a vein and replacement zone in andesite near the andesite / conglomerate contact.

### BP08-318

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	93.39	103.44	10.05	9.44	0.079	67.5	72.2
Includes	93.39	97.19	3.80	3.57	0.107	<b>129.0</b>	<b>135.4</b>
Includes	93.39	95.59	2.00	1.88	0.101	<b>183.7</b>	<b>189.8</b>

Hole BP08-318 is located east of La Preciosa Ridge on mine section 14,000 N, between holes BP08-309 and BP08-322. It is oriented azimuth 090, dip -75 degrees. Martha structure is a vein in andesite above the andesite / conglomerate contact.

## BP08-319

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	83.07	95.18	12.11	11.70	0.127	96.8	<b>104.4</b>
Includes	84.43	88.00	3.67	3.54	0.184	<b>257.8</b>	<b>268.8</b>
Includes	84.43	86.27	1.84	1.78	0.265	<b>425.9</b>	<b>441.8</b>

Hole BP08-319 is located east of La Preciosa Ridge on mine section 14,200 N, between holes BP08-310 and BP08-320. It is oriented azimuth 090, dip -75 degrees. Martha structure is a stringers and replacement zone in conglomerate at the andesite / conglomerate contact.

## BP08-320

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	55.63	60.10	4.47	4.20	0.062	68.0	71.7
Includes	56.00	58.52	2.52	2.37	0.085	97.3	<b>102.4</b>
Includes	57.00	58.52	1.52	1.43	0.084	<b>119.3</b>	<b>124.3</b>

Hole BP08-320 is located east of La Preciosa Ridge on mine section 14,200 N, 100 metres east of BP08-319. It is oriented azimuth 090, dip -75 degrees. Martha structure is a vein in andesite at the andesite / conglomerate (sandstone) contact.

## BP08-321

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	69.19	79.94	10.75	10.10	0.026	28.6	30.1
Includes	75.29	79.94	4.63	4.35	0.039	54.8	57.2

Hole BP08-321 is located east of La Preciosa Ridge on mine section 14,100 N, between holes BP08-315 and BP08-339. It is oriented azimuth 090, dip -75 degrees. Martha structure is a vein in andesite above the andesite / conglomerate (sandstone) contact.

## BP08-322

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	41.95	61.99	20.04	18.83	0.011	32.3	32.9
Includes	59.13	61.99	2.86	2.69	0.034	<b>164.9</b>	<b>166.9</b>
Includes	59.13	60.70	1.57	1.48	0.003	<b>238.5</b>	<b>238.7</b>
Unnamed	134.59	135.12	0.53	0.34	0.089	<b>147.1</b>	<b>152.5</b>
Includes	134.84	135.12	0.28	0.18	0.124	<b>236.4</b>	<b>243.8</b>

Hole BP08-322 is located east of La Preciosa Ridge on mine section 14,000 N, 100 metres east of BP08-318. It is oriented azimuth 090, dip -75 degrees. Martha structure is a vein and stringers zone in andesite above the andesite / conglomerate contact.

## BP08-322A

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	43.53	59.56	16.03	15.06	0.017	8.0	9.1

Hole BP08-322A is located east of La Preciosa Ridge on mine section 14,000 N, 96 metres east of BP08-318 and 4 metres west of BP08-322. It is oriented azimuth 090, dip -75 degrees. Martha structure is a vein and stringers zone, but heavily leached, in andesite above the andesite / conglomerate contact.

## BP08-323

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	172.00	175.50	3.50	3.29	0.044	19.3	21.9

Hole BP08-323 is located east of La Preciosa Ridge on mine section 13,900 N, between holes BP08-308 and BP08-324. It is oriented azimuth 090, dip -75 degrees. Martha structure is a stringers and replacement zone at the andesite / conglomerate contact.

## BP08-324

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	182.27	189.76	7.49	6.49	0.098	<b>103.5</b>	<b>109.4</b>
Includes	182.27	185.01	2.74	2.37	0.151	<b>179.2</b>	<b>188.3</b>
Includes	182.27	184.00	1.73	1.50	0.175	<b>196.2</b>	<b>206.7</b>

Hole BP08-324 is located east of La Preciosa Ridge on mine section 13,900 N, between holes BP08-323 and BP08-325. It is oriented azimuth 090, dip -75 degrees. Martha structure is a stringers zone at the andesite / conglomerate contact.

## BP08-325

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	99.67	120.81	21.14	20.81	0.131	<b>127.7</b>	<b>135.5</b>
Includes	114.47	120.81	6.34	6.24	0.301	<b>359.5</b>	<b>377.6</b>
Includes	117.49	120.31	2.82	2.78	0.543	<b>662.8</b>	<b>694.8</b>

Hole BP08-325 is located east of La Preciosa Ridge on mine section 13,900 N, between holes BP08-324 and BP08-330. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure in the andesite unit.

## BP08-325A

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	99.67	123.89	24.22	23.85	0.298	<b>138.1</b>	<b>156.0</b>
Includes	117.42	123.89	6.47	6.37	0.860	<b>421.5</b>	<b>473.1</b>
Includes	118.84	121.18	2.34	2.30	<b>2.075</b>	<b>1,013.6</b>	<b>1,138.1</b>

Hole BP08-325A is located east of La Preciosa Ridge on mine section 13,900 N, between holes BP08-324 and BP08-330. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure in the andesite unit.

## BP08-326

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	169.27	179.80	10.53	9.89	0.290	95.3	<b>112.7</b>
Includes	169.27	174.96	5.69	5.35	0.460	<b>153.4</b>	<b>181.0</b>
Includes	172.90	174.96	2.06	1.94	0.975	<b>208.2</b>	<b>266.7</b>

Hole BP08-326 is located east of La Preciosa Ridge on mine section 13,800 N, between holes BP08-328 and BP08-331. It is oriented azimuth 090, dip -75 degrees. Martha structure is a strong vein in andesite near the andesite / conglomerate contact.

## BP08-327

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	190.14	196.60	6.46	6.07	0.050	28.5	31.5
Includes	193.40	196.60	3.20	3.01	0.059	35.9	39.5
Includes	193.40	194.16	0.76	0.71	0.140	70.7	79.1

Hole BP08-327 is located east of La Preciosa Ridge on mine section 13,700 N, between holes BP08-329 and BP08-332. It is oriented azimuth 090, dip -75 degrees. Martha structure is a stringers and replacement zone at the andesite / conglomerate contact.

## BP08-328

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	170.55	176.00	5.45	5.12	0.042	21.3	23.8

Hole BP08-328 is located east of La Preciosa Ridge on mine section 13,800 N, 100 metres west of hole BP08-326. It is oriented azimuth 090, dip -75 degrees. Martha structure is a stringers and replacement zone at the andesite / conglomerate contact.

## BP08-329

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	181.97	194.11	12.14	11.40	0.032	28.4	30.4
Includes	191.11	194.11	3.00	2.82	0.052	43.8	46.9

Hole BP08-329 is located east of La Preciosa Ridge on mine section 13,700 N, 100 metres west of hole BP08-327. It is oriented azimuth 090, dip -75 degrees. Martha structure is a strong vein at the andesite / conglomerate contact.

## BP08-330

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	78.33	95.24	16.91	15.89	0.033	23.1	25.1
Includes	82.39	85.66	3.27	3.07	0.026	43.9	45.5
Includes	84.62	85.66	1.04	0.98	0.021	67.1	68.4

Hole BP08-330 is located east of La Preciosa Ridge on mine section 13,900 N, 100 metres east of hole BP08-325A. It is oriented azimuth 090, dip -75 degrees. Martha structure is a strong quartz vein in andesite.

## BP08-331

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	142.34	143.54	1.20	1.09	0.003	9.3	9.5

Hole BP08-331 is located east of La Preciosa Ridge on mine section 13,800 N, between holes BP08-326 and BP08-334. It is oriented azimuth 090, dip -75 degrees. Martha structure is a weak vein in andesite near the andesite / conglomerate (sandstone) contact.

## BP08-332

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	146.30	155.39	9.09	8.54	0.064	25.9	29.7
Includes	154.19	155.39	1.20	1.13	0.305	<b>130.9</b>	<b>149.2</b>

Hole BP08-332 is located east of La Preciosa Ridge on mine section 13,700 N, between holes BP08-327 and BP08-335. It is oriented azimuth 090, dip -75 degrees. Martha structure is a weak stringer and replacement zone and at the andesite / conglomerate (sandstone) contact.

## BP08-333

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	186.92	191.11	4.19	4.05	0.040	10.9	13.3

Hole BP08-333 is located east of La Preciosa Ridge on mine section 13,600 N, between holes BP08-338 and BP08-340. It is oriented azimuth 090, dip -75 degrees. Martha structure is a weak stringer and replacement zone in conglomerate near the andesite / conglomerate contact.

## BP08-334

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	105.87	107.77	1.90	1.79	0.020	12.8	14.0

Hole BP08-334 is located east of La Preciosa Ridge on mine section 13,800 N, 100 metres east of hole BP08-331. It is oriented azimuth 090, dip -75 degrees. Martha structure is a weak stringer and replacement zone and at the andesite / conglomerate contact.

### BP08-335

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	124.90	128.21	3.31	3.20	0.030	3.0	4.9

Hole BP08-335 is located east of La Preciosa Ridge on mine section 13,700 N, between holes BP08-332 and BP08-346. It is oriented azimuth 090, dip -75 degrees. Martha structure is a weak stringer and replacement zone in conglomerate near the andesite / conglomerate contact.

### BP08-336

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	225.15	239.40	14.25	13.39	0.015	2.0	2.9

Hole BP08-336 is located east of La Preciosa Ridge on mine section 13,600 N, 100 metres west of hole BP08-338. It is oriented azimuth 090, dip -75 degrees. Martha structure is a weak stringer and replacement zone in andesite near the andesite / conglomerate contact.

### BP08-337

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	136.48	137.57	1.09	1.02	0.060	49.1	52.7

Hole BP08-337 is located east of La Preciosa Ridge on mine section 13,600 N, between holes BP08-340 and BP08-341. It is oriented azimuth 090, dip -75 degrees. Martha structure is a narrow vein at the andesite / conglomerate contact.

## BP08-338

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	194.85	220.25	25.40	23.87	0.010	26.5	27.2

Hole BP08-338 is located east of La Preciosa Ridge on mine section 13,600 N, between holes BP08-336 and BP08-333. It is oriented azimuth 090, dip -75 degrees. Martha structure is a large vein at the andesite / conglomerate contact.

## BP08-339

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	50.26	56.90	6.64	6.41	0.200	53.9	66.0
Includes	50.90	53.95	3.05	2.95	0.301	87.4	<b>105.4</b>
Includes	52.80	53.95	1.15	1.11	0.457	93.8	<b>121.2</b>

Hole BP08-339 is located east of La Preciosa Ridge on mine section 14,100 N, 100 metres east of hole BP08-321. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure at the andesite / conglomerate contact. This hole jammed rods in the Martha structure and was thus re-drilled as BP08-339A.

## BP08-339A

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	50.90	58.52	7.62	7.36	<b>1.265</b>	<b>123.5</b>	<b>199.3</b>
Includes	52.04	57.00	4.96	4.79	<b>1.924</b>	<b>183.6</b>	<b>299.0</b>
Includes	52.04	53.95	1.91	1.84	<b>4.872</b>	<b>420.1</b>	<b>712.4</b>

Hole BP08-339A is located east of La Preciosa Ridge on mine section 14,100 N, 100 metres east of hole BP08-321. It is oriented azimuth 090, dip -75 degrees. Martha vein is a strong structure at the andesite / conglomerate contact. Hole BP08-339 jammed rods in the Martha structure and was thus re-drilled as BP08-339A from the same pad 3 metres apart.

## BP08-340

Hole BP08-340 is located east of La Preciosa Ridge on mine section 13,600 N, between holes BP08-333 and BP08-337. It is oriented azimuth 090, dip -75 degrees. There are no significant intercepts in this hole.

## BP08-341

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	107.08	114.00	6.92	6.50	0.117	15.4	26.0
Includes	107.90	109.71	1.81	1.70	0.386	35.5	58.6

Hole BP08-341 is located east of La Preciosa Ridge on mine section 13,600 N, between holes BP08-337 and BP08-347. It is oriented azimuth 090, dip -75 degrees. Martha structure is a weak stringer and replacement zone in andesite near the andesite / conglomerate (sandstone) contact.

## BP08-342

Hole BP08-342 is located east of La Preciosa Ridge on mine section 13,700 N, 100 metres south of hole BP08-279. It is oriented azimuth 090, dip -75 degrees. The top of the hole is in andesite, but the lower part of the hole is dominated by diorite intrusive dykes. There are no significant intercepts.

## BP08-343

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	28.60	39.08	10.48	10.12	0.151	36.6	45.7
Includes	28.60	32.02	3.42	3.30	0.381	74.8	97.7
Includes	29.90	32.02	2.12	2.05	0.512	78.1	<b>108.8</b>

Hole BP08-343 is located east of La Preciosa Ridge on mine section 14,300 N, 100 metres east of BP08-317. It is oriented azimuth 090, dip -75 degrees. Martha structure is a shallow quartz-barite vein and replacement zone at the andesite / conglomerate contact.

## BP08-344

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	186.87	191.11	4.44	4.17	0.019	3.7	4.8

Hole BP08-344 is located east of La Preciosa Ridge on mine section 13,500 N, 100 metres east of BP08-352. It is oriented azimuth 090, dip -75 degrees. Martha structure is a weak stringer and replacement zone at the andesite / conglomerate contact.

## BP08-345

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	247.76	273.49	25.73	24.18	0.018	13.8	14.9

Hole BP08-345 is located east of La Preciosa Ridge on mine section 13,500 N, between holes BP08-348 and BP08-349. It is oriented azimuth 090, dip -75 degrees. Martha structure is a large quartz vein at the andesite / conglomerate contact.

## BP08-346

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	69.19	72.97	3.78	3.35	0.031	7.5	9.3

Hole BP08-346 is located east of La Preciosa Ridge on mine section 13,700 N, 100 metres east of hole BP08-335. It is oriented azimuth 090, dip -75 degrees. Martha structure is a weak stringer and replacement zone in conglomerate near the andesite / conglomerate contact.

## BP08-347

Hole BP08-347 is located east of La Preciosa Ridge on mine section 13,600 N, 100 metres east of hole BP08-341. It is oriented azimuth 090, dip -75 degrees. There are no significant intercepts in this hole.

## BP08-348

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	218.90	238.28	19.38	18.21	0.054	53.5	56.8
Includes	220.95	227.69	6.74	6.33	0.082	99.4	<b>104.3</b>
Includes	220.95	222.20	1.25	1.17	0.083	<b>230.8</b>	<b>235.8</b>

Hole BP08-348 is located east of La Preciosa Ridge on mine section 13,500 N, between holes BP08-345 and BP08-350. It is oriented azimuth 090, dip -75 degrees. Martha structure is a strong vein and replacement zone in andesite near the andesite / conglomerate contact.

### BP08-349

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	312.72	323.50	10.78	10.13	0.032	8.3	10.3

Hole BP08-349 is located east of La Preciosa Ridge on mine section 13,500 N, 100 metres east of hole BP08-345. It is oriented azimuth 090, dip -75 degrees. Martha structure is a series of veins and stringers, with replacement in andesite near the andesite / conglomerate contact.

### BP08-350

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	219.77	227.69	7.92	7.44	0.014	9.2	10.0

Hole BP08-350 is located east of La Preciosa Ridge on mine section 13,500 N, between holes BP08-348 and BP08-352. It is oriented azimuth 090, dip -75 degrees. Martha structure is a stringer and replacement zone in andesite near the andesite / conglomerate contact.

### BP08-351

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	279.77	287.74	7.97	6.11	0.039	12.4	14.7

Hole BP08-351 is located east of La Preciosa Ridge on mine section 13,400 N, between holes BP08-353 and BP08-354. It is oriented azimuth 090, dip -75 degrees. Martha structure is a strong vein in andesite near the andesite / conglomerate contact.

## BP08-352

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	207.55	214.51	6.96	6.54	0.012	0.8	1.5

Hole BP08-352 is located east of La Preciosa Ridge on mine section 13,500 N, between holes BP08-350 and BP08-344. It is oriented azimuth 090, dip -75 degrees. Martha structure is a veinlets, stringer and replacement zone in andesite near the andesite / conglomerate (sandstone) contact.

## BP08-353

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	286.74	298.40	11.66	8.93	0.029	7.9	9.6

Hole BP08-353 is located east of La Preciosa Ridge on mine section 13,400 N, 100 metres west of hole BP08-351. It is oriented azimuth 090, dip -75 degrees. Martha structure is a strong quartz vein in andesite near the andesite / conglomerate contact.

## BP08-354

Vein	From (metres)	To (metres)	Core Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
<b>Martha</b>	281.66	288.86	7.20	5.52	0.054	4.0	7.2

Hole BP08-354 is located east of La Preciosa Ridge on mine section 13,400 N, 100 metres east of hole BP08-351. It is oriented azimuth 090, dip -75 degrees. Martha structure is a weak stringer and replacement zone at the andesite / conglomerate contact.

## EL ORITO RIDGE

BO06-01

Vein	From (metres)	To (metres)	Length	True Width	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	57.99	58.59	0.60		<b>0.993</b>	8.2	64.2
El Orito	73.57	76.06	2.49		<b>16.290</b>	14.6	<b>992.3</b>
<i>Includes</i>	75.08	76.06	0.98		<b>41.284</b>	28.0	<b>2,505.1</b>
<i>Includes</i>	75.46	76.06	0.60		<b>67.400</b>	42.7	<b>4,086.7</b>
Unnamed	153.77	155.90	2.13		0.321	4.1	23.3
<i>Includes</i>	154.37	154.87	0.50		0.647	3.9	42.7

Hole BO06-01 is the first hole drilled in the “Mina El Orito Sector”, 3.4 km south of the portal for La Preciosa. The target is El Orito Vein, a structural continuation of the veins at La Preciosa. The hole is oriented at azimuth 090°, dip -45°.

## ZONA ORIENTE

A series of 6 drill holes were drilled from the southwest side of the Zona Oriente breccias, oriented azimuth 050, dip 45 degrees. On surface there are veins and quartz-breccias / silicified outcrops anomalous in Ag, Au, Pb, Zn, Hg and F.

### BB05-01

Anomalous in Zn, Ba, Pb and minor Au. No zones of high grade mineralization.

### BB05-02

Vein	From	To	Width (m)	True Width (m)	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
Unnamed	12.24	14.31	2.07	2.01	0.176	<b>118.7</b>	<b>129.2</b>
<i>Includes</i>	<i>12.24</i>	<i>13.12</i>	<i>0.88</i>	<i>0.86</i>	0.194	<b>161.0</b>	<b>172.6</b>

### BB05-03

Minor Ag, Au and Ba values. No zones of high grade mineralization.

### BB05-04

Minor Zn and Ba values. No zones of high grade mineralization.

### BB05-05

Minor Zn and Ba values. No zones of high grade mineralization.

### BB05-06

Vein	From	To	Width (m)	True Width (m)	Au (g/t)	Ag (g/t)	Ag-Eq (g/t)
South Brxx	4.57	10.72	5.63	5.63	0.166	50.4	60.4
<i>Includes</i>	<i>4.57</i>	<i>6.14</i>	<i>1.57</i>	<i>1.57</i>	0.268	86.3	<b>102.3</b>